

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830Date of issue: 3/20/2018Revision date: 12/3/2019Supersedes:Version: 1.0

SECTION 1: Identification of t	he substance/mixture and of the company/undertaking
1.1. Product identifier	no ousotanoo/mixtaro and or the company/andorating
Product form	: Mixture
Product form Product name	: Mixture : Caramel #TCDL-CFRA-BOWL-NCML
UFI	: TJM8-90HD-200J-1QUX
Product code	: TCDL-CFRA-BOWL-NCML
Type of product	: Perfumes, Fragrances
Product group	: Finished Good
0	
1.2. Relevant identified uses of	the substance or mixture and uses advised against
1.2.1. Relevant identified uses	
Main use category	: Industrial use
Industrial/Professional use spec	: For professional use only
Use of the substance/mixture	: Perfumes, Fragrances
Function or use category	: Odour agents
1.2.2 Uses advised ensinet	
1.2.2. Uses advised against No additional information available	
1.3. Details of the supplier of th The Cosy Owl	e safety data sheet
20-28 Albert Road,	
Braintree,	
Essex CM7 3JQ	
Tel: +44 1376 560 348 enquiries@cosyowl.com - www.cosyo	wl.com
Company registration number: 0773864	
1.4. Emergency telephone num	ber
0 7 1	mergency number: +44 1376 560 348
SECTION 2: Hazards identific	ation
SECTION 2. Hazarus luentinu	
2.1. Classification of the substa	nce or mixture
2.1. Classification of the substa Classification according to Regulation	
2.1. Classification of the substation Classification according to Regulation Acute toxicity (oral) Category H302	
2.1. Classification of the substation Classification according to Regulation Acute toxicity (oral) Category H302 4	
2.1. Classification of the substate Classification according to Regulation Acute toxicity (oral) Category H302 4 Hazardous to the aquatic H411 environment - Chronic	
2.1. Classification of the substate Classification according to Regulation Acute toxicity (oral) Category H302 4 Hazardous to the aquatic H411	
2.1. Classification of the substate Classification according to Regulation Acute toxicity (oral) Category H302 4 Hazardous to the aquatic H411 environment - Chronic	
2.1. Classification of the substate Classification according to Regulation Acute toxicity (oral) Category H302 4 Hazardous to the aquatic H411 environment - Chronic	on (EC) No. 1272/2008 [CLP]
2.1. Classification of the substate Classification according to Regulation Acute toxicity (oral) Category H302 4 Hazardous to the aquatic H411 environment - Chronic Hazard Category 2	on (EC) No. 1272/2008 [CLP]
2.1. Classification of the substate Classification according to Regulation Acute toxicity (oral) Category H302 4 Hazardous to the aquatic H411 environment - Chronic Hazard Category 2 Full text of H statements : see section for	on (EC) No. 1272/2008 [CLP]
2.1. Classification of the substate Classification according to Regulation Acute toxicity (oral) Category H302 4 Hazardous to the aquatic H411 environment - Chronic Hazard Category 2	on (EC) No. 1272/2008 [CLP] 16 ealth and environmental effects
2.1. Classification of the substate Classification according to Regulation Acute toxicity (oral) Category H302 4 Hazardous to the aquatic H411 environment - Chronic Hazard Category 2 Full text of H statements : see section for Adverse physicochemical, human here Harmful if swallowed. Toxic to aquatic I	on (EC) No. 1272/2008 [CLP] 16 ealth and environmental effects
2.1. Classification of the substate Classification according to Regulation Acute toxicity (oral) Category H302 4 Hazardous to the aquatic H411 environment - Chronic Hazard Category 2 Full text of H statements : see section 4 Adverse physicochemical, human her Harmful if swallowed. Toxic to aquatic 1 2.2.	on (EC) No. 1272/2008 [CLP] 16 ealth and environmental effects ife with long lasting effects.
2.1. Classification of the substate Classification according to Regulation Acute toxicity (oral) Category H302 4 Hazardous to the aquatic H411 environment - Chronic Hazard Category 2 Full text of H statements : see section 4 Harmful if swallowed. Toxic to aquatic I 2.2. Label elements Labeling according to Regulation (Education)	on (EC) No. 1272/2008 [CLP] 16 ealth and environmental effects ife with long lasting effects.
2.1. Classification of the substate Classification according to Regulation Acute toxicity (oral) Category H302 4 Hazardous to the aquatic H411 environment - Chronic Hazard Category 2 Full text of H statements : see section 4 Adverse physicochemical, human her Harmful if swallowed. Toxic to aquatic 1 2.2.	on (EC) No. 1272/2008 [CLP] 16 ealth and environmental effects ife with long lasting effects.
2.1. Classification of the substate Classification according to Regulation Acute toxicity (oral) Category H302 4 Hazardous to the aquatic H411 environment - Chronic Hazard Category 2 Full text of H statements : see section 4 Harmful if swallowed. Toxic to aquatic I 2.2. Label elements Labeling according to Regulation (Education)	on (EC) No. 1272/2008 [CLP] 16 ealth and environmental effects ife with long lasting effects.
2.1. Classification of the substate Classification according to Regulation Acute toxicity (oral) Category H302 4 Hazardous to the aquatic H411 environment - Chronic Hazard Category 2 Full text of H statements : see section 4 Harmful if swallowed. Toxic to aquatic I 2.2. Label elements Labeling according to Regulation (Education)	on (EC) No. 1272/2008 [CLP] 16 ealth and environmental effects ife with long lasting effects.
2.1. Classification of the substate Classification according to Regulation Acute toxicity (oral) Category H302 4 Hazardous to the aquatic H411 environment - Chronic Hazard Category 2 Full text of H statements : see section 4 Harmful if swallowed. Toxic to aquatic I 2.2. Label elements Labeling according to Regulation (Education)	on (EC) No. 1272/2008 [CLP] 16 ealth and environmental effects ife with long lasting effects.
 2.1. Classification of the substate Classification according to Regulation Acute toxicity (oral) Category H302 4 Hazardous to the aquatic H411 environment - Chronic Hazard Category 2 Full text of H statements : see section of Adverse physicochemical, human here Harmful if swallowed. Toxic to aquatic II 2.2. Label elements Labeling according to Regulation (EV) Hazard pictograms (CLP) 	in (EC) No. 1272/2008 [CLP] 16 talth and environmental effects fe with long lasting effects. C) No. 1272/2008 [CLP] : : : : : : : : : : : : :
 2.1. Classification of the substate Classification according to Regulation Acute toxicity (oral) Category H302 4 Hazardous to the aquatic H411 environment - Chronic Hazard Category 2 Full text of H statements : see section of Adverse physicochemical, human here Harmful if swallowed. Toxic to aquatic II 2.2. Label elements Labeling according to Regulation (EC) Hazard pictograms (CLP) 	en (EC) No. 1272/2008 [CLP] 6 ealth and environmental effects fe with long lasting effects. C) No. 1272/2008 [CLP] : : : : : : : : : : : : :
 2.1. Classification of the substate Classification according to Regulation Acute toxicity (oral) Category H302 4 Hazardous to the aquatic H411 environment - Chronic Hazard Category 2 Full text of H statements : see section of Adverse physicochemical, human here Harmful if swallowed. Toxic to aquatic II 2.2. Label elements Labeling according to Regulation (EV) Hazard pictograms (CLP) 	in (EC) No. 1272/2008 [CLP] 16 talth and environmental effects fe with long lasting effects. C) No. 1272/2008 [CLP] : : : : : : : : : : : : :
 2.1. Classification of the substate Classification according to Regulation Acute toxicity (oral) Category H302 4 Hazardous to the aquatic H411 environment - Chronic Hazard Category 2 Full text of H statements : see section of Adverse physicochemical, human here Harmful if swallowed. Toxic to aquatic II 2.2. Label elements Labeling according to Regulation (EC) Hazard pictograms (CLP) 	in (EC) No. 1272/2008 [CLP] is a th and environmental effects fe with long lasting effects. C) No. 1272/2008 [CLP] C C) No.
 2.1. Classification of the substate Classification according to Regulation Acute toxicity (oral) Category H302 4 Hazardous to the aquatic H411 environment - Chronic Hazard Category 2 Full text of H statements : see section of Adverse physicochemical, human here Harmful if swallowed. Toxic to aquatic II 2.2. Label elements Labeling according to Regulation (Ed Hazard pictograms (CLP) Signal word (CLP) Hazardous ingredients Hazard statements (CLP) 	in (EC) No. 1272/2008 [CLP] 16 16 16 16 17 18 19 19 19 19 19 19 19 19 19 19
 2.1. Classification of the substate Classification according to Regulation Acute toxicity (oral) Category H302 4 Hazardous to the aquatic H411 environment - Chronic Hazard Category 2 Full text of H statements : see section of Adverse physicochemical, human here Harmful if swallowed. Toxic to aquatic II 2.2. Label elements Labeling according to Regulation (Ed Hazard pictograms (CLP) Signal word (CLP) Hazardous ingredients 	<pre>bn (EC) No. 1272/2008 [CLP] for alth and environmental effects fe with long lasting effects. f) No. 1272/2008 [CLP] f f f f f f f f f f f f f</pre>
 2.1. Classification of the substate Classification according to Regulation Acute toxicity (oral) Category H302 4 Hazardous to the aquatic H411 environment - Chronic Hazard Category 2 Full text of H statements : see section of Adverse physicochemical, human here Harmful if swallowed. Toxic to aquatic II 2.2. Label elements Labeling according to Regulation (Ed Hazard pictograms (CLP) Signal word (CLP) Hazardous ingredients Hazard statements (CLP) 	in (EC) No. 1272/2008 [CLP] for the environmental effects fer with long lasting effects. fer with long lasting effects. C) No. 1272/2008 [CLP] T T T G HS07 CHS07 CHS07 CHS09 CH
 2.1. Classification of the substate Classification according to Regulation Acute toxicity (oral) Category H302 4 Hazardous to the aquatic H411 environment - Chronic Hazard Category 2 Full text of H statements : see section of Adverse physicochemical, human here Harmful if swallowed. Toxic to aquatic II 2.2. Label elements Labeling according to Regulation (EV) Hazard pictograms (CLP) Signal word (CLP) Hazard statements (CLP) 	<pre>bn (EC) No. 1272/2008 [CLP] for alth and environmental effects fe with long lasting effects. f) No. 1272/2008 [CLP] f f f f f f f f f f f f f</pre>

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

P391 - Collect spillage.

EUH phrases

: EUH208 - Contains Acetyl Propionyl. May produce an allergic reaction

2.3. Other hazards

No additional information available

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Benzyl benzoate	(CAS-No.) 120-51-4 (EC-No.) 204-402-9 (EC Index-No.) 607-085-00-9 (REACH-no) 01-2119976371-33	27.5 - 47.5	Acute Tox. 4 (Oral), H302 Aquatic Chronic 2, H411
Methyl ester of rosin (partially hydrogenated)	(CAS-No.) 8050-15-5 (EC-No.) 232-476-2	15 - 25	Aquatic Chronic 3, H412
Hexylene Glycol	(CAS-No.) 107-41-5 (EC-No.) 203-489-0 (EC Index-No.) 603-053-00-3	1.5 - 2.5	Skin Irrit. 2, H315 Eye Irrit. 2, H319
Vanillin	(CAS-No.) 121-33-5 (EC-No.) 204-465-2 (REACH-no) 01-2119516040-60	0.6975 - 2.25	Eye Irrit. 2, H319
acetyl propionyl	(CAS-No.) 600-14-6 (EC-No.) 209-984-8	0.2 - 0.25	Flam. Liq. 2, H225 Eye Dam. 1, H318 Skin Sens. 1B, H317 STOT RE 2, H373

Allergen report available upon request.

Full text of H-phrases: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	3
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Call a poison center/doctor/physician if you feel unwell.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Wash with plenty of soap and water. If skin irritation or rash occurs: Get immediate medical advice/attention. Get medical advice/attention. Specific treatment (see Wash skin with plenty of water, Call a physician immediately on this label). Wash contaminated clothing before reuse. Wash skin with plenty of water.
First-aid measures after eye contact	 Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists. Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a POISON CENTER or doctor/physician if you feel unwell. Call a poison center/doctor/physician if you feel unwell.
4.2. Most important symptoms and e	ffects, both acute and delayed
Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.
Symptoms/effects after inhalation	: May cause an allergic skin reaction.
Symptoms/effects after ingestion	: Swallowing a small quantity of this material will result in serious health hazard.
4.3. Indication of any immediate med	lical attention and special treatment needed
Treat symptomatically.	
SECTION 5: Firefighting measure	S
5.1. Extinguishing media	
Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

according to Regulation (EC) No. 1907/2006 (REACH) w	th its amendment Regulation (EU) 2015/830		
5.2. Special hazards arising from the su	Special hazards arising from the substance or mixture		
Hazardous decomposition products in case of fire	: Toxic fumes may be released.		
5.3. Advice for firefighters			
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.		
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.		
SECTION 6: Accidental release measures			
6.1. Personal precautions, protective eq	uipment and emergency procedures		
6.1.1. For non-emergency personnel			
6.1.1. For non-emergency personnel Emergency procedures	: Ventilate spillage area. Evacuate unnecessary personnel.		
Emergency procedures	. Ventilate spillage area. Evacuate unifecessary personnel.		
6.1.2. For emergency responders			
Protective equipment	: Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal protection".		
Emergency procedures	: Ventilate area.		
6.2. Environmental precautions			
	to sewers and public waters. Notify authorities if liquid enters sewers or public waters.		
6.3. Methods and material for containme			
For containment	: Collect spillage.		
Methods for cleaning up	: Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.		
Other information	: Dispose of materials or solid residues at an authorized site.		
6.4. Reference to other sections			
See Heading 8. Exposure controls and personal	protection. For further information refer to section 13.		
SECTION 7: Handling and storage			
7.1. Precautions for safe handling			
Precautions for safe handling	: Ensure good ventilation of the work station. Wear personal protective equipment. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor.		
Hygiene measures	: Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Always wash hands after handling the product.		
7.2. Conditions for safe storage, includi	ng any incompatibilities		
Storage conditions	: Keep only in the original container in a cool, well ventilated place away from : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container closed when not in use. Store in a well-ventilated place. Keep cool.		
Incompatible products	: Strong bases. Strong acids.		
Incompatible materials	: Sources of ignition. Direct sunlight.		
Storage temperature	: 25 °C		
Storage area	: Store in a well-ventilated place. Store away from heat.		
Special rules on packaging	: Store in a closed container.		
Packaging materials	: Do not store in corrodable metal.		
7.3. Specific end use(s)			
No additional information available			
SECTION 8: Exposure controls/pers	onal protection		
8.1 Control parameters			

8.1. Control parameters

Hexylene Glycol (107-41-5)		
Austria	MAK (mg/m³)	49 mg/m ³
Austria	MAK (ppm)	10 ppm
Austria	MAK Short time value (mg/m ³)	49 mg/m ³
Austria	MAK Short time value (ppm)	10 ppm
Austria	OEL - Ceilings (mg/m ³)	49 mg/m ³
Austria	OEL - Ceilings (ppm)	10 ppm

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Hexylene Glycol (107-41-5)		
Croatia	GVI (granična vrijednost izloženosti) (mg/m³)	123 mg/m ³
Croatia	GVI (granična vrijednost izloženosti) (ppm)	25 ppm
Croatia	KGVI (kratkotrajna granična vrijednost izloženosti) (mg/m ³)	123 mg/m ³
Croatia	KGVI (kratkotrajna granična vrijednost izloženosti) (ppm)	25 ppm
Denmark	Grænseværdie (ceiling) (ppm)	25 ppm
Denmark	Grænseværdie (ceiling) (mg/m³)	125 mg/m ³
Finland	HTP-arvo (8h) (mg/m ³)	120 mg/m ³
Finland	HTP-arvo (8h) (ppm)	25 ppm
Finland	HTP-arvo (15 min)	200 mg/m ³
Finland	HTP-arvo (15 min) (ppm)	40 ppm
France	VLE (mg/m ³)	125 mg/m ³
France	VLE (ppm)	25 ppm
Greece	OEL TWA (mg/m ³)	125 mg/m ³
Greece	OEL TWA (ppm)	25 ppm
Greece	OEL STEL (mg/m ³)	125 mg/m ³
Greece	OEL STEL (ppm)	25 ppm
Ireland	OEL (15 min ref) (mg/m3)	125 mg/m ³
Ireland	OEL (15 min ref) (ppm)	25 ppm
Lithuania	NRV (mg/m ³)	120 mg/m ³
Lithuania	NRV (ppm)	25 ppm
Poland	NDS (mg/m ³)	50 mg/m ³ (vapor and inhalable fraction)
Poland	NDSCh (mg/m ³)	100 mg/m ³ (vapor and inhalable fraction)
Portugal	OEL - Ceilings (ppm)	25 ppm
Spain	VLA-EC (mg/m ³)	123 mg/m³
Spain	VLA-EC (ppm)	25 ppm
Sweden	kortidsvärde (KTV) (mg/m³)	120 mg/m ³
Sweden	kortidsvärde (KTV) (ppm)	25 ppm
United Kingdom	WEL TWA (mg/m³)	123 mg/m³
United Kingdom	WEL TWA (ppm)	25 ppm
United Kingdom	WEL STEL (mg/m³)	123 mg/m ³
United Kingdom	WEL STEL (ppm)	25 ppm
Norway	TWA (Takverdi) (mg/m³)	100 mg/m³
Norway	TWA (Takverdi) (ppm)	20 ppm
Switzerland	MAK (mg/m³)	49 mg/m ³ (aerosol, vapour)
Switzerland	MAK (ppm)	10 ppm (aerosol, vapour)
Switzerland	KZGW (mg/m ³)	98 mg/m ³ (aerosol, vapour)
Switzerland	KZGW (ppm)	20 ppm (aerosol, vapour)
Canada (Quebec)	PLAFOND (mg/m ³)	121 mg/m ³
Canada (Quebec)	PLAFOND (ppm)	25 ppm
USA - ACGIH	ACGIH TWA (ppm)	25 ppm (vapor fraction)
USA - ACGIH	ACGIH STEL (mg/m ³)	10 mg/m ³ (inhalable particulate matter, aerosol only)
USA - ACGIH	ACGIH STEL (ppm)	50 ppm (vapor fraction)
USA - NIOSH	NIOSH REL (ceiling) (mg/m ³)	125 mg/m ³
USA - NIOSH	NIOSH REL (ceiling) (ng/m)	25 ppm
Benzyl benzoate (120-51-4) USA - NIOSH	NIOSH REL (TWA) (mg/m ³)	<=
acetyl propionyl (600-14-6) Germany	Occupational exposure limit value (mg/m ³)	0.083 mg/m ³
Germany Slovenia	Occupational exposure limit value (ppm) OEL TWA (mg/m ³)	0.02 ppm 0.083 mg/m ³
Slovenia	OEL TWA (ppm)	0.02 ppm

Safety Data Sheet

Evenenure contr

0.0

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

acetyl propionyl (600-14-6)		
Slovenia	OEL STEL (mg/m³)	0.083 mg/m³
Slovenia	OEL STEL (ppm)	0.02 ppm
Switzerland	MAK (mg/m³)	0.08 mg/m ³
Switzerland	MAK (ppm)	0.02 ppm
Switzerland	KZGW (mg/m³)	0.16 mg/m ³
Switzerland	KZGW (ppm)	0.04 ppm
USA - NIOSH	NIOSH REL (TWA) (mg/m³)	9.3 ppb
USA - NIOSH	NIOSH REL (STEL) (mg/m ³)	31 ppb

8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station.
Personal protective equipment	: Avoid all unnecessary exposure.
Hand protection	: Wear protective gloves.
Eye protection	: Chemical goggles or safety glasses. Safety glasses
Skin and body protection	: Wear suitable protective clothing
Respiratory protection	: Wear appropriate mask
Environmental exposure controls	: Avoid release to the environment.
Other information	: Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties		
Physical state	: Liquid	
Color	: light yellow. amber.	
Odor	: Sweet.	
Odor threshold	: No data available	
рН	: No data available	
Relative evaporation rate (butyl acetate=1)	: No data available	
Melting point	: Not applicable	
Freezing point	: No data available	
Boiling point	: No data available	
Flash point	: > 93.33 °C (closed cup) ASTM D7094	
Auto-ignition temperature	: No data available	
Decomposition temperature	: No data available	
Flammability (solid, gas)	: Non flammable.	
Vapor pressure	: No data available	
Relative vapor density at 20 °C	: No data available	
Relative density	: ≈ 1.04	
Solubility	: No data available	
Log Pow	: No data available	
Viscosity, kinematic	: No data available	
Viscosity, dynamic	: No data available	
Explosive properties	: No data available	
Oxidizing properties	: No data available	
Explosion limits	: No data available	
9.2. Other information		

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Not established.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

10.3.	Possibility of hazardous reactions
Not esta	ablished.
10.4.	Conditions to avoid
Direct s	unlight. Extremely high or low temperatures.
10.5.	Incompatible materials
Strong a	acids. Strong bases.
10.6.	Hazardous decomposition products
fume. Carbon monoxide. Carbon dioxide.	

SECTION 11: Toxicological information		
11.1. Information on toxicological effects	S	
Acute toxicity	: Harmful if swallowed.	
ATE CLP (oral)	1052.632 mg/kg body weight	
Skin corrosion/irritation	: Not classified	
Serious eye damage/irritation	: Not classified	
Respiratory or skin sensitization	: Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Reproductive toxicity	: Not classified	
STOT-single exposure	: Not classified	
STOT-repeated exposure	: Not classified	
Aspiration hazard	: Not classified	
Potential Adverse human health effects and	Based on available data, the classification criteria are not met. Harmful if swallowed	

Potential Adverse human health effects and symptoms

SECTION	12: Ecological information	
12.1. To	xicity	
Ecology - gen	neral :	Toxic to aquatic life with long lasting effects.
12.2. Per	rsistence and degradability	
Caramel #T	TCDL-CFRA-BOWL-NCML	
Persistence	e and degradability	Not established.
12.3. Bio	paccumulative potential	
Caramel #T	TCDL-CFRA-BOWL-NCML	
Bioaccumul	lative potential	Not established.
12.4. Mo	bility in soil	
No additional	l information available	
12.5. Res	sults of PBT and vPvB assessment	
No additional	I information available	
12.6. Oth	her adverse effects	
Additional info	ormation	Avoid release to the environment.
SECTION	13: Disposal considerations	
	aste treatment methods	
Waste treatm		Dispose of contents/container in accordance with licensed collector's sorting instructions.
	kaging disposal recommendations :	Dispose of contents/container in accordance with local/national regulations. Dispose of
		contents/container in accordance with local/national laws and regulations.
Ecology - was	ste materials :	Avoid release to the environment.
SECTION	14: Transport information	
	e with ADR / RID / IMDG / IATA / ADN	
-	I number	2022
UN-No. (ADR	() :	3082

UN-No. (IMDG) : 3082 Cosy Owl, 20-28 Albert Road, Braintree, Essex, CM7 3JQ | www.cosyowl.com | enquiries@cosyowl.com |+44 (0)1376 560 348

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

UN-No. (IATA)	: 3082
UN-No. (ADN)	: 3082
UN-No. (RID)	: Not regulated
14.2. UN proper shipping name	
Proper Shipping Name (ADR)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Proper Shipping Name (IMDG)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Proper Shipping Name (IATA)	: Environmentally hazardous substance, liquid, n.o.s.
Proper Shipping Name (ADN)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Proper Shipping Name (RID)	: Not regulated
Transport document description (ADR)	: UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl Benzoate), 9, III, (E)
Transport document description (IMDG)	: UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl Benzoate), 9, III, MARINE POLLUTANT
Transport document description (IATA)	: UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Benzyl Benzoate), 9, III
Transport document description (ADN)	: UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III
14.3. Transport hazard class(es)	
ADR	
Transport hazard class(es) (ADR)	: 9
Hazard labels (ADR)	: 9



Transport hazard class(es) (IMDG)	
Hazard labels (IMDG)	



: 9 : 9

: 9

: 9

Transport hazard class(es) (IATA) Hazard labels (IATA)



ADN

Transport hazard class(es) (ADN) Hazard labels (ADN) : 9 : 9



Transport hazard class(es) (RID)

: Not regulated

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

14.4. Packing group	
Packing group (ADR)	: III
Packing group (IMDG)	: III
Packing group (IATA)	: III
Packing group (ADN)	: III
Packing group (RID)	: Not regulated
14.5. Environmental hazards	
Dangerous for the environment	: Yes
Marine pollutant	: Yes
Other information	: No supplementary information available

14.6. Special precautions for user

- Overland transport	
Classification code (ADR)	: M6
Special provision (ADR)	: 274, 335, 601, 375
Limited quantities (ADR)	: 5
Excepted quantities (ADR)	: E1
Packing instructions (ADR)	: P001, IBC03, LP01, R001
Special packing provisions (ADR)	: PP1
Mixed packing provisions (ADR)	MP19
Portable tank and bulk container instructions (ADR)	: T4
Portable tank and bulk container special provisions (ADR)	: TP1, TP29
Tank code (ADR)	: LGBV
Vehicle for tank carriage	: AT
Transport category (ADR)	: 3
Special provisions for carriage - Packages (ADR)	: V12
Special provisions for carriage - Loading, unloading and handling (ADR)	: CV13
Hazard identification number (Kemler No.)	: 90
Orange plates	
	<u>90</u> 3082
Tunnel restriction code (ADR)	: E
EAC	: •3Z
- Transport by sea	
Special provision (IMDG)	: 274, 335, 969
Limited quantities (IMDG)	: 5L
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: P001, LP01
Packing provisions (IMDG)	: PP1
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T4
Tank special provisions (IMDG)	: TP2, TP29
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-F
Stowage category (IMDG)	: A
- Air transport	
PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y964
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA packing instructions (IATA)	: 964
PCA may not quantity (IATA)	· 150

PCA max net quantity (IATA) : 450L Cosy Owl, 20-28 Albert Road, Braintree, Essex, CM7 3JQ | www.cosyowl.com | enquiries@cosyowl.com |+44 (0)1376 560 348

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

CAO packing instructions (IATA)	: 964
CAO max net quantity (IATA)	: 450L
Special provision (IATA)	: A97, A158, A197
ERG code (IATA)	: 9L
- Inland waterway transport	
Classification code (ADN)	: M6
Special provision (ADN)	: 274, 335, 375, 601
Limited quantities (ADN)	: 5L
Excepted quantities (ADN)	: E1
Carriage permitted (ADN)	: T
Equipment required (ADN)	: PP
Number of blue cones/lights (ADN)	: 0

- Rail transport

Not regulated

Transport in bulk according to Annex II of Marpol and the IBC Code 14.7.

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. **EU-Regulations**

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:

3(a) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F	acetyl propionyl
3(b) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10	Caramel #TCDL-CFRA-BOWL-NCML ; Hexylene Glycol ; Benzyl benzoate ; acetylpropionyl
3(c) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1	Caramel #TCDL-CFRA-BOWL-NCML ; Methyl ester of rosin (partially hydrogenated) ;Benzyl benzoate
40. Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.	acetyl propionyl

Contains no REACH candidate substance

Contains no REACH Annex XIV substances.

15.1.2. National regulations

Germany

Reference to AwSV

: Water hazard class (WGK) 2, significant hazardous to water (Classification according to AwSV, Annex 1)

: Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV Netherlands

SZW-lijst van kankerverwekkende stoffen	: Resin acids and Rosin acids, hydrogenated, methyl esters is listed
SZW-lijst van mutagene stoffen	: Resin acids and Rosin acids, hydrogenated, methyl esters is listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding	: None of the components are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid	: None of the components are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling	: None of the components are listed

Denmark

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Classification remarks	: Emergency management guidelines for the storage of flammable liquids must be followed
Recommendations Danish Regulation	: Pregnant/breastfeeding women working with the product must not be in direct contact with the product

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

: None.

Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Aquatic Chronic 2	Hazardous to the aquatic environment - Chronic Hazard Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment - Chronic Hazard Category 3
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Eye Irrit. 2	Serious eye damage/eye irritation Category 2
Flam. Liq. 2	Flammable liquids Category 2
Skin Irrit. 2	Skin corrosion/irritation Category 2
Skin Sens. 1B	Skin sensitization, category 1B
STOT RE 2	Specific target organ toxicity (repeated exposure) Category 2
H225	Highly flammable liquid and vapour
H302	Harmful if swallowed
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H373	May cause damage to organs through prolonged or repeated exposure
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects
EUH208	Contains Acetyl Propionyl. May produce an allergic reaction

FCF SDS EU CLP.

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.