



# Coffee #TCDL-CFRA-BOWL-NCOF

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of issue: 10/1/2019

Revision date:

Supersedes: 5/23/2018

Version:

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form	: Mixture
Product name	: Coffee #TCDL-CFRA-BOWL-NCOF
UFI	: XM89-R018-R00C-TM71
Product code	: TCDL-CFRA-BOWL-NCOF
Type of product	: Perfumes, Fragrances
Product group	: Finished Good

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Main use category	: Industrial use, Professional use
Industrial/Professional use spec	: For professional use only Industrial
Use of the substance/mixture	: Perfumes, Fragrances
Function or use category	: Odour agents

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

The Cosy Owl  
20-28 Albert Road,  
Braintree,  
Essex CM7 3JQ  
Tel: +44 1376 560 348  
[enquiries@cosyowl.com](mailto:enquiries@cosyowl.com) – [www.cosyowl.com](http://www.cosyowl.com)  
Company registration number: 07738645

#### 1.4. Emergency telephone number

Emergency number: +44 1376 560 348

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral) Category 4	H302
Skin sensitization, Category 1	H317
Hazardous to the aquatic environment - Chronic Hazard Category 2	H411

Full text of H statements : see section 16


##### Adverse physicochemical, human health and environmental effects

Harmful if swallowed. Toxic to aquatic life with long lasting effects. May cause an allergic skin reaction.

#### 2.2. Label elements

##### Labeling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS07

GHS09

Signal word (CLP)	: Warning
Hazardous ingredients	: acetyl propionyl; Benzyl benzoate; Furaneol
Hazard statements (CLP)	: H302 - Harmful if swallowed H317 - May cause an allergic skin reaction

# Coffee #TCDL-CFRA-BOWL-NCOF

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Precautionary statements (CLP) : H411 - Toxic to aquatic life with long lasting effects  
: P264 - Wash hands thoroughly after handling  
P270 - Do not eat, drink or smoke when using this product.  
P272 - Contaminated work clothing should not be allowed out of the workplace.  
P273 - Avoid release to the environment.  
P280 - Wear protective gloves/protective clothing/eye protection/face protection.

### 2.3. Other hazards

No additional information available

## SECTION 3: Composition/Information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Benzyl benzoate	(CAS-No.) 120-51-4 (EC-No.) 204-402-9 (EC Index-No.) 607-085-00-9 (REACH-no) 01-2119976371-33	8.27 - 28.27	Acute Tox. 4 (Oral), H302 Aquatic Chronic 2, H411
Methyl ester of rosin (partially hydrogenated)	(CAS-No.) 8050-15-5 (EC-No.) 232-476-2	10.01 - 20.02	Aquatic Chronic 3, H412
acetyl propionyl	(CAS-No.) 600-14-6 (EC-No.) 209-984-8	0.21 - 0.42	Eye Dam. 1, H318 Flam. Liq. 2, H225 Skin Sens. 1B, H317 STOT RE 2, H373
Furfural	(CAS-No.) 98-01-1 (EC-No.) 202-627-7 (EC Index-No.) 605-010-00-4	0.125 - 0.25	Acute Tox. 3 (Oral), H301 Acute Tox. 4 (Dermal), H312 Acute Tox. 3 (Inhalation), H331 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Carc. 2, H351 STOT SE 3, H335
Furaneol	(CAS-No.) 3658-77-3 (EC-No.) 222-908-8	0.115 - 0.23	Eye Irrit. 2, H319 Skin Sens. 1A, H317

Allergen report available upon request.

Full text of H-phrases: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Call a poison center/doctor/physician if you feel unwell.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see Get medical advice/attention. on this label). If skin irritation occurs: Get medical advice/attention. Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists. Rinse eyes with water as a precaution.

First-aid measures after ingestion : Do NOT induce vomiting. Obtain emergency medical attention. Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth. Call a poison center/doctor/physician if you feel unwell.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

Symptoms/effects after skin contact : May cause an allergic skin reaction.

Symptoms/effects after ingestion : Swallowing a small quantity of this material will result in serious health hazard.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# Coffee #TCDL-CFRA-BOWL-NCOF

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media : Sand. Water spray. Dry powder. Foam. Carbon dioxide.  
Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

#### 5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.  
Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Evacuate unnecessary personnel. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.

##### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal protection".  
Emergency procedures : Ventilate area.

#### 6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.  
Methods for cleaning up : Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.  
Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection. For further information refer to section 13.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.  
Hygiene measures : Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container closed when not in use. Store in a well-ventilated place. Keep cool.  
Incompatible products : Strong bases. Strong acids.  
Incompatible materials : Sources of ignition. Direct sunlight.  
Storage temperature : 25 °C  
Storage area : Store in a well-ventilated place. Store away from heat.  
Special rules on packaging : Store in a closed container.  
Packaging materials : Do not store in corrodable metal.

#### 7.3. Specific end use(s)

No additional information available

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

# Coffee #TCDL-CFRA-BOWL-NCOF

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

<b>acetyl propionyl (600-14-6)</b>		
Germany	TRGS 900 Occupational exposure limit value (mg/m <sup>3</sup> )	0.083 mg/m <sup>3</sup>
Germany	TRGS 900 Occupational exposure limit value (ppm)	0.02 ppm
Switzerland	MAK (mg/m <sup>3</sup> )	0.08 mg/m <sup>3</sup>
Switzerland	MAK (ppm)	0.02 ppm
Switzerland	KZGW (mg/m <sup>3</sup> )	0.16 mg/m <sup>3</sup>
Switzerland	KZGW (ppm)	0.04 ppm
USA - NIOSH	NIOSH REL (TWA) (mg/m <sup>3</sup> )	9.3 ppb
USA - NIOSH	NIOSH REL (STEL) (mg/m <sup>3</sup> )	31 ppb
<b>Benzyl benzoate (120-51-4)</b>		
USA - NIOSH	NIOSH REL (TWA) (mg/m <sup>3</sup> )	<=
<b>Furfural (98-01-1)</b>		
Austria	MAK (mg/m <sup>3</sup> )	20 mg/m <sup>3</sup>
Austria	MAK (ppm)	5 ppm
Belgium	Limit value (mg/m <sup>3</sup> )	8 mg/m <sup>3</sup>
Belgium	Limit value (ppm)	2 ppm
Bulgaria	OEL TWA (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>
Croatia	GVI (granična vrijednost izloženosti) (mg/m <sup>3</sup> )	8 mg/m <sup>3</sup>
Croatia	GVI (granična vrijednost izloženosti) (ppm)	2 ppm
Croatia	KGVI (kratkotrajna granična vrijednost izloženosti) (mg/m <sup>3</sup> )	20 mg/m <sup>3</sup>
Croatia	KGVI (kratkotrajna granična vrijednost izloženosti) (ppm)	5 ppm
Czech Republic	Exposure limits (PEL) (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>
Denmark	Limit (long-term) (mg/m <sup>3</sup> )	7.9 mg/m <sup>3</sup>
Denmark	Limit (long-term) (ppm)	2 ppm
Estonia	OEL TWA (mg/m <sup>3</sup> )	8 mg/m <sup>3</sup>
Estonia	OEL TWA (ppm)	2 ppm
Estonia	OEL STEL (mg/m <sup>3</sup> )	20 mg/m <sup>3</sup>
Estonia	OEL STEL (ppm)	5 ppm
Finland	HTP-arvo (8h) (mg/m <sup>3</sup> )	8 mg/m <sup>3</sup>
Finland	HTP-arvo (8h) (ppm)	2 ppm
Finland	HTP-arvo (15 min)	20 mg/m <sup>3</sup>
Finland	HTP-arvo (15 min) (ppm)	5 ppm
France	VLE (mg/m <sup>3</sup> )	8 mg/m <sup>3</sup>
France	VLE (ppm)	2 ppm
France	France - BLV	200 mg/g Kreatinin Parameter: Total furoic acid - Medium: urine - Sampling time: end of shift (Background noise on non-exposed subjects)
Greece	OEL TWA (mg/m <sup>3</sup> )	20 mg/m <sup>3</sup>
Greece	OEL TWA (ppm)	5 ppm
Greece	OEL STEL (mg/m <sup>3</sup> )	40 mg/m <sup>3</sup>
Greece	OEL STEL (ppm)	10 ppm
Hungary	Exposure Limit Value	20 mg/m <sup>3</sup>
Ireland	OEL (8 hours ref) (mg/m <sup>3</sup> )	8 mg/m <sup>3</sup>
Ireland	OEL (8 hours ref) (ppm)	2 ppm
Ireland	OEL (15 min ref) (mg/m <sup>3</sup> )	20 mg/m <sup>3</sup>
Ireland	OEL (15 min ref) (ppm)	5 ppm
Latvia	OEL TWA (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>
Lithuania	IPRV (mg/m <sup>3</sup> )	8 mg/m <sup>3</sup>
Lithuania	IPRV (ppm)	2 ppm
Lithuania	TPRV (mg/m <sup>3</sup> )	20 mg/m <sup>3</sup>
Lithuania	TPRV (ppm)	5 ppm
Poland	NDS (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>

# Coffee #TCDL-CFRA-BOWL-NCOF

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Furfural (98-01-1)		
Poland	NDSCh (mg/m <sup>3</sup> )	25 mg/m <sup>3</sup>
Portugal	OEL TWA (ppm)	2 ppm
Romania	OEL TWA (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>
Romania	OEL TWA (ppm)	2.5 ppm
Romania	OEL STEL (mg/m <sup>3</sup> )	15 mg/m <sup>3</sup>
Romania	OEL STEL (ppm)	4 ppm
Slovakia	NPHV (priemerná) (mg/m <sup>3</sup> )	7.9 mg/m <sup>3</sup>
Slovakia	NPHV (priemerná) (ppm)	2 ppm
Spain	VLA-ED (mg/m <sup>3</sup> )	8 mg/m <sup>3</sup>
Spain	VLA-ED (ppm)	2 ppm
Spain		200 mg/l Parameter: Furoic acid - Medium: urine - Sampling time: end of shift (with hydrolysis)
Sweden	nivågränsvärde (NVG) (mg/m <sup>3</sup> )	8 mg/m <sup>3</sup>
Sweden	nivågränsvärde (NVG) (ppm)	2 ppm
Sweden	kortidsvärde (KTV) (mg/m <sup>3</sup> )	20 mg/m <sup>3</sup>
Sweden	kortidsvärde (KTV) (ppm)	5 ppm
United Kingdom	WEL TWA (mg/m <sup>3</sup> )	8 mg/m <sup>3</sup>
United Kingdom	WEL TWA (ppm)	2 ppm
United Kingdom	WEL STEL (mg/m <sup>3</sup> )	20 mg/m <sup>3</sup>
United Kingdom	WEL STEL (ppm)	5 ppm
Norway	TWA (AN) (mg/m <sup>3</sup> )	8 mg/m <sup>3</sup>
Norway	TWA (AN) (ppm)	2 ppm
Norway	TWA (Kortidsverdi) (mg/m <sup>3</sup> )	16 mg/m <sup>3</sup> (value calculated)
Norway	TWA (Kortidsverdi) (ppm)	4 ppm (value calculated)
Switzerland	MAK (mg/m <sup>3</sup> )	8 mg/m <sup>3</sup>
Switzerland	MAK (ppm)	2 ppm
Australia	TWA (mg/m <sup>3</sup> )	7.9 mg/m <sup>3</sup>
Australia	TWA (ppm)	2 ppm
Canada (Quebec)	VEMP (mg/m <sup>3</sup> )	7.9 mg/m <sup>3</sup>
Canada (Quebec)	VEMP (ppm)	2 ppm
USA - ACGIH	ACGIH TWA (ppm)	0.2 ppm
USA - ACGIH	Biological Exposure Indices (BEI)	200 mg/l Parameter: Furoic acid with hydrolysis - Medium: urine - Sampling time: end of shift (nonspecific)
USA - IDLH	US IDLH (ppm)	100 ppm
USA - OSHA	OSHA PEL (TWA) (mg/m <sup>3</sup> )	20 mg/m <sup>3</sup>
USA - OSHA	OSHA PEL (TWA) (ppm)	5 ppm

### 8.2. Exposure controls

Appropriate engineering controls	: Ensure good ventilation of the work station.
Personal protective equipment	: Avoid all unnecessary exposure.
Hand protection	: Wear protective gloves.
Eye protection	: Chemical goggles or safety glasses. Safety glasses
Skin and body protection	: Wear suitable protective clothing
Respiratory protection	: Wear appropriate mask
Environmental exposure controls	: Avoid release to the environment.
Other information	: Do not eat, drink or smoke during use.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
----------------	----------

# Coffee #TCDL-CFRA-BOWL-NCOF

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Color	: light yellow. amber.
Odor	: characteristic.
Odor threshold	: No data available
pH	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: > 93.3 °C (closed cup) ASTM D7094
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: ≈ 1.84
Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Explosion limits	: No data available

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Not established.

### 10.3. Possibility of hazardous reactions

Not established.

### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

### 10.5. Incompatible materials

Strong acids. Strong bases.

### 10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity : Harmful if swallowed.

ATE CLP (oral)	1693.767 mg/kg body weight
----------------	----------------------------

Skin corrosion/irritation : Not classified

Additional information : Based on available data, the classification criteria are not met

Serious eye damage/irritation : Not classified

Additional information : Based on available data, the classification criteria are not met

Respiratory or skin sensitization : May cause an allergic skin reaction.

Additional information : Based on available data, the classification criteria are not met

Germ cell mutagenicity : Not classified

Based on available data, the classification criteria are not met

Carcinogenicity : Not classified

Additional information : Based on available data, the classification criteria are not met

Reproductive toxicity : Not classified

# Coffee #TCDL-CFRA-BOWL-NCOF

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Additional information	: Based on available data, the classification criteria are not met
STOT-single exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met
STOT-repeated exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Aspiration hazard	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met. Harmful if swallowed.

### SECTION 12: Ecological information

#### 12.1. Toxicity

Ecology - general	: Toxic to aquatic life with long lasting effects.
Ecology - water	: Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.

#### 12.2. Persistence and degradability

##### Coffee #TCDL-CFRA-BOWL-NCOF

Persistence and degradability	May cause long-term adverse effects in the environment. Not established.
-------------------------------	--

#### 12.3. Bioaccumulative potential

##### Coffee #TCDL-CFRA-BOWL-NCOF

Bioaccumulative potential	Not established.
---------------------------	------------------

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

No additional information available

#### 12.6. Other adverse effects

Additional information	: Avoid release to the environment.
------------------------	-------------------------------------

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container in accordance with local/national laws and regulations.
Ecology - waste materials	: Avoid release to the environment.

### SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

#### 14.1. UN number

UN-No. (ADR)	: 3082
UN-No. (IMDG)	: 3082
UN-No. (IATA)	: 3082
UN-No. (ADN)	: 3082
UN-No. (RID)	: 3082

#### 14.2. UN proper shipping name

Proper Shipping Name (ADR)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Proper Shipping Name (IMDG)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Proper Shipping Name (IATA)	: Environmentally hazardous substance, liquid, n.o.s.
Proper Shipping Name (ADN)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Proper Shipping Name (RID)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Transport document description (ADR)	: UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl Benzoate), 9, III, (E)
Transport document description (IMDG)	: UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl Benzoate), 9, III, MARINE POLLUTANT
Transport document description (IATA)	: UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Benzyl Benzoate), 9, III
Transport document description (ADN)	: UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl Benzoate), 9, III

# Coffee #TCDL-CFRA-BOWL-NCOF

## Safety Data Sheet


according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Transport document description (RID) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III

### 14.3. Transport hazard class(es)

#### ADR

Transport hazard class(es) (ADR) : 9  
Hazard labels (ADR) : 9




#### IMDG

Transport hazard class(es) (IMDG) : 9  
Hazard labels (IMDG) : 9




#### IATA

Transport hazard class(es) (IATA) : 9  
Hazard labels (IATA) : 9




#### ADN

Transport hazard class(es) (ADN) : 9  
Hazard labels (ADN) : 9



#### RID

Transport hazard class(es) (RID) : 9  
Hazard labels (RID) : 9



### 14.4. Packing group

Packing group (ADR) : III  
Packing group (IMDG) : III  
Packing group (IATA) : III  
Packing group (ADN) : III  
Packing group (RID) : III

### 14.5. Environmental hazards

Dangerous for the environment : Yes



# Coffee #TCDL-CFRA-BOWL-NCOF

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830


Marine pollutant : Yes  
Other information : No supplementary information available

### 14.6. Special precautions for user

#### - Overland transport

Classification code (ADR) : M6  
Special provision (ADR) : 274, 335, 601, 375  
Limited quantities (ADR) : 5I  
Excepted quantities (ADR) : E1  
Packing instructions (ADR) : P001, IBC03, LP01, R001  
Special packing provisions (ADR) : PP1  
Mixed packing provisions (ADR) : MP19  
Portable tank and bulk container instructions (ADR) : T4  
Portable tank and bulk container special provisions (ADR) : TP1, TP29  
  
Tank code (ADR) : LGBV  
Vehicle for tank carriage : AT  
Transport category (ADR) : 3  
Special provisions for carriage - Packages (ADR) : V12  
Special provisions for carriage - Loading, unloading and handling (ADR) : CV13

Hazard identification number (Kemler No.) : 90  
Orange plates :



Tunnel restriction code (ADR) : E  
EAC : •3Z

#### - Transport by sea

Special provision (IMDG) : 274, 335, 969  
Limited quantities (IMDG) : 5 L  
Excepted quantities (IMDG) : E1  
Packing instructions (IMDG) : P001, LP01  
Packing provisions (IMDG) : PP1  
IBC packing instructions (IMDG) : IBC03  
Tank instructions (IMDG) : T4  
Tank special provisions (IMDG) : TP2, TP29  
EmS-No. (Fire) : F-A  
EmS-No. (Spillage) : S-F  
Stowage category (IMDG) : A

#### - Air transport

PCA Excepted quantities (IATA) : E1  
PCA Limited quantities (IATA) : Y964  
PCA limited quantity max net quantity (IATA) : 30kgG  
PCA packing instructions (IATA) : 964  
PCA max net quantity (IATA) : 450L  
CAO packing instructions (IATA) : 964  
CAO max net quantity (IATA) : 450L  
Special provision (IATA) : A97, A158, A197  
ERG code (IATA) : 9L

#### - Inland waterway transport

Classification code (ADN) : M6  
Special provision (ADN) : 274, 335, 375, 601  
Limited quantities (ADN) : 5 L

# Coffee #TCDL-CFRA-BOWL-NCOF

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Excepted quantities (ADN)	: E1
Carriage permitted (ADN)	: T
Equipment required (ADN)	: PP
Number of blue cones/lights (ADN)	: 0

### - Rail transport

Classification code (RID)	: M6
Special provision (RID)	: 274, 335, 375, 601
Limited quantities (RID)	: 5L
Excepted quantities (RID)	: E1
Packing instructions (RID)	: P001, IBC03, LP01, R001
Special packing provisions (RID)	: PP1
Mixed packing provisions (RID)	: MP19
Portable tank and bulk container instructions (RID)	: T4
Portable tank and bulk container special provisions (RID)	: TP1, TP29
Tank codes for RID tanks (RID)	: LGBV
Transport category (RID)	: 3
Special provisions for carriage – Packages (RID)	: W12
Special provisions for carriage - Loading, unloading and handling (RID)	: CW13, CW31
Colis express (express parcels) (RID)	: CE8
Hazard identification number (RID)	: 90

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:

3(a) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F	acetyl propionyl
3(b) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10	Coffee #TCDL-CFRA-BOWL-NCOF ; acetyl propionyl ; Benzyl benzoate ; Furaneol ;Furfural
3(c) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1	Coffee #TCDL-CFRA-BOWL-NCOF ; Benzyl benzoate ; Methyl ester of rosin (partiallyhydrogenated)
40. Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.	acetyl propionyl

Contains no REACH candidate substance

Contains no REACH Annex XIV substances.

#### 15.1.2. National regulations

##### Germany

Reference to AwSV	: Water hazard class (WGK) 2, significant hazardous to water (Classification according to AwSV, Annex 1)
12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV	: Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

##### Netherlands

SZW-lijst van kankerverwekkende stoffen	: Resin acids and Rosin acids, hydrogenated, methyl esters is listed
---	--

# Coffee #TCDL-CFRA-BOWL-NCOF

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SZW-lijst van mutagene stoffen	: Resin acids and Rosin acids, hydrogenated, methyl esters is listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding	: None of the components are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid	: None of the components are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling	: None of the components are listed

### Denmark

Classification remarks	: Emergency management guidelines for the storage of flammable liquids must be followed
Recommendations Danish Regulation	: Young people below the age of 18 years are not allowed to use the product Pregnant/breastfeeding women working with the product must not be in direct contact with the product The requirements from the Danish Working Environment Authorities regarding work with carcinogens must be followed during use and disposal

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

Other information : None.

Full text of H- and EUH-phrases:

Acute Tox. 3 (Inhalation)	Acute toxicity (inhalation) Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral) Category 3
Acute Tox. 4 (Dermal)	Acute toxicity (dermal) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Aquatic Chronic 2	Hazardous to the aquatic environment - Chronic Hazard Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment - Chronic Hazard Category 3
Carc. 2	Carcinogenicity Category 2
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Eye Irrit. 2	Serious eye damage/eye irritation Category 2
Flam. Liq. 2	Flammable liquids Category 2
Skin Irrit. 2	Skin corrosion/irritation Category 2
Skin Sens. 1	Skin sensitization, Category 1
Skin Sens. 1A	Skin sensitization, category 1A
Skin Sens. 1B	Skin sensitization, category 1B
STOT RE 2	Specific target organ toxicity (repeated exposure) Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H225	Highly flammable liquid and vapour
H301	Toxic if swallowed
H302	Harmful if swallowed
H312	Harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H331	Toxic if inhaled
H335	May cause respiratory irritation
H351	Suspected of causing cancer
H373	May cause damage to organs through prolonged or repeated exposure
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

FCF SDS EU CLP.

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.*