

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 12/18/2019 Revision date: 2/21/2024 Supersedes version of: 2/2/2021 Version: 2.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Trade name : SUGARED BERRY #TCDL-CFRA-BOWL-NSUB

UFI : 75XT-H2GM-600H-2SDG
Product code : #TCDL-CFRA-BOWL-NSUB
Type of product : Perfumes, fragrances
Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use, Industrial use

Industrial/Professional use spec : Industrial

Use of the substance/mixture : Perfumes, fragrances
Function or use category : Odour agents

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

The Cosy Owl 20-28 Albert Road, Braintree,

Essex CM7 3JQ

Tel: +44 1376 560 348

enquiries@cosyowl.com - www.cosyowl.com

1.4. Emergency telephone number

Emergency number : +44 (0) 1376 560348

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), Category 4 H302
Skin sensitisation, Category 1 H317
Hazardous to the aquatic environment – Acute Hazard, H400

Category 1

Hazardous to the aquatic environment – Chronic Hazard, H411

Category 2

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Harmful if swallowed. Toxic to aquatic life with long lasting effects. May cause an allergic skin reaction. Very toxic to aquatic life.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS07

GHS09

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Signal word (CLP) : Warning

Contains : benzyl benzoate; Aldehyde C-16; Oxypheylon (Raspberry ketone) crystals; Linalool; Ethyl

maltol; delta-Damascone; Allyl heptanoate; Iso E Super; (R)-p-mentha-1,8-diene; d-

limonene

Hazard statements (CLP) : H302 - Harmful if swallowed.

H317 - May cause an allergic skin reaction.

H410 - Very toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) : P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 - Wash hands, forearms and face thoroughly after handling. P270 - Do not eat, drink or smoke when using this product.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

Extra phrases : For professional users only.

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
benzyl benzoate	CAS-No.: 120-51-4 EC-No.: 204-402-9 EC Index-No.: 607-085-00-9 REACH-no: 01-2119976371- 33	14 – 27.9441	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Aldehyde C-16	CAS-No.: 77-83-8 EC-No.: 201-061-8 REACH-no: 01-2119967770- 28	12.5 – 25	Skin Sens. 1B, H317 Aquatic Chronic 2, H411
Oxypheylon (Raspberry ketone) crystals	CAS-No.: 5471-51-2 EC-No.: 226-806-4	2.5 – 5	Acute Tox. 4 (Oral), H302
Linalool	CAS-No.: 78-70-6 EC-No.: 201-134-4 EC Index-No.: 603-235-00-2 REACH-no: 01-2119474016-	2.3 – 4.5	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB)	CAS-No.: 1222-05-5 EC-No.: 214-946-9 EC Index-No.: 603-212-00-7 REACH-no: 01-2119488227-	1.9 – 3.75	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Ethyl maltol	CAS-No.: 4940-11-8 EC-No.: 225-582-5	1.6 – 3.25	Acute Tox. 4 (Oral), H302

Safety Data Sheet

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Ethyl vanillin	CAS-No.: 121-32-4 EC-No.: 204-464-7 REACH-no: 01-211958961-24	1.5 – 3	Eye Irrit. 2, H319
beta-lonone	CAS-No.: 14901-07-6 EC-No.: 238-969-9	0.9 – 1.75	Aquatic Chronic 2, H411
2(3H)-Furanone, 5-heptyldihydro-	CAS-No.: 104-67-6 EC-No.: 203-225-4 REACH-no: 01-2119959333- 34	0.7 – 1.4	Aquatic Chronic 3, H412
delta-Damascone	CAS-No.: 57378-68-4 EC-No.: 260-709-8	0.7 – 1.3	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 1, H410
Anisic aldehyde	CAS-No.: 123-11-5 EC-No.: 204-602-6 REACH-no: 01-2119977101- 43	0.6 – 1.2	Aquatic Chronic 3, H412
Vanillin	CAS-No.: 121-33-5 EC-No.: 204-465-2 REACH-no: 01-2119516040- 60	0.5 – 1	Eye Irrit. 2, H319
Benzyl acetate substance with national workplace exposure limit(s) (BE, DK, ES, IE, LT, LV, PT, RO)	CAS-No.: 140-11-4 EC-No.: 205-399-7 REACH-no: 01-2119638272- 42	0.5 – 1	Aquatic Chronic 3, H412
Allyl heptanoate	CAS-No.: 142-19-8 EC-No.: 205-527-1 REACH-no: 01-2119488961- 23	0.4 – 0.7	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
Iso E Super	CAS-No.: 54464-57-2 EC-No.: 259-174-3 REACH-no: 01-2119489989- 04	0.3 – 0.5	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 1, H410
isopentyl acetate substance with national workplace exposure limit(s) (AT, BE, BG, CY, DE, DK, EE, ES, FI, FR, GI, GR, HR, HU, IE, IT, LT, LU, LV, MT, NL, PL, PT, RO, SE, SI, SK, NO, CH, TR); substance with a Community workplace exposure limit	CAS-No.: 123-92-2 EC-No.: 204-662-3 EC Index-No.: 607-130-00-2 REACH-no: 01-2119548408- 32	0.1 – 0.1	Flam. Liq. 3, H226
(R)-p-mentha-1,8-diene; d-limonene substance with national workplace exposure limit(s) (DE, ES, FI, SI, NO, CH)	CAS-No.: 5989-27-5 EC-No.: 205-341-0 EC Index-No.: 601-096-00-2 REACH-no: 01-2119493353- 35	0.1 – 0.1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
acetophenone substance with national workplace exposure limit(s) (BE, BG, DK, ES, FI, HU, IE, LT, LV, PL, PT, RO)	CAS-No.: 98-86-2 EC-No.: 202-708-7 EC Index-No.: 606-042-00-1 REACH-no: 01-2119533169- 37	0 – 0.05	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Alcohol C-10 substance with national workplace exposure limit(s) (BG, DE, LT, LV, RO, CH)	CAS-No.: 112-30-1 EC-No.: 203-956-9	0 – 0.0029	Aquatic Chronic 3, H412
Aldehyde C-6 substance with national workplace exposure limit(s) (FI, PL)	CAS-No.: 66-25-1 EC-No.: 200-624-5	0 – 0.0007	Flam. Liq. 3, H226

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Call a poison center or a doctor if you feel unwell.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Allow affected person to

breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact : Wash with plenty of water/.... If skin irritation or rash occurs: Get medical advice/attention.

Specific treatment (see supplemental first aid instruction on this label). Wash contaminated clothing before reuse. Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If skin irritation occurs: Get medical advice/attention. Wash skin with plenty of water. Take off contaminated clothing. If skin

irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness

persists. Rinse eyes with water as a precaution.

First-aid measures after ingestion : Call a POISON CENTER/doctor if you feel unwell. Do NOT induce vomiting. Obtain

emergency medical attention. Rinse mouth. Call a poison center or a doctor if you feel

unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

Symptoms/effects after inhalation : May cause an allergic skin reaction. Symptoms/effects after skin contact : May cause an allergic skin reaction.

Symptoms/effects after ingestion : Swallowing a small quantity of this material will result in serious health hazard.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Sand. Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Evacuate unnecessary personnel. Avoid contact with skin and eyes.

Avoid breathing dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Equip cleanup crew

with proper protection. For further information refer to section 8: "Exposure

controls/personal protection".

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or

diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

: Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

Other information

See Section 8. Exposure controls and personal protection. For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wash hands and other exposed areas with mild

soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. Wear personal protective equipment.

Hygiene measures : Wash hands thoroughly after handling. Contaminated work clothing should not be allowed

out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Keep away

from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep

container closed when not in use. Store in a well-ventilated place. Keep cool.

Incompatible products : Strong bases. Strong acids.
Incompatible materials : Sources of ignition. Direct sunlight.

Storage temperature : 25 °C

Storage area : Store in a well-ventilated place. Store away from heat.

Special rules on packaging : Store in a closed container.

Packaging materials : Do not store in corrodable metal.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Safety Data Sheet

isopentyl acetate (123-92-2)				
EU - Indicative Occupational Exposure Limit (IOEL)				
IOEL TWA	270 mg/m³			
	50 ppm			
IOEL STEL	540 mg/m³			
	100 ppm			
Austria - Occupational Exposure Limits				
MAK (OEL TWA)	270 mg/m³ (Pentyl acetate (all isomers))			
	50 ppm (Pentyl acetate (all isomers))			
MAK (OEL STEL)	540 mg/m³ (Pentylacetate)			
	100 ppm (Pentylacetate)			
Belgium - Occupational Exposure Limits				
OEL TWA	270 mg/m³			
	50 ppm			
OEL STEL	540 mg/m³			
	100 ppm			
Bulgaria - Occupational Exposure Limits				
OEL TWA	270 mg/m³			
	50 ppm			
OEL STEL	540 mg/m³			
	100 ppm			
Croatia - Occupational Exposure Limits				
GVI (OEL TWA)	270 mg/m³			
	50 ppm			
KGVI (OEL STEL)	540 mg/m³			
	100 ppm			
Cyprus - Occupational Exposure Limits				
OEL TWA	270 mg/m³			
	50 ppm			
OEL STEL	540 mg/m³			
	100 ppm			
Denmark - Occupational Exposure Limits				
OEL TWA	271 mg/m³ (Amyl acetate, all isomers)			
	50 ppm (Amyl acetate, all isomers)			
OEL STEL	540 mg/m³			
	100 ppm			
Estonia - Occupational Exposure Limits				
OEL TWA	270 mg/m³			
	50 ppm			
OEL STEL	540 mg/m³			

Safety Data Sheet

isopentyl acetate (123-92-2)				
	100 ppm			
Finland - Occupational Exposure Limits				
HTP (OEL TWA)	270 mg/m³ (Pentyl acetate)			
	50 ppm (Pentyl acetate)			
HTP (OEL STEL)	540 mg/m³			
	100 ppm			
France - Occupational Exposure Limits				
VME (OEL TWA)	270 mg/m³ (restrictive limit)			
	50 ppm (restrictive limit)			
VLE (OEL C/STEL)	540 mg/m³ (restrictive limit)			
	100 ppm (restrictive limit)			
Germany - Occupational Exposure Limits (TRG	S 900)			
AGW (OEL TWA)	270 mg/m³			
	50 ppm			
Gibraltar - Occupational Exposure Limits				
OEL TWA	270 mg/m³			
	50 ppm			
OEL STEL	540 mg/m³			
	100 ppm			
Greece - Occupational Exposure Limits				
OEL TWA	530 mg/m³			
	100 ppm			
OEL STEL	800 mg/m³			
	150 ppm			
Hungary - Occupational Exposure Limits				
AK (OEL TWA)	270 mg/m³			
CK (OEL STEL)	540 mg/m³			
Ireland - Occupational Exposure Limits				
OEL TWA	260 mg/m³			
	50 ppm			
OEL STEL	520 mg/m³			
	100 ppm			
Italy - Occupational Exposure Limits				
OEL TWA	270 mg/m³			
	50 ppm			
OEL STEL	540 mg/m³			
	100 ppm			
Latvia - Occupational Exposure Limits				
OEL TWA	270 mg/m³			

Safety Data Sheet

isopentyl acetate (123-92-2)				
	50 ppm			
Lithuania - Occupational Exposure Limits				
IPRV (OEL TWA)	270 mg/m³			
	50 ppm			
TPRV (OEL STEL)	540 mg/m³			
	100 ppm			
Luxembourg - Occupational Exposure Limits				
OEL TWA	270 mg/m³			
	50 ppm			
OEL STEL	540 mg/m³			
	100 ppm			
Malta - Occupational Exposure Limits				
OEL TWA	270 mg/m³			
	50 ppm			
OEL STEL	540 mg/m³			
	100 ppm			
Netherlands - Occupational Exposure Limits				
TGG-15min (OEL STEL)	530 mg/m³			
	98.1 ppm			
Poland - Occupational Exposure Limits				
NDS (OEL TWA)	250 mg/m³			
NDSCh (OEL STEL)	500 mg/m³			
Portugal - Occupational Exposure Limits				
OEL TWA	270 mg/m³ (indicative limit value)			
	50 ppm (indicative limit value (Pentyl acetate, all isomers)			
OEL STEL	540 mg/m³ (indicative limit value)			
	100 ppm (indicative limit value)			
Romania - Occupational Exposure Limits				
OEL TWA	270 mg/m³			
	50 ppm			
OEL STEL	540 mg/m³			
	100 ppm			
Slovakia - Occupational Exposure Limits				
NPHV (OEL TWA)	270 mg/m³			
	50 ppm			
NPHV (OEL C)	540 mg/m³			
Slovenia - Occupational Exposure Limits				
OEL TWA	270 mg/m³			
	50 ppm			

Safety Data Sheet

isopentyl acetate (123-92-2)				
OEL STEL	540 mg/m³			
	100 ppm			
Spain - Occupational Exposure Limits				
VLA-ED (OEL TWA)	270 mg/m³ (indicative limit value)			
	50 ppm (indicative limit value)			
VLA-EC (OEL STEL)	540 mg/m³			
	100 ppm			
Sweden - Occupational Exposure Limits				
NGV (OEL TWA)	270 mg/m³ (Pentyl acetates)			
	50 ppm (Pentyl acetates)			
KGV (OEL STEL)	540 mg/m³ (Pentyl acetates)			
	100 ppm (Pentyl acetates)			
Norway - Occupational Exposure Limits				
Grenseverdi (OEL TWA)	260 mg/m³			
	50 ppm			
Korttidsverdi (OEL STEL)	325 mg/m³ (value calculated)			
	75 ppm (value calculated)			
Switzerland - Occupational Exposure Limits				
MAK (OEL TWA)	260 mg/m³ (Pentyl acetate all isomers)			
	50 ppm (Pentyl acetate all isomers)			
KZGW (OEL STEL)	260 mg/m³ (Pentyl acetate all isomers)			
	50 ppm (Pentyl acetate all isomers)			
USA - ACGIH - Occupational Exposure Limits				
ACGIH OEL TWA	50 ppm (Pentyl acetate, all isomers)			
ACGIH OEL STEL	100 ppm (Pentyl acetate, all isomers)			
Benzyl acetate (140-11-4)				
Belgium - Occupational Exposure Limits				
OEL TWA	62 mg/m³			
	10 ppm			
Denmark - Occupational Exposure Limits				
OEL TWA	61 mg/m³			
	10 ppm			
OEL STEL	122 mg/m³			
	20 ppm			
Ireland - Occupational Exposure Limits				
OEL TWA	10 ppm			
OEL STEL	30 ppm (calculated)			
Latvia - Occupational Exposure Limits				
OEL TWA	5 mg/m³			
	1			

Safety Data Sheet

Benzyl acetate (140-11-4)				
Lithuania - Occupational Exposure Limits				
IPRV (OEL TWA) 5 mg/m³				
Portugal - Occupational Exposure Limits				
OEL TWA 10 ppm				
OEL chemical category	A4 - Not Classifiable as a Human Carcinogen			
Romania - Occupational Exposure Limits				
OEL TWA	50 mg/m³			
	8 ppm			
OEL STEL	80 mg/m³			
	13 ppm			
Spain - Occupational Exposure Limits				
VLA-ED (OEL TWA)	62 mg/m³			
	10 ppm			
USA - ACGIH - Occupational Exposure Limits				
ACGIH OEL TWA	10 ppm			
ACGIH chemical category	Not Classifiable as a Human Carcinogen			
(R)-p-mentha-1,8-diene; d-limonene (5989-27-	5)			
Finland - Occupational Exposure Limits				
HTP (OEL TWA)	140 mg/m³			
	25 ppm			
HTP (OEL STEL)	280 mg/m³			
	50 ppm			
Germany - Occupational Exposure Limits (TRGS 90	00)			
AGW (OEL TWA)	28 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)			
	5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)			
Chemical category	Skin notation, Skin sensitization			
Slovenia - Occupational Exposure Limits				
OEL TWA	28 mg/m³			
	5 ppm			
OEL STEL	112 mg/m³			
	20 ppm			
DEL chemical category Potential for cutaneous absorption				
Spain - Occupational Exposure Limits				
VLA-ED (OEL TWA)	168 mg/m³			
	30 ppm			
OEL chemical category	Sensitizer, skin - potential for cutaneous absorption			

Safety Data Sheet

(R)-p-mentha-1,8-diene; d-limonene (5989-27-	.5)			
Norway - Occupational Exposure Limits				
Grenseverdi (OEL TWA)	140 mg/m³			
	25 ppm			
Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)			
	37.5 ppm (value calculated)			
OEL chemical category	Allergenic substance			
Switzerland - Occupational Exposure Limits				
MAK (OEL TWA)	40 mg/m³			
	7 ppm			
KZGW (OEL STEL)	80 mg/m³			
	14 ppm			
OEL chemical category	Sensitizer			
Alcohol C-10 (112-30-1)				
Bulgaria - Occupational Exposure Limits				
OEL TWA	10 mg/m³			
Germany - Occupational Exposure Limits (TRGS 90	00)			
AGW (OEL TWA)	66 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)			
	10 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)			
Latvia - Occupational Exposure Limits				
OEL TWA	10 mg/m³			
Lithuania - Occupational Exposure Limits				
IPRV (OEL TWA)	10 mg/m³			
Romania - Occupational Exposure Limits				
OEL TWA	100 mg/m³			
	15 ppm			
OEL STEL	200 mg/m³			
	30 ppm			
Switzerland - Occupational Exposure Limits				
MAK (OEL TWA)	66 mg/m³ (aerosol, vapour)			
	10 ppm (aerosol, vapour)			
KZGW (OEL STEL)	66 mg/m³ (aerosol, vapour)			
	10 ppm (aerosol, vapour)			
Aldehyde C-6 (66-25-1)				
Finland - Occupational Exposure Limits				
HTP (OEL STEL)	42 mg/m³			
	10 ppm			

Safety Data Sheet

Aldehyde C-6 (66-25-1)			
Poland - Occupational Exposure Limits			
NDS (OEL TWA) 40 mg/m³			
NDSCh (OEL STEL)	80 mg/m³		
	oo nigm		
acetophenone (98-86-2)			
Belgium - Occupational Exposure Limits	Tourism and the second		
OEL TWA	50 mg/m³		
	10 ppm		
Bulgaria - Occupational Exposure Limits			
OEL TWA	5 mg/m³		
Denmark - Occupational Exposure Limits			
OEL TWA	49 mg/m³		
	10 ppm		
OEL STEL	98 mg/m³		
	20 ppm		
Finland - Occupational Exposure Limits			
HTP (OEL TWA)	25 mg/m³		
	5 ppm		
Hungary - Occupational Exposure Limits			
AK (OEL TWA)	50 mg/m³		
Ireland - Occupational Exposure Limits			
OEL TWA	49 mg/m³		
	10 ppm		
OEL STEL	147 mg/m³ (calculated)		
	30 ppm (calculated)		
Latvia - Occupational Exposure Limits			
OEL TWA	5 mg/m³		
Lithuania - Occupational Exposure Limits			
IPRV (OEL TWA)	5 mg/m³		
OEL chemical category	Skin notation		
Poland - Occupational Exposure Limits			
NDS (OEL TWA)	50 mg/m³		
NDSCh (OEL STEL)	100 mg/m³		
Portugal - Occupational Exposure Limits			
OEL TWA 10 ppm			
Romania - Occupational Exposure Limits			
OEL TWA 100 mg/m³			
	20 ppm		
OEL STEL	200 mg/m³		
	41 ppm		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

acetophenone (98-86-2)		
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA)	50 mg/m³	
	10 ppm	
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA 10 ppm		

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Personal protective equipment symbol(s):





8.2.2.1. Eye and face protection

Eye protection:

Chemical goggles or safety glasses. Safety glasses

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Wear protective gloves.

8.2.2.3. Respiratory protection

Respiratory protection:

Wear appropriate mask

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Other information:

Do not eat, drink or smoke during use.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : light yellow. amber. Conforms to standard.

characteristic. Odour Odour threshold Not available Melting point Not applicable Freezing point Not available Boiling point Not available Flammability : Not applicable Lower explosion limit : Not available Upper explosion limit : Not available : > 93 °C Flash point Auto-ignition temperature Not available Not available Decomposition temperature рΗ Not available Viscosity, kinematic : Not available Solubility : Not available Partition coefficient n-octanol/water (Log Kow) : Not available Vapour pressure : Not available Vapour pressure at 50°C : Not available : Not available Density Relative density : ≈ 1.08 Relative vapour density at 20°C : Not available Particle characteristics : Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Not established.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 11: Toxicological information

11.1. Information on h	nameral alabases as	defined in Degulation	/EC\ No 4272/2000
miller information on r	lazaro ciasses as	aennea in Keamsnon	TEGINO IZIZIZUUN

Acute toxicity (oral) : Harmful if swallowed.
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Acute toxicity (inhalation) : N		
SUGARED BERRY #TCDL-CFRA-BOWL-NSUB	Not classified	
· · ·	1386.921 mg/kg bodyweight	
benzyl benzoate (120-51-4)		
LD50 oral rat	500 mg/kg (Source: NLM_CIP)	
LD50 oral	1160 mg/kg bodyweight	
LD50 dermal rabbit	4000 mg/kg (Source: NLM_CIP)	
Aldehyde C-16 (77-83-8)		
LD50 oral rat	5470 mg/kg (Source: NLM_CIP)	
LD50 dermal rat	> 2000 mg/kg (Source: ECHA_API)	
Oxypheylon (Raspberry ketone) crystals (5471	-51-2)	
LD50 oral rat	1320 mg/kg (Source: NLM_CIP)	
LD50 dermal rat	> 2000 mg/kg (Source: ECHA_API)	
Linalool (78-70-6)		
LD50 oral	2790 mg/kg bodyweight	
2(3H)-Furanone, 5-heptyldihydro- (104-67-6)		
LD50 oral rat	18500 mg/kg (Source: NLM_CIP)	
LD50 dermal rat	> 2000 mg/kg (Source: ECHA)	
Ethyl vanillin (121-32-4)		
LD50 oral rat	1590 mg/kg (Source: NLM_CIP)	
LD50 oral	3000 mg/kg bodyweight	
LD50 dermal rat	> 2000 mg/kg (Source: ECHA_API)	
Ethyl maltol (4940-11-8)		
LD50 oral rat	1150 mg/kg (Source: NLM_CIP)	
LD50 oral	1200 mg/kg bodyweight	
LD50 dermal rabbit	> 5000 mg/kg (Source: ECHA_API)	
delta-Damascone (57378-68-4)		
LD50 oral	1400 mg/kg bodyweight	
beta-lonone (14901-07-6)		
LD50 oral rat	4590 mg/kg (Source: NLM_HSDB)	
LD50 oral	3940 mg/kg bodyweight	
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylin	deno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)	
LD50 oral rat	> 3250 mg/kg (Source: CHEMVIEW)	
LD50 dermal rabbit	> 3250 mg/kg (Source: CHEMVIEW)	

Safety Data Sheet

250 Inhalation - Rat anillin (121-33-5) 250 dermal rabbit	> 5.04 mg/l/4h			
050 dermal rabbit				
	> 5010 mg/kg (Source: OECD_SIDS)			
050 dermal	2600 mg/kg bodyweight			
nisic aldehyde (123-11-5)				
050 oral rat	3210 mg/kg (Source: ECHA)			
050 oral	3210 mg/kg bodyweight			
050 dermal rabbit	> 5000 mg/kg (Source: EPA_HPV)			
C50 Inhalation - Rat	> 0.32 mg/l (Exposure time: 7 h Source: ECHA)			
enzyl acetate (140-11-4)				
050 oral rat	2490 mg/kg (Source: JAPAN_GHS)			
050 oral	2490 mg/kg bodyweight			
050 dermal rabbit	> 5000 mg/kg (Source: JAPAN_GHS)			
llyl heptanoate (142-19-8)				
050 oral rat	500 mg/kg (Source: NLM_CIP)			
050 oral	218 mg/kg bodyweight			
050 dermal rabbit	810 mg/kg (Source: ECHA_API)			
050 dermal	810 mg/kg bodyweight			
(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)				
050 oral rat	4400 mg/kg (Source: CHEMVIEW)			
050 dermal rabbit	> 5 g/kg (Source: CHEMVIEW)			
Alcohol C-10 (112-30-1)				
050 oral rat	4720 mg/kg (Source: NZ_CCID)			
050 dermal rabbit	3560 mg/kg (Source: NLM_CIP)			
dehyde C-6 (66-25-1)				
050 oral rat	4890 mg/kg (Source: NLM_CIP)			
050 dermal rabbit	> 8100 mg/kg (Source: ECHA_API)			
cetophenone (98-86-2)				
050 oral rat	900 mg/kg (Source: JAPAN_GHS)			
050 oral	500 mg/kg bodyweight			
050 dermal rat	3300 mg/kg (Source: ECHA_API)			
C50 Inhalation - Rat	> 2.13 mg/l (Exposure time: 8 h Source: CHEMVIEW)			
	Not classified			
rious eye damage/irritation	Not classified			
spiratory or skin sensitisation rm cell mutagenicity	May cause an allergic skin reaction. Not classified			
	Not classified			
enzyl acetate (140-11-4)				
RC group	3 - Not classifiable			

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)		
IARC group	3 - N	Not classifiable
Reproductive toxicity	: Not c	classified
STOT-single exposure	: Not c	classified
STOT-repeated exposure	: Not c	classified
Aspiration hazard	: Not c	classified
benzyl benzoate (120-51-4)		
Viscosity, kinematic	7.45	56 mm²/s

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

No additional information available

11.2.2. Other information

Potential adverse human health effects and

: Harmful if swallowed, Based on available data, the classification criteria are not met

symptoms

SECTION 12: Ecological information

u	12.1			V		111	V
	L .		u	\mathbf{A}	16		w

Ecology - general : Toxic to aquatic life with long lasting effects. Very toxic to aquatic life.

Hazardous to the aquatic environment, short-term : Very toxic to aquatic life.

Hazardous to the aquatic environment, long-term : Toxic to aquatic life with long lasting effects.

(chronic)

(chronic)				
benzyl benzoate (120-51-4)				
LC50 - Fish [1]	2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)			
NOEC (chronic)	0.168 mg/l			
Aldehyde C-16 (77-83-8)				
LC50 - Fish [1]	4.2 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [semi-static] Source: ECHA)			
Linalool (78-70-6)				
EC50 96h - Algae [1]	88.3 mg/l (Species: Desmodesmus subspicatus)			
2(3H)-Furanone, 5-heptyldihydro- (104-67-6)				
LC50 - Fish [1]	569 mg/l 96 h			
EC50 - Crustacea [1]	5.85 mg/l 48 h			
EC50 - Other aquatic organisms [1]	5.94 mg/l 72 h			
Ethyl vanillin (121-32-4)				
LC50 - Fish [1]	81.4 – 94.3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)			
Ethyl maltol (4940-11-8)				
LC50 - Fish [1]	> 85 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: ECHA)			
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)				
LC50 - Fish [1]	0.452 mg/l Wolf, 1996d-27682			
LC50 - Other aquatic organisms [1]	> 0.14 mg/l REACH DOSSIER Pimephales promelas			
<u> </u>				

Safety Data Sheet

1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)			
EC50 - Crustacea [2]	260 μg/l REACH Dossier		
EC50 - Other aquatic organisms [1]	0.131 mg/l REACH Dossier		
Vanillin (121-33-5)			
LC50 - Fish [1]	53 – 61.3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)		
LC50 - Fish [2]	88 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA)		
NOEC (acute)	10000 mg/kg (Exposure time: 42 Days - Species: Eisenia foetida [soil dry weight])		
(R)-p-mentha-1,8-diene; d-limonene (5989-27-	5)		
LC50 - Fish [1]	0.619 – 0.796 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)		
LC50 - Fish [2]	35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: EPA)		
Alcohol C-10 (112-30-1)			
LC50 - Fish [1]	2.2 – 2.5 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)		
LC50 - Fish [2]	4.12 – 6.2 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA)		
EC50 - Crustacea [1]	3 mg/l (Exposure time: 48 h - Species: Daphnia magna)		
Aldehyde C-6 (66-25-1)			
LC50 - Fish [1]	12 – 16.5 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)		
acetophenone (98-86-2)			
LC50 - Fish [1]	162 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)		
LC50 - Fish [2]	155 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA)		
12.2. Persistence and degradability			
SUGARED BERRY #TCDL-CFRA-BOWL-NSUB			
Persistence and degradability	Not established.		

SUGARED BERRY #TCDL-CFRA-BOWL-NSUB		
Persistence and degradability	Not established.	
benzyl benzoate (120-51-4)		
Persistence and degradability	May cause long-term adverse effects in the environment.	
Aldehyde C-16 (77-83-8)		
Persistence and degradability	Rapidly degradable	
Oxypheylon (Raspberry ketone) crystals (5471-51-2)		
Persistence and degradability	Rapidly degradable	
Linalool (78-70-6)		
Persistence and degradability	Rapidly degradable	
2(3H)-Furanone, 5-heptyldihydro- (104-67-6)		
Persistence and degradability Rapidly degradable		

Safety Data Sheet

Ethyl vanillin (121-32-4)			
Persistence and degradability	Rapidly degradable		
Ethyl maltol (4940-11-8)			
Persistence and degradability	Rapidly degradable		
delta-Damascone (57378-68-4)			
Persistence and degradability	Rapidly degradable		
beta-lonone (14901-07-6)			
Persistence and degradability	Rapidly degradable		
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylii	ndeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)		
Persistence and degradability	Rapidly degradable		
Vanillin (121-33-5)			
Persistence and degradability	Rapidly degradable		
Anisic aldehyde (123-11-5)			
Persistence and degradability	Rapidly degradable		
isopentyl acetate (123-92-2)			
Persistence and degradability	Rapidly degradable		
Benzyl acetate (140-11-4)			
Persistence and degradability	Rapidly degradable		
Allyl heptanoate (142-19-8)			
Persistence and degradability	Rapidly degradable		
Iso E Super (54464-57-2)			
Persistence and degradability	Rapidly degradable		
(R)-p-mentha-1,8-diene; d-limonene (5989-27-	5)		
Persistence and degradability	Rapidly degradable		
Alcohol C-10 (112-30-1)			
Persistence and degradability	Rapidly degradable		
Aldehyde C-6 (66-25-1)			
Persistence and degradability	Rapidly degradable		
acetophenone (98-86-2)			
Persistence and degradability	Rapidly degradable		
12.3. Bioaccumulative potential			
SUGARED BERRY #TCDL-CFRA-BOWL-NSUB			
Bioaccumulative potential	Not established.		
benzyl benzoate (120-51-4)	benzyl benzoate (120-51-4)		
Partition coefficient n-octanol/water (Log Pow)	3.97 (at 25 °C)		
Bioaccumulative potential	Not established.		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Aldehyde C-16 (77-83-8)				
Partition coefficient n-octanol/water (Log Pow)	2.4 (at 25 °C (cis isomer)			
Oxypheylon (Raspberry ketone) crystals (5471-51-2)				
Partition coefficient n-octanol/water (Log Pow)	1.33 (at 20 °C)			
2(3H)-Furanone, 5-heptyldihydro- (104-67-6)				
Partition coefficient n-octanol/water (Log Pow)	3.6 (at 25 °C)			
Ethyl vanillin (121-32-4)				
Partition coefficient n-octanol/water (Log Pow)	1.61 (at 25 °C)			
Ethyl maltol (4940-11-8)				
Partition coefficient n-octanol/water (Log Pow)	2.9 (at 25 °C)			
beta-lonone (14901-07-6)				
Partition coefficient n-octanol/water (Log Pow)	1.903 (at 27 °C (at pH 5.7)			
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylir	ndeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)			
BCF - Fish [1]	(1618 dimensionless (whole body w.w.)			
Partition coefficient n-octanol/water (Log Pow)	5.3 (at 25 °C (at pH 7)			
Vanillin (121-33-5)				
Partition coefficient n-octanol/water (Log Pow)	1.23 (at 22 °C)			
Anisic aldehyde (123-11-5)				
Partition coefficient n-octanol/water (Log Pow)	1.56 (at 25 °C (at pH >7.9-<8.25)			
isopentyl acetate (123-92-2)				
Partition coefficient n-octanol/water (Log Pow)	2.7 (at 35 °C)			
Benzyl acetate (140-11-4)				
Partition coefficient n-octanol/water (Log Pow)	1.96 (at 25 °C (at pH 7)			
Allyl heptanoate (142-19-8)				
Partition coefficient n-octanol/water (Log Pow)	3.97 (at 20 °C (at pH 5.3)			
(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)				
Partition coefficient n-octanol/water (Log Pow)	4.38 (at 37 °C (at pH 7.2)			
Alcohol C-10 (112-30-1)				
Partition coefficient n-octanol/water (Log Pow)	4.5 (at 25 °C (at pH 6)			
Aldehyde C-6 (66-25-1)				
Partition coefficient n-octanol/water (Log Pow)	2.3 (at 25 °C (at pH 5)			
acetophenone (98-86-2)				
Partition coefficient n-octanol/water (Log Pow)	1.63 – 1.65			

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

Additional information

: Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods

Product/Packaging disposal recommendations

Ecological information HP Code

- : Dispose of contents/container in accordance with licensed collector's sorting instructions.
- : Dispose of contents/container in accordance with local/national laws and regulations. Dispose in a safe manner in accordance with local/national regulations.
- : Avoid release to the environment.
- : HP6 "Acute Toxicity:" waste which can cause acute toxic effects following oral or dermal administration, or inhalation exposure.

HP4 - "Irritant – skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye.

HP13 - "Sensitising:" waste which contains one or more substances known to cause sensitising effects to the skin or the respiratory organs.

HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
4.1. UN number or ID r	number			
UN 3082	UN 3082	UN 3082	UN 3082	Not applicable
14.2. UN proper shippin	g name			
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexamethylindanopyran)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexamethylindanopyran)	Environmentally hazardous substance, liquid, n.o.s. (Hexamethylindanopyran)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexamethylindanopyran)	Not applicable
Fransport document descr	ription			
UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexamethylindanopyran), 9, III, (-)	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexamethylindanopyran), 9, III, MARINE POLLUTANT	UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Hexamethylindanopyran), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexamethylindanopyran), 9, III	Not applicable
14.3. Transport hazard	class(es)			
9	9	9	9	Not applicable
**************************************	**************************************			Not applicable
14.4. Packing group	1			

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	IATA	ADN	RID
14.5. Environmental hazards				
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Not applicable
No supplementary information	on available			

14.6. Special precautions for user

Overland transport

Classification code (ADR) : M6

Special provisions (ADR) : 274, 335, 375, 601

Limited quantities (ADR) : 5I Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Special packing provisions (ADR) : PP1
Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions (ADR) : T4
Portable tank and bulk container special provisions : TP1, TP29

(ADR)

Tank code (ADR) : LGBV
Vehicle for tank carriage : AT
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V12
Special provisions for carriage - Loading, unloading : CV13

and handling (ADR)

Hazard identification number (Kemler No.) : 90

Orange plates :

90 3082

Tunnel restriction code (ADR) : EAC code : •3Z

Transport by sea

Special provisions (IMDG) : 274, 335, 969

Limited quantities (IMDG) : 5 L Excepted quantities (IMDG) : E1 Packing instructions (IMDG) : LP01, P001 Special packing provisions (IMDG) : PP1 IBC packing instructions (IMDG) : IBC03 Tank instructions (IMDG) : T4 : TP2, TP29 Tank special provisions (IMDG) EmS-No. (Fire) : F-A S-F EmS-No. (Spillage) Stowage category (IMDG) : A

Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y964
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 964
PCA max net quantity (IATA) : 450L
CAO packing instructions (IATA) : 964
CAO max net quantity (IATA) : 450L

Special provisions (IATA) : A97, A158, A197

ERG code (IATA) : 9L

Inland waterway transport

Classification code (ADN) : M6

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Special provisions (ADN) : 274, 335, 375, 601

Limited quantities (ADN) : 5 L

Excepted quantities (ADN) : E1

Carriage permitted (ADN) : T

Equipment required (ADN) : PP

Number of blue cones/lights (ADN) : 0

Rail transport

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)				
Reference code	Applicable on	Entry title or description		
3(a)	isopentyl acetate ; (R)-p- mentha-1,8-diene; d- limonene ; Aldehyde C-6	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F		
3(b)	SUGARED BERRY; benzyl benzoate; Aldehyde C-16; Linalool; delta-Damascone; Allyl heptanoate; Iso E Super; (R)-p-mentha-1,8-diene; d- limonene; acetophenone	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10		
3(c)	SUGARED BERRY; benzyl benzoate; Aldehyde C-16; 2(3H)- Furanone, 5- heptyldihydro-; delta- Damascone; beta- lonone; 1,3,4,6,7,8- hexahydro-4,6,6,7,8,8- hexamethylindeno[5,6- c]pyran; galaxolide; (HHCB); Anisic aldehyde; Benzyl acetate; Allyl heptanoate; Iso E Super;(R)-p- mentha-1,8-diene; d- limonene; Alcohol C-10	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1		
40.	isopentyl acetate ; (R)-p- mentha-1,8-diene; d- limonene ; Aldehyde C-6	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.		

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

France

Occupational diseases	
Code	Description
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide

Germany

Water hazard class (WGK) : WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1).

Hazardous Incident Ordinance (12. BImSchV) Is not subject to the Hazardous Incident Ordinance (12. BlmSchV)

Netherlands

ABM category : A(1) - highly toxic for aquatic organisms, may have longterm hazardous effects in aquatic

environment

SZW-lijst van kankerverwekkende stoffen : None of the components are listed

SZW-lijst van mutagene stoffen : None of the components are listed SZW-lijst van reprotoxische stoffen - Borstvoeding : None of the components are listed

SZW-lijst van reprotoxische stoffen -: None of the components are listed Vruchtbaarheid

SZW-lijst van reprotoxische stoffen - Ontwikkeling : None of the components are listed

Denmark

Classification remarks : Emergency management guidelines for the storage of flammable liquids must be followed

Danish National Regulations Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct contact with

the product

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 16: Other information

Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC-No.	European Community number	
EC50	Median effective concentration	
EN	European Standard	
IARC	International Agency for Research on Cancer	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
PBT	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
VOC	Volatile Organic Compounds	
CAS-No.	Chemical Abstract Service number	
N.O.S.	Not Otherwise Specified	
vPvB	Very Persistent and Very Bioaccumulative	
ED	Endocrine disrupting properties	

Other information : None.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:		
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3	
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3	
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2	
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3	
Asp. Tox. 1	Aspiration hazard, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 3	Flammable liquids, Category 3	
H226	Flammable liquid and vapour.	
H301	Toxic if swallowed.	
H302	Harmful if swallowed.	
H304	May be fatal if swallowed and enters airways.	
H311	Toxic in contact with skin.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H319	Causes serious eye irritation.	
H331	Toxic if inhaled.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	
Skin Sens. 1B	Skin sensitisation, category 1B	

The classification complies with

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

: ATP 12