

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 Issue date: 9/12/2022 Revision date: 4/20/2023 Supersedes version of: 4/20/2023 Version: 2.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier Product form : Mixture Product name : Sun Drenched Apricot & Rose #TCDL-CFRA-BOWL-NSDR LIFI : K7CT-M49S-1001-JV3A Product code : #TCDL-CFRA-BOWL-NSDR Type of product : Perfumes, fragrances Product group : Trade product 1.2. Relevant identified uses of the substance or mixture and uses advised against 1.2.1. Relevant identified uses Main use category : Professional use, Industrial use Industrial/Professional use spec : Industrial For professional use only Use of the substance/mixture : Perfumes, fragrances Function or use category : Odour agents 1.2.2. Uses advised against No additional information available 1.3. Details of the supplier of the safety data sheet The Cosy Owl 20-28 Albert Road, Braintree, Essex CM7 3JQ Tel: +44 1376 560 348 enquiries@cosyowl.com - www.cosyowl.com 1.4. Emergency telephone number

Emergency number

: +44 (0) 1376 560348


SECTION 2: Hazards identification

2.1. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Skin corrosion/irritation, Category 2 H315 Serious eye damage/eye irritation, Category 1 H318 Skin sensitisation Category 1 H317

Skin sensitisation, Category 1	H317
Hazardous to the aquatic environment – Chronic Hazard, Category 2	H411
Full text of H- and EUH-statements: see section 16	

Adverse physicochemical, human health and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Contains	 Hexyl cinnamic aldehyde; Linalool; Geraniol; Nerol; Citronellol Pure; Citral; Majantol; Hydroxy; d-Limonene; Amyl cinnamic aldehyde; Geranyl acetate; Aldehyde C-16; Eugenol; Helional; Triplal (Vertocitral)
Hazard statements (CLP)	 H315 - Causes skin irritation. H317 - May cause an allergic skin reaction. H318 - Causes serious eye damage.
Precautionary statements (CLP)	 H411 - Toxic to aquatic life with long lasting effects. P264 - Wash hands, forearms and face thoroughly after handling. P272 - Contaminated work clothing should not be allowed out of the workplace. P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing
	protection. P302+P352 - IF ON SKIN: Wash with plenty of water.
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a POISON CENTER or doctor.
Extra phrases	: For professional users only.
2.3. Other hazards	

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Phenylethyl alcohol	CAS-No.: 60-12-8 EC-No.: 200-456-2 REACH-no: 01-2119963921- 31	4.1 – 8.17	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319
Hexyl cinnamic aldehyde	CAS-No.: 101-86-0 EC-No.: 202-983-3 REACH-no: 01-2119533092- 50	4 – 8	Skin Sens. 1, H317 Aquatic Chronic 2, H411
Linalool	CAS-No.: 78-70-6 EC-No.: 201-134-4 EC Index-No.: 603-235-00-2 REACH-no: 01-2119474016- 42	2.9 – 5.7	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Verdox	CAS-No.: 88-41-5 EC-No.: 201-828-7 REACH-no: 01-2119970713- 33	2.8 – 5.51	Aquatic Chronic 2, H411
beta-lonone	CAS-No.: 14901-07-6 EC-No.: 238-969-9	2.3 – 4.56	Aquatic Chronic 2, H411
Benzyl acetate substance with national workplace exposure limit(s) (BE, DK, ES, IE, LT, LV, PT, RO)	CAS-No.: 140-11-4 EC-No.: 205-399-7 REACH-no: 01-2119638272- 42	2.1 – 4.18	Aquatic Chronic 3, H412

Safety Data Sheet

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Dimethylbenzyl carbinyl butyrate(DMBCB)	CAS-No.: 10094-34-5 EC-No.: 233-221-8 REACH-no: 01-2120742578- 44	2 – 4.09	Skin Irrit. 2, H315 Aquatic Chronic 3, H412
Citronellol Pure	CAS-No.: 106-22-9 EC-No.: 203-375-0 REACH-no: 01-2119453995- 23	1.884 – 3.8855	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Geraniol	CAS-No.: 106-24-1 EC-No.: 203-377-1 EC Index-No.: 603-241-00-5 REACH-no: 01-2119552430- 49	1.4 – 3.857	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317
Terpinyl acetate	CAS-No.: 80-26-2 EC-No.: 201-265-7	1.4 – 2.76	Aquatic Chronic 2, H411
Majantol	CAS-No.: 103694-68-4 EC-No.: 403-140-4 EC Index-No.: 603-138-00-5	0.014 – 2.76	Skin Sens. 1, H317 Aquatic Chronic 3, H412
Nerol	CAS-No.: 106-25-2 EC-No.: 203-378-7	0.84 – 2.755	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
Aldehyde C-14	CAS-No.: 104-67-6 EC-No.: 203-225-4 REACH-no: 01-2119959333- 34	1.2 – 2.47	Aquatic Chronic 3, H412
Dimethylphenylethyl carbinol	CAS-No.: 103-05-9 EC-No.: 203-074-4	1.1 – 2.19	Eye Irrit. 2, H319 Aquatic Chronic 3, H412
Carbitol substance with national workplace exposure limit(s) (AT, DE, EE, SE, SI, CH)	CAS-No.: 111-90-0 EC-No.: 203-919-7 REACH-no: 01-2119475105- 42	1.01262 – 1.996308	Not classified
d-Limonene substance with national workplace exposure limit(s) (DE, ES, FI, SI, NO, CH)	CAS-No.: 5989-27-5 EC-No.: 227-813-5 EC Index-No.: 601-029-00- 7;601-096-00-2 REACH-no: 01-2119493353- 35	0.9 – 1.71	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
Amyl cinnamic aldehyde	CAS-No.: 122-40-7 EC-No.: 204-541-5;453-530-3	0.7 – 1.48	Skin Sens. 1B, H317 Aquatic Chronic 2, H411
Geranyl acetate	CAS-No.: 105-87-3 EC-No.: 203-341-5 REACH-no: 01-2119973480- 35	0.7 – 1.33	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 3, H412
Verdyl propionate	CAS-No.: 68912-13-0 EC-No.: 272-805-7 REACH-no: 01-2119969447- 21	0.6 – 1.24	Aquatic Chronic 2, H411
Undecavertol	CAS-No.: 81782-77-6 EC-No.: 279-815-0	0.2 - 0.48	Aquatic Acute 1, H400 Aquatic Chronic 2, H411

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Aldehyde C-16	CAS-No.: 77-83-8 EC-No.: 201-061-8 REACH-no: 01-2119967770- 28	0.2 - 0.48	Skin Sens. 1B, H317 Aquatic Chronic 2, H411
Hydroxy	CAS-No.: 107-75-5 EC-No.: 203-518-7 REACH-no: 01-2119973482- 31	0.10836 – 0.213624	Eye Irrit. 2, H319 Skin Sens. 1B, H317
Eugenol	CAS-No.: 97-53-0 EC-No.: 202-589-1 REACH-no: 01-2119971802- 33	0.1 – 0.19	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Citral substance with national workplace exposure limit(s) (BE, ES, IE, PL, PT)	CAS-No.: 5392-40-5 EC-No.: 226-394-6 EC Index-No.: 605-019-00-3 REACH-no: 01-2119462829- 23	0.028 – 0.1653	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
Benzaldehyde substance with national workplace exposure limit(s) (BG, FI, HU, LT, LV, PL)	CAS-No.: 100-52-7 EC-No.: 202-860-4 EC Index-No.: 605-012-00-5 REACH-no: 01-2119455540- 44	0.1 – 0.14	Acute Tox. 4 (Oral), H302
Helional	CAS-No.: 1205-17-0 EC-No.: 214-881-6 REACH-no: 01-2120740119- 58	0.1 – 0.14	Skin Sens. 1B, H317 Repr. 2, H361 Aquatic Chronic 2, H411
Ethyl acetoacetate substance with national workplace exposure limit(s) (RO)	CAS-No.: 141-97-9 EC-No.: 205-516-1	0.1 – 0.1	Not classified
Triplal (Vertocitral)	CAS-No.: 68039-49-6 EC-No.: 268-264-1	0.1 – 0.1	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 3, H412
Isoamyl acetate substance with national workplace exposure limit(s) (AT, BE, BG, CY, DE, DK, EE, ES, FI, FR, GI, GR, HR, HU, IE, IT, LT, LU, LV, MT, NL, PL, PT, RO, SE, SI, SK, NO, TR); substance with a Community workplace exposure limit	CAS-No.: 123-92-2 EC-No.: 204-662-3 EC Index-No.: 607-130-00-2 REACH-no: 01-2119548408- 32	0 – 0.019	Flam. Liq. 3, H226

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	: Wash skin with plenty of water. Wash with plenty of water/ Wash contaminated clothing before reuse. If skin irritation occurs: Get medical advice/attention. Specific treatment (see supplemental first aid instruction on this label). If skin irritation or rash occurs:

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

First-aid measures after eye contact First-aid measures after ingestion	 Rinse eyes with water as a precaution. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Call a poison center or a doctor if you feel unwell. Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.
4.2. Most important symptoms and effects,	both acute and delayed
Symptoms/effects after inhalation Symptoms/effects after skin contact Symptoms/effects after eye contact	 May cause an allergic skin reaction. Causes skin irritation. Causes serious eye damage.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media Unsuitable extinguishing media	Water spray. Dry powder. Foam. Carbon dioxide. Sand.Do not use a heavy water stream.
5.2. Special hazards arising from the subs	tance or mixture
Hazardous decomposition products in case of fire	: Toxic fumes may be released.
5.3. Advice for firefighters	
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting	Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures			
6.1. Personal precautions, protective equipment and emergency procedures			
6.1.1. For non-emergency personnel Emergency procedures	: Ventilate spillage area. Evacuate unnecessary personnel.		
6.1.2. For emergency responders			
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". Equip cleanup crew with proper protection.		
Emergency procedures	: Ventilate area.		

6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up			
Methods for cleaning up	: Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.		
Other information	: Dispose of materials or solid residues at an authorized site.		
6.4. Reference to other sections			

For further information refer to section 13. See Section 8. Exposure controls and personal protection.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling Hygiene measures	 Ensure good ventilation of the work station. Wear personal protective equipment. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Avoid breathing dust/fume/gas/mist/vapours/spray. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Wash hands thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.
7.2. Conditions for safe storage, including	ng any incompatibilities
Storage conditions	: Store in a well-ventilated place. Keep cool. Keep only in the original container in a cool, well ventilated place away from : Keep container closed when not in use.
Incompatible products	Strong bases. Strong acids.
Incompatible materials	: Sources of ignition. Direct sunlight.
Storage temperature	: 25 °C
Storage area	: Store in a well-ventilated place. Store away from heat.
Special rules on packaging	: Store in a closed container.
Packaging materials	: Do not store in corrodable metal.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Citral (5392-40-5)		
Belgium - Occupational Exposure Limits		
OEL TWA	32 mg/m³ (vapor and aerosol)	
OEL TWA [ppm]	5 ppm (vapor and aerosol)	
OEL chemical category	Skin	
Ireland - Occupational Exposure Limits		
OEL TWA [2]	5 ppm	
OEL STEL [ppm]	15 ppm (calculated)	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	27 mg/m³	
NDSCh (OEL STEL)	54 mg/m³	
Portugal - Occupational Exposure Limits		
OEL TWA [ppm]	5 ppm	
OEL chemical category	Sensitizer, A4 - Not Classifiable as a Human Carcinogen, skin - potential for cutaneous exposure	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA) [2]	5 ppm (inhalable fraction and vapor)	
OEL chemical category	Sensitizer, skin - potential for cutaneous absorption	
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA [ppm]	5 ppm (inhalable fraction and vapor)	

Safety Data Sheet

Citral (5392-40-5)	
ACGIH chemical category	Not Classifiable as a Human Carcinogen, Skin - potential significant contribution to overall exposure by the cutaneous route, dermal sensitizer
Benzyl acetate (140-11-4)	
Belgium - Occupational Exposure Limits	
OEL TWA	62 mg/m ³
OEL TWA [ppm]	10 ppm
Denmark - Occupational Exposure Limits	
OEL TWA [1]	61 mg/m ³
OEL TWA [2]	10 ppm
Ireland - Occupational Exposure Limits	
OEL TWA [2]	10 ppm
OEL STEL [ppm]	30 ppm (calculated)
Latvia - Occupational Exposure Limits	
OEL TWA	5 mg/m³
Lithuania - Occupational Exposure Limits	
IPRV (OEL TWA)	5 mg/m³
Portugal - Occupational Exposure Limits	
OEL TWA [ppm]	10 ppm
OEL chemical category	A4 - Not Classifiable as a Human Carcinogen
Romania - Occupational Exposure Limits	
OEL TWA	50 mg/m ³
OEL TWA [ppm]	8 ppm
OEL STEL	80 mg/m ³
OEL STEL [ppm]	13 ppm
Spain - Occupational Exposure Limits	
VLA-ED (OEL TWA) [1]	62 mg/m ³
VLA-ED (OEL TWA) [2]	10 ppm
USA - ACGIH - Occupational Exposure Limits	
ACGIH OEL TWA [ppm]	10 ppm
ACGIH chemical category	Not Classifiable as a Human Carcinogen
Carbitol (111-90-0)	
Austria - Occupational Exposure Limits	
MAK (OEL TWA)	35 mg/m ³
MAK (OEL TWA) [ppm]	6 ppm
MAK (OEL STEL)	140 mg/m ³
MAK (OEL STEL) [ppm]	24 ppm
Estonia - Occupational Exposure Limits	
OEL TWA	50.1 mg/m ³
OEL TWA [ppm]	10 ppm

Safety Data Sheet

Carbitol (111-90-0)	
OEL chemical category	Skin notation
Germany - Occupational Exposure Limits (TRG	S 900)
AGW (OEL TWA) [1]	35 mg/m ³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
AGW (OEL TWA) [2]	6 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
Slovenia - Occupational Exposure Limits	· ·
OEL TWA	35 mg/m³
OEL TWA [ppm]	6 ppm
OEL STEL	70 mg/m³
OEL STEL [ppm]	12 ppm
Sweden - Occupational Exposure Limits	, ,
NGV (OEL TWA)	80 mg/m ³
NGV (OEL TWA) [ppm]	15 ppm
KTV (OEL STEL)	170 mg/m³
KTV (OEL STEL) [ppm]	30 ppm
OEL chemical category	Skin notation
Switzerland - Occupational Exposure Limits	, ,
MAK (OEL TWA) [1]	50 mg/m³ (aerosol, inhalable dust, vapour)
KZGW (OEL STEL)	100 mg/m³ (aerosol, inhalable dust, vapour)
d-Limonene (5989-27-5)	
Finland - Occupational Exposure Limits	
HTP (OEL TWA) [1]	140 mg/m³
HTP (OEL TWA) [2]	25 ppm
HTP (OEL STEL)	280 mg/m³
HTP (OEL STEL) [ppm]	50 ppm
Germany - Occupational Exposure Limits (TRG	iS 900)
AGW (OEL TWA) [1]	28 mg/m ³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
AGW (OEL TWA) [2]	5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
Chemical category	Skin notation, Skin sensitization
Slovenia - Occupational Exposure Limits	
OEL TWA	28 mg/m³
OEL TWA [ppm]	5 ppm
OEL STEL	112 mg/m³
OEL STEL [ppm]	20 ppm
OEL chemical category	Potential for cutaneous absorption
Spain - Occupational Exposure Limits	
	168 mg/m³

Safety Data Sheet

d-Limonene (5989-27-5)	
VLA-ED (OEL TWA) [2]	30 ppm
OEL chemical category	Sensitizer, skin - potential for cutaneous absorption
Norway - Occupational Exposure Limits	
Grenseverdi (OEL TWA) [1]	140 mg/m ³
Grenseverdi (OEL TWA) [2]	25 ppm
Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)
Korttidsverdi (OEL STEL) [ppm]	37.5 ppm (value calculated)
OEL chemical category	Allergenic substance
Switzerland - Occupational Exposure Limits	
MAK (OEL TWA) [1]	40 mg/m³
MAK (OEL TWA) [2]	7 ppm
KZGW (OEL STEL)	80 mg/m ³
KZGW (OEL STEL) [ppm]	14 ppm
OEL chemical category	Sensitizer
Benzaldehyde (100-52-7)	
Bulgaria - Occupational Exposure Limits	
OEL TWA	5 mg/m³
Finland - Occupational Exposure Limits	
HTP (OEL TWA) [1]	4.4 mg/m ³
HTP (OEL TWA) [2]	1 ppm
HTP (OEL C)	17.4 mg/m³
HTP (OEL C) [ppm]]	4 ppm
Hungary - Occupational Exposure Limits	
AK (OEL TWA)	5 mg/m³
CK (OEL STEL)	10 mg/m ³
Latvia - Occupational Exposure Limits	
OEL TWA	5 mg/m ³
Lithuania - Occupational Exposure Limits	
IPRV (OEL TWA)	5 mg/m ³
Poland - Occupational Exposure Limits	
NDS (OEL TWA)	10 mg/m ³
NDSCh (OEL STEL)	40 mg/m ³
Ethyl acetoacetate (141-97-9)	
Romania - Occupational Exposure Limits	
OEL TWA	100 mg/m ³
OEL TWA [ppm]	19 ppm
OEL STEL	200 mg/m ³
OEL STEL [ppm]	38 ppm

Safety Data Sheet

Isoamyl acetate (123-92-2)	
EU - Indicative Occupational Exposure Limit (IOEL)	
IOEL TWA	270 mg/m³
IOEL TWA [ppm]	50 ppm
IOEL STEL	540 mg/m³
IOEL STEL [ppm]	100 ppm
Austria - Occupational Exposure Limits	
MAK (OEL TWA)	270 mg/m³ (Pentyl acetate (all isomers))
MAK (OEL TWA) [ppm]	50 ppm (Pentyl acetate (all isomers))
MAK (OEL STEL)	540 mg/m³ (Pentylacetate)
MAK (OEL STEL) [ppm]	100 ppm (Pentylacetate)
Belgium - Occupational Exposure Limits	
OEL TWA	270 mg/m³
OEL TWA [ppm]	50 ppm
OEL STEL	540 mg/m³
OEL STEL [ppm]	100 ppm
Bulgaria - Occupational Exposure Limits	
OEL TWA	270 mg/m³
OEL TWA [ppm]	50 ppm
OEL STEL	540 mg/m³
OEL STEL [ppm]	100 ppm
Croatia - Occupational Exposure Limits	
GVI (OEL TWA) [1]	270 mg/m³
GVI (OEL TWA) [2]	50 ppm
KGVI (OEL STEL)	540 mg/m³
KGVI (OEL STEL) [ppm]	100 ppm
Cyprus - Occupational Exposure Limits	
OEL TWA	270 mg/m³
OEL TWA [ppm]	50 ppm
OEL STEL	540 mg/m³
OEL STEL [ppm]	100 ppm
Denmark - Occupational Exposure Limits	
OEL TWA [1]	271 mg/m³ (Amyl acetate, all isomers)
OEL TWA [2]	50 ppm (Amyl acetate, all isomers)
Estonia - Occupational Exposure Limits	
OEL TWA	270 mg/m³
OEL TWA [ppm]	50 ppm
OEL STEL	540 mg/m³
OEL STEL [ppm]	100 ppm

Safety Data Sheet

Isoamyl acetate (123-92-2)		
Finland - Occupational Exposure Limits		
HTP (OEL TWA) [1]	270 mg/m³ (Pentyl acetate)	
HTP (OEL TWA) [2]	50 ppm (Pentyl acetate)	
HTP (OEL STEL)	540 mg/m³	
HTP (OEL STEL) [ppm]	100 ppm	
France - Occupational Exposure Limits		
VME (OEL TWA)	270 mg/m³ (restrictive limit)	
VME (OEL TWA) [ppm]	50 ppm (restrictive limit)	
VLE (OEL C/STEL)	540 mg/m³ (restrictive limit)	
VLE (OEL C/STEL) [ppm]	100 ppm (restrictive limit)	
Germany - Occupational Exposure Limits (TRGS 90	0)	
AGW (OEL TWA) [1]	270 mg/m³	
AGW (OEL TWA) [2]	50 ppm	
Gibraltar - Occupational Exposure Limits		
OEL TWA	270 mg/m³	
OEL TWA [ppm]	50 ppm	
OEL STEL	540 mg/m³	
OEL STEL [ppm]	100 ppm	
Greece - Occupational Exposure Limits		
OEL TWA	530 mg/m³	
OEL TWA [ppm]	100 ppm	
OEL STEL	800 mg/m³	
OEL STEL [ppm]	150 ppm	
Hungary - Occupational Exposure Limits		
AK (OEL TWA)	270 mg/m³	
CK (OEL STEL)	540 mg/m³	
Ireland - Occupational Exposure Limits		
OEL TWA [1]	260 mg/m³	
OEL TWA [2]	50 ppm	
OEL STEL	520 mg/m³	
OEL STEL [ppm]	100 ppm	
Italy - Occupational Exposure Limits		
OEL TWA	270 mg/m³	
OEL TWA [ppm]	50 ppm	
OEL STEL	540 mg/m³	
OEL STEL [ppm]	100 ppm	
Latvia - Occupational Exposure Limits		
OEL TWA	270 mg/m³	
OEL TWA [ppm]	50 ppm	

Safety Data Sheet

Isoamyl acetate (123-92-2)	
Lithuania - Occupational Exposure Limits	
IPRV (OEL TWA)	270 mg/m³
IPRV (OEL TWA) [ppm]	50 ppm
TPRV (OEL STEL)	540 mg/m³
TPRV (OEL STEL) [ppm]	100 ppm
Luxembourg - Occupational Exposure Limits	
OEL TWA	270 mg/m³
OEL TWA [ppm]	50 ppm
OEL STEL	540 mg/m³
OEL STEL [ppm]	100 ppm
Malta - Occupational Exposure Limits	
OEL TWA	270 mg/m³
OEL TWA [ppm]	50 ppm
OEL STEL	540 mg/m³
OEL STEL [ppm]	100 ppm
Netherlands - Occupational Exposure Limits	·
TGG-15min (OEL STEL)	530 mg/m³
Poland - Occupational Exposure Limits	·
NDS (OEL TWA)	250 mg/m³
NDSCh (OEL STEL)	500 mg/m ³
Portugal - Occupational Exposure Limits	
OEL TWA	270 mg/m³ (indicative limit value)
OEL TWA [ppm]	50 ppm (indicative limit value)
OEL STEL	540 mg/m³ (indicative limit value)
OEL STEL [ppm]	100 ppm (indicative limit value, regulated under Pentyl acetate, all isomers)
Romania - Occupational Exposure Limits	
OEL TWA	270 mg/m³
OEL TWA [ppm]	50 ppm
OEL STEL	540 mg/m³
OEL STEL [ppm]	100 ppm
Slovakia - Occupational Exposure Limits	
NPHV (OEL TWA) [1]	270 mg/m³
NPHV (OEL TWA) [2]	50 ppm
NPHV (OEL C)	540 mg/m³
Slovenia - Occupational Exposure Limits	
OEL TWA	270 mg/m³
OEL TWA [ppm]	50 ppm
OEL STEL	540 mg/m³
OEL STEL [ppm]	100 ppm

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Isoamyl acetate (123-92-2)	
Spain - Occupational Exposure Limits	
VLA-ED (OEL TWA) [1]	270 mg/m³ (indicative limit value)
VLA-ED (OEL TWA) [2]	50 ppm (indicative limit value)
VLA-EC (OEL STEL)	540 mg/m³
VLA-EC (OEL STEL) [ppm]	100 ppm
Sweden - Occupational Exposure Limits	
NGV (OEL TWA)	270 mg/m³ (Pentyl acetates)
NGV (OEL TWA) [ppm]	50 ppm (Pentyl acetates)
KTV (OEL STEL)	540 mg/m³ (Pentyl acetates)
KTV (OEL STEL) [ppm]	100 ppm (Pentyl acetates)
Norway - Occupational Exposure Limits	
Grenseverdi (OEL TWA) [1]	260 mg/m³
Grenseverdi (OEL TWA) [2]	50 ppm
Korttidsverdi (OEL STEL)	325 mg/m³ (value calculated)
Korttidsverdi (OEL STEL) [ppm]	75 ppm (value calculated)
USA - ACGIH - Occupational Exposure Limits	
ACGIH OEL TWA [ppm]	50 ppm (Pentyl acetate, all isomers)
ACGIH OEL STEL [ppm]	100 ppm (Pentyl acetate, all isomers)

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Safety glasses. Chemical goggles or safety glasses

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves. Wear protective gloves.

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. Wear appropriate mask

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: light yellow. amber.
Odour	: characteristic.
Odour threshold	: Not available
Melting point	: Not available
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Non flammable.
Explosive limits	: Not available
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: 97 °C (closed cup) ASTM D7094
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
рН	: Not available
Viscosity, kinematic	: Not available
Solubility	: Not available
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: Not available
Relative density	: Not available
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions. Not established.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use. Not established.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7). Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

	11.1. Information on hazard classes as defined in Regulation (EC) No 12/2/2008	
Acute toxicity (dermal) :	Not classified Not classified Not classified	
Phenylethyl alcohol (60-12-8)		
LD50 oral rat	1609 mg/kg	
LD50 oral	1610 mg/kg bodyweight	
LD50 dermal rabbit	2535 mg/kg	
LD50 dermal	2500 mg/kg bodyweight	
LC50 Inhalation - Rat	> 4.63 mg/l/4h	
Hexyl cinnamic aldehyde (101-86-0)		
LD50 oral rat	3100 mg/kg	
LD50 oral	3100 mg/kg bodyweight	
LD50 dermal rabbit	> 3000 mg/kg	
LC50 Inhalation - Rat	> 5 mg/l/4h	
Linalool (78-70-6)		
LD50 oral	2790 mg/kg bodyweight	
Geraniol (106-24-1)		
LD50 oral rat	3600 mg/kg	
LD50 oral	3600 mg/kg bodyweight	
LD50 dermal rabbit	> 5 g/kg	
Nerol (106-25-2)		
LD50 oral rat	4500 mg/kg	

Safety Data Sheet

Nerol (106-25-2)		
LD50 oral	4500 mg/kg bodyweight	
LD50 dermal rabbit	> 5 g/kg	
Citronellol Pure (106-22-9)		
LD50 oral rat	3450 mg/kg	
LD50 oral	3450 mg/kg bodyweight	
LD50 dermal rabbit	2650 mg/kg	
LD50 dermal	2650 mg/kg bodyweight	
Citral (5392-40-5)		
LD50 oral rat	4960 mg/kg	
LD50 dermal rabbit	2250 mg/kg	
LD50 dermal	2250 mg/kg bodyweight	
Verdox (88-41-5)		
LD50 oral rat	4600 mg/kg	
LD50 oral	4600 mg/kg bodyweight	
beta-lonone (14901-07-6)		
LD50 oral rat	4590 mg/kg	
LD50 oral	3490 mg/kg bodyweight	
Benzyl acetate (140-11-4)		
LD50 oral rat	2490 mg/kg	
LD50 oral	2490 mg/kg bodyweight	
LD50 dermal rabbit	> 5000 mg/kg	
Dimethylbenzyl carbinyl butyrate(DMBCB) (10	094-34-5)	
LD50 oral rat	> 5 g/kg	
Terpinyl acetate (80-26-2)		
LD50 oral rat	5075 mg/kg	
Majantol (103694-68-4)		
LD50 oral	3440 mg/kg bodyweight	
LD50 dermal rabbit	> 5 ml/kg	
Carbitol (111-90-0)		
LD50 oral rat	10502 mg/kg	
LD50 dermal rabbit	9143 mg/kg	
LC50 Inhalation - Rat	> 5240 mg/m³ (Exposure time: 4 h)	
Hydroxy (107-75-5)		
LD50 oral rat	> 5 g/kg	
LD50 dermal rabbit	> 2000 mg/kg	
Aldehyde C-14 (104-67-6)		
LD50 oral rat	18500 mg/kg	

Safety Data Sheet

Aldehyde C-14 (104-67-6)	
LD50 dermal rat	> 2000 mg/kg
Dimethylphenylethyl carbinol (103-05-9)	
LD50 oral rat	2200 mg/kg
LD50 oral	2500 mg/kg bodyweight
LD50 dermal	3260 mg/kg bodyweight
LC50 Inhalation - Rat	> 4.63 mg/l/4h
d-Limonene (5989-27-5)	
LD50 oral rat	4400 mg/kg
LD50 dermal rabbit	> 5 g/kg
Amyl cinnamic aldehyde (122-40-7)	
LD50 oral rat	3730 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
Geranyl acetate (105-87-3)	
LD50 oral rat	6330 mg/kg
Verdyl propionate (68912-13-0)	
LD50 dermal rabbit	> 5000 mg/kg
Aldehyde C-16 (77-83-8)	
LD50 oral rat	5470 mg/kg
LD50 dermal rat	> 2000 mg/kg
Eugenol (97-53-0)	
LD50 oral rat	1930 mg/kg
LD50 oral	2500 mg/kg bodyweight
Benzaldehyde (100-52-7)	
LD50 oral rat	1292 mg/kg
LD50 dermal rabbit	> 1250 mg/kg
Helional (1205-17-0)	
LD50 dermal rabbit	> 2000 mg/kg
Ethyl acetoacetate (141-97-9)	
LD50 oral rat	3980 mg/kg
LD50 dermal rabbit	> 5000 mg/kg
Triplal (Vertocitral) (68039-49-6)	
LD50 oral	3900 mg/kg bodyweight
	Causes skin irritation.
	Causes serious eye damage.
	May cause an allergic skin reaction.
- 5 5	Not classified
	Based on available data, the classification criteria are not met Not classified
5 5	Based on available data, the classification criteria are not met
, cashona information .	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Benzyl acetate (140-11-4)	
IARC group	3 - Not classifiable
d-Limonene (5989-27-5)	
IARC group	3 - Not classifiable
Eugenol (97-53-0)	
IARC group	3 - Not classifiable
Reproductive toxicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
STOT-single exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met
STOT-repeated exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Aspiration hazard	: Not classified
Additional information	: Based on available data, the classification criteria are not met

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

No additional information available

11.2.2. Other information

Potential adverse human health effects and	:	Based on available data, the classification criteria are not met
symptoms		

SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - general Ecology - water Hazardous to the aquatic environment, short–term (acute) Hazardous to the aquatic environment, long–term (chronic)	 The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment. Toxic to aquatic life with long lasting effects. Not classified Toxic to aquatic life with long lasting effects.
Phenylethyl alcohol (60-12-8)	
EC50 - Crustacea [1]	287.17 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 72h - Algae [1]	490 mg/l (Species: Desmodesmus subspicatus)
Linalool (78-70-6)	
EC50 96h - Algae [1]	88.3 mg/l (Species: Desmodesmus subspicatus)
Geraniol (106-24-1)	
LC50 - Fish [1]	22 mg/l (Exposure time: 96 h - Species: Danio rerio [static])
Nerol (106-25-2)	
LC50 - Fish [1]	20.3 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])
Citral (5392-40-5)	
EC50 - Crustacea [1]	7 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 72h - Algae [1]	16 mg/l (Species: Desmodesmus subspicatus)
EC50 96h - Algae [1]	19 mg/l (Species: Desmodesmus subspicatus)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Terpinyl acetate (80-26-2)		
LC50 - Fish [1]	> 11 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])	
Carbitol (111-90-0)		
LC50 - Fish [1]	10000 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])	
LC50 - Fish [2]	19100 – 23900 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through])	
EC50 - Crustacea [1]	3940 – 4670 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
Aldehyde C-14 (104-67-6)		
LC50 - Fish [1]	569 mg/l 96 h	
EC50 - Crustacea [1]	5.85 mg/l 48 h	
EC50 - Other aquatic organisms [1]	5.94 mg/l 72 h	
Dimethylphenylethyl carbinol (103-05-9)		
LC50 - Fish [1]	66.4 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])	
d-Limonene (5989-27-5)		
LC50 - Fish [1]	0.619 – 0.796 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])	
LC50 - Fish [2]	35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)	
Verdyl propionate (68912-13-0)		
LC50 - Fish [1]	6.7 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])	
Aldehyde C-16 (77-83-8)		
LC50 - Fish [1]	4.2 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [semi-static])	
Eugenol (97-53-0)		
LC50 - Fish [1]	13 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])	
Benzaldehyde (100-52-7)		
LC50 - Fish [1]	10.6 – 11.8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through])	
LC50 - Fish [2]	12.69 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])	
Ethyl acetoacetate (141-97-9)		
LC50 - Fish [1]	298 mg/l (Exposure time: 96 h - Species: Pimephales promelas)	
LC50 - Fish [2]	290 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)	
EC50 - Crustacea [1]	646 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
EC50 72h - Algae [1]	> 500 mg/l (Species: Desmodesmus subspicatus)	
12.2. Persistence and degradability		
Sun Drenched Apricot & Rose #TCDL-CFRA-BOWL-NSDR		

12.3. Bioaccumulative potential

Persistence and degradability

Sun Drenched Apricot & Rose #TCDL-CFRA-BOWL-NSDR		
Bioaccumulative potential Not established.		
Phenylethyl alcohol (60-12-8)		
Partition coefficient n-octanol/water (Log Pow) 1.36 (at 20 °C (at pH 7)		

May cause long-term adverse effects in the environment.

Safety Data Sheet

Geraniol (106-24-1)		
Partition coefficient n-octanol/water (Log Pow)	2.6 (at 25 °C)	
Nerol (106-25-2)		
Partition coefficient n-octanol/water (Log Pow)	2.76 (at 30 °C (at pH 6.5)	
Citronellol Pure (106-22-9)		
Partition coefficient n-octanol/water (Log Pow)	3.41 (at 25 °C)	
Citral (5392-40-5)		
Partition coefficient n-octanol/water (Log Pow)	2.76 (at 25 °C)	
beta-lonone (14901-07-6)		
Partition coefficient n-octanol/water (Log Pow)	1.903 (at 27 °C (at pH 5.7)	
Benzyl acetate (140-11-4)		
Partition coefficient n-octanol/water (Log Pow)	1.96 (at 25 °C (at pH 7)	
Dimethylbenzyl carbinyl butyrate(DMBCB) (10	094-34-5)	
Partition coefficient n-octanol/water (Log Pow)	4.7 (at 25 °C)	
Terpinyl acetate (80-26-2)		
Partition coefficient n-octanol/water (Log Pow)	4.4 (at 30 °C (at pH 7)	
Majantol (103694-68-4)		
Partition coefficient n-octanol/water (Log Pow)	3.07 (at 20 °C)	
Carbitol (111-90-0)		
Partition coefficient n-octanol/water (Log Pow)	-0.8	
Hydroxy (107-75-5)		
Partition coefficient n-octanol/water (Log Pow)	1.68 (at 25 °C)	
Aldehyde C-14 (104-67-6)		
Partition coefficient n-octanol/water (Log Pow)	3.6 (at 25 °C)	
Dimethylphenylethyl carbinol (103-05-9)		
Partition coefficient n-octanol/water (Log Pow)	2.41 (at 25 °C (at pH >=7.68-<=7.72)	
d-Limonene (5989-27-5)		
Partition coefficient n-octanol/water (Log Pow)	4.38 (at 37 °C (at pH 7.2)	
Amyl cinnamic aldehyde (122-40-7)		
Partition coefficient n-octanol/water (Log Pow)	2.498 (at 25 °C (at pH 6.2)	
Geranyl acetate (105-87-3)		
Partition coefficient n-octanol/water (Log Pow)	4.04	
Verdyl propionate (68912-13-0)		
Partition coefficient n-octanol/water (Log Pow)	4.4 (at 30 °C)	
Undecavertol (81782-77-6)		
Partition coefficient n-octanol/water (Log Pow)	3.9 (at 30 °C (at pH 7)	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Aldehyde C-16 (77-83-8)		
Partition coefficient n-octanol/water (Log Pow)	2.4 (at 25 °C (cis isomer)	
Eugenol (97-53-0)		
Partition coefficient n-octanol/water (Log Pow)	1.83 (at 30 °C (at pH 5.5)	
Benzaldehyde (100-52-7)		
BCF - Fish [1]	(no significant bioaccumulation)	
Partition coefficient n-octanol/water (Log Pow)	1.4 (at 25 °C)	
Helional (1205-17-0)		
Partition coefficient n-octanol/water (Log Pow)	2.4 (at 25 °C)	
Ethyl acetoacetate (141-97-9)		
Partition coefficient n-octanol/water (Log Pow)	0.8 (at 20 °C)	
Isoamyl acetate (123-92-2)		
Partition coefficient n-octanol/water (Log Pow)	2.7 (at 35 °C)	
12.4. Mobility in soil		
No additional information available		
12.5. Results of PBT and vPvB assessment		
No additional information available		
12.6. Endocrine disrupting properties		
No additional information available		
12.7. Other adverse effects		
Additional information :	Avoid release to the environment.	

SECTION 13: Disposal considerations

10 1 111

Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Product/Packaging disposal recommendations	 Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container in accordance with local/national laws and regulations.
Ecology - waste materials	: Avoid release to the environment.
HP Code	: HP3 - "Flammable:"
	 – flammable liquid waste: liquid waste having a flash point below 60 °C or waste gas oil, diesel and light heating oils having a flash point > 55 °C and ≤ 75 °C;
	 – flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small quantities, is liable to ignite within five minutes after coming into contact with air;
	 – flammable solid waste: solid waste which is readily combustible or may cause or contribute to fire through friction;
	 – flammable gaseous waste: gaseous waste which is flammable in air at 20 °C and a standard pressure of 101.3 kPa;
	 water reactive waste: waste which, in contact with water, emits flammable gases in dangerous quantities;
	 other flammable waste: flammable aerosols, flammable self-heating waste, flammable organic peroxides and flammable self-reactive waste.
	HP4 - "Irritant – skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye.
	HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

n accordance with ADR / IM	DG / IATA / ADN / RID			
ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID I	number	·		·
UN 3082	UN 3082	UN 3082	UN 3082	UN 3082
14.2. UN proper shippir	ng name	1		1
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexyl cinnamic aldehyde)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexyl cinnamic aldehyde)	Environmentally hazardous substance, liquid, n.o.s. (Hexyl cinnamic aldehyde)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexyl cinnamic aldehyde)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUIE N.O.S. (Hexyl cinnamio aldehyde)
Transport document desc	ription			1
UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexyl cinnamic aldehyde), 9, III, (-)	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexyl cinnamic aldehyde), 9, III, MARINE POLLUTANT	UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Hexyl cinnamic aldehyde), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexyl cinnamic aldehyde), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUIE N.O.S. (Hexyl cinnami aldehyde), 9, III
14.3. Transport hazard	class(es)			
9	9	9	9	9
14.4. Packing group				
III	III	III	III	III
14.5. Environmental ha	zards			1
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes
No supplementary information	on available	11		I
4.6. Special precaution	s for user			
Dverland transport Classification code (ADR) Special provisions (ADR) Limited quantities (ADR) Excepted quantities (ADR) Packing instructions (ADR) Special packing provisions (A Mixed packing provisions (AI Portable tank and bulk contai Portable tank and bulk contai ADR)	: 51 : E1 : P0 ADR) : PP DR) : MP iner instructions (ADR) : T4	4, 335, 375, 601 01, IBC03, LP01, R001 '1		
Tank code (ADR)	: LG			
Vehicle for tank carriage Transport category (ADR) Special provisions for carriag	U	2		

Special provisions for carriage - Loading, unloading : CV13

and handling (ADR)

Safety Data Sheet

	č ()
Hazard identification number (Kemler No.)	: 90
Orange plates	
Orange plates	90
	20
	3082
	3082
Tunnel restriction code (ADR)	· _
EAC code	· •3Z
EAC code	. •32
Transport by sea	
Special provisions (IMDG)	: 274, 335, 969
Limited quantities (IMDG)	: 5 L
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: LP01, P001
Special packing provisions (IMDG)	: PP1
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T4
Tank special provisions (IMDG)	
	: TP1, TP29
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-F
Stowage category (IMDG)	: A
8 8 9 4 9	
A for the second sect	
Air transport	
PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y964
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA packing instructions (IATA)	: 964
PCA max net quantity (IATA)	: 450L
CAO packing instructions (IATA)	: 964
CAO max net quantity (IATA)	: 450L
Special provisions (IATA)	: A97, A158, A197, A215
ERG code (IATA)	: 9L
Inland waterway transport	
Inland waterway transport	
Classification code (ADN)	: M6
Special provisions (ADN)	: 274, 335, 375, 601
Limited quantities (ADN)	: 5L
Excepted quantities (ADN)	: E1
Carriage permitted (ADN)	: T
Equipment required (ADN)	: PP
Number of blue cones/lights (ADN)	: 0
Rail transport	
Classification code (RID)	: M6
Special provisions (RID)	: 274, 335, 375, 601
Limited quantities (RID)	: 5L
Excepted quantities (RID)	: E1
Packing instructions (RID)	: P001, IBC03, LP01, R001
Special packing provisions (RID)	: PP1
Mixed packing provisions (RID)	: MP19
Portable tank and bulk container instructions (RID)	: T4
Portable tank and bulk container special provisions	: TP1, TP29
(RID)	
Tank codes for RID tanks (RID)	: LGBV
Transport category (RID)	: 3
Special provisions for carriage – Packages (RID)	: W12
Special provisions for carriage - Loading, unloading	: CW13, CW31
and handling (RID)	050
Colis express (express parcels) (RID)	: CE8
Hazard identification number (RID)	: 90

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(a)	d-Limonene ; Isoamyl acetate	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F
3(b)	Sun Drenched Apricot & Rose ; Phenylethyl alcohol ; Hexyl cinnamic aldehyde ; Linalool ; Geraniol ; Nerol ; Citronellol Pure ; Citral ; Dimethylbenzyl carbinyl butyrate(DMBCB) ; Majantol ; Hydroxy ; Dimethylphenylethyl carbinol ; d-Limonene ; Amyl cinnamic aldehyde ; Geranyl acetate ; Aldehyde C-16 ; Eugenol ; Benzaldehyde ; Helional ; Triplal (Vertocitral)	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10
3(c)	Sun Drenched Apricot & Rose ; Hexyl cinnamic aldehyde ; Verdox ; beta- lonone ; Benzyl acetate ; Dimethylbenzyl carbinyl butyrate(DMBCB) ; Terpinyl acetate ; Majantol ; Aldehyde C-14 ; Dimethylphenylethyl carbinol ; d-Limonene ; Amyl cinnamic aldehyde ; Geranyl acetate ; Undecavertol ; Aldehyde C-16 ; Helional ; Triplal (Vertocitral)	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1
40.	d-Limonene ; Isoamyl acetate	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

France

Occupational diseases		
Code	Description	
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide	

Germany

Employment restrictions	 Observe restrictions according Act on the Protection of Working Mothers (MuSchG). Observe restrictions according Act on the Protection of Young People in Employment (JArbSchG).
Water hazard class (WGK)	: WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1).
Hazardous Incident Ordinance (12. BImSchV)	: Is not subject of the Hazardous Incident Ordinance (12. BImSchV)
Netherlands	
ABM category	: A(2) - toxic for aquatic organisms, may have longterm hazardous effects in aquatic environment
SZW-lijst van kankerverwekkende stoffen	: Verdyl propionate, Triplal (Vertocitral) are listed
SZW-lijst van mutagene stoffen	: Verdyl propionate, Triplal (Vertocitral) are listed
SZW-lijst van reprotoxische stoffen – Borstvoeding	: None of the components are listed
SZW-lijst van reprotoxische stoffen –	: None of the components are listed
Vruchtbaarheid	
SZW-lijst van reprotoxische stoffen – Ontwikkeling	: None of the components are listed
Denmark	
Class for fire hazard	: Class III-1
Store unit	: 50 liter
Classification remarks	: Flammable according to the Danish Ministry of Justice; Emergency management guidelines
	for the storage of flammable liquids must be followed
Danish National Regulations	: Young people below the age of 18 years are not allowed to use the product
Switzerland	
Storage class (LK)	: LK 10/12 - Liquids
15.2. Chemical safety assessment	

No chemical safety assessment has been carried out

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 16: Other information	
Data sources	: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.
Other information	: None.

Full text of H- and EUH-statements:	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H361	Suspected of damaging fertility or the unborn child.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Repr. 2	Reproductive toxicity, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1B	Skin sensitisation, category 1B

The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.