

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 4/20/2023 Version: 1.0

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture

Product name : Teakwood #TCDL-CFRA-BOWL-NTEW

UFI : VPMX-T8S5-0002-14NF
Product code : TCDL-CFRA-BOWL-NTEW
Type of product : Perfumes, fragrances
Product group : Trade product

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category : Professional use,Industrial use

Industrial/Professional use spec : Industrial

For professional use only : Perfumes, fragrances

Use of the substance/mixture : Perfumes, frag Function or use category : Odour agents

#### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

COSY OWL 20-28 Albert Road

Braintree Essex CM7 3JQ

enquiries@cosyowl.com - www.cosyowl.com

#### 1.4. Emergency telephone number

Emergency number : +44 (0) 1376 560348

### **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 2

Skin sensitisation, Category 1

Hazardous to the aquatic environment – Chronic Hazard, Category 2

H411

Full text of H- and EUH-statements: see section 16

#### Adverse physicochemical, human health and environmental effects

Causes skin irritation. Toxic to aquatic life with long lasting effects. May cause an allergic skin reaction.

#### 2.2. Label elements

## Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS07 GHS09

Signal word (CLP) : Warning

Contains : Hexyl cinnamic aldehyde; Vertenex; Iso E Super; Linalyl acetate; Cedarwood, Atlas;

Linalool; Eugenol; d-Limonene; COUMARIN; Cinnamic aldehyde; Citral

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hazard statements (CLP) : H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction.

H411 - Toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) : P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 - Wash hands, forearms and face thoroughly after handling.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P302+P352 - IF ON SKIN: Wash with plenty of water.

Extra phrases : For professional users only.

#### 2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Dipropylene glycol monomethyl ether substance with national workplace exposure limit(s) (AT, BE, BG, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GI, GR, HR, HU, IE, IT, LT, LU, LV, MT, NL, PL, PT, RO, SE, SI, SK, NO, CH, TR); substance with a Community workplace exposure limit	CAS-No.: 34590-94-8 EC-No.: 252-104-2	19.7 – 39.39	Not classified
Hexyl cinnamic aldehyde	CAS-No.: 101-86-0 EC-No.: 202-983-3 REACH-no: 01-2119533092- 50	8.5 – 17	Skin Sens. 1, H317 Aquatic Chronic 2, H411
Ethylene brassylate	CAS-No.: 105-95-3 EC-No.: 203-347-8 REACH-no: 01-2119976314- 33	4.8 – 9.6	Aquatic Chronic 2, H411
Vertenex	CAS-No.: 32210-23-4 EC-No.: 250-954-9 REACH-no: 01-2119976286- 24	3.2 – 6.3	Skin Sens. 1B, H317
Iso E Super	CAS-No.: 54464-57-2 EC-No.: 259-174-3 REACH-no: 01-2119489989- 04	3.1 – 6.2	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 1, H410
Linalyl acetate	CAS-No.: 115-95-7 EC-No.: 204-116-4 REACH-no: 01-2119454789- 19	1.8 – 3.6	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Cedrus Atlantica Oil	CAS-No.: 8023-85-6 EC-No.: 295-985-9	1.5 – 2.9	Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Cedarwood oil, Virginia	CAS-No.: 8000-27-9 EC-No.: 285-370-3;616-769-6	1.2 – 2.4	Asp. Tox. 1, H304 Aquatic Chronic 1, H410
Linalool	CAS-No.: 78-70-6 EC-No.: 201-134-4 EC Index-No.: 603-235-00-2 REACH-no: 01-2119474016-	1 – 2	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Butylated hydroxytoluene (BHT) crystals substance with national workplace exposure limit(s) (AT, BE, BG, DE, DK, ES, FI, FR, GB, GR, HR, IE, PT, SI, CH)	CAS-No.: 128-37-0 EC-No.: 204-881-4 REACH-no: 01-2119480433-	0.8 – 1.5	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
beta-lonone	CAS-No.: 14901-07-6 EC-No.: 238-969-9	0.8 – 1.5	Aquatic Chronic 2, H411
Eugenol	CAS-No.: 97-53-0 EC-No.: 202-589-1 REACH-no: 01-2119971802- 33	0.6 – 1.1	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Skin Sens. 1B, H317
d-Limonene substance with national workplace exposure limit(s) (DE, ES, FI, SI, NO, CH)	CAS-No.: 5989-27-5 EC-No.: 227-813-5 EC Index-No.: 601-029-00- 7;601-096-00-2 REACH-no: 01-2119493353- 35	0.4 – 0.8	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
COUMARIN	CAS-No.: 91-64-5 EC-No.: 202-086-7 REACH-no: 01-2119943756- 26	0.4 – 0.7	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Skin Sens. 1, H317 Aquatic Chronic 2, H411
Cinnamic aldehyde	CAS-No.: 104-55-2 EC-No.: 203-213-9 REACH-no: 01-2119935242- 45	0.1 – 0.25	Acute Tox. 4 (Dermal), H312 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 3, H412
Citral substance with national workplace exposure limit(s) (BE, ES, IE, PL, PT)	CAS-No.: 5392-40-5 EC-No.: 226-394-6 EC Index-No.: 605-019-00-3 REACH-no: 01-2119462829- 23	0.1 – 0.2	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
ACETYL HEXAMETHYL TETRALIN  Full text of H- and FUH-statements: see section 16	CAS-No.: 21145-77-7 EC-No.: 244-240-6	0.1 – 0.1	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Full text of H- and EUH-statements: see section 16

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash

occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

#### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

#### 5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

## 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing

dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

#### 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

## 6.4. Reference to other sections

For further information refer to section 13.

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear

personal protective equipment. Avoid breathing dust/fume/gas/mist/vapours/spray.

Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Contaminated work clothing should

not be allowed out of the workplace.

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

Storage temperature : 25 °C

Storage area : Store in a well-ventilated place. Store away from heat.

Special rules on packaging : Store in a closed container.

Packaging materials : Do not store in corrodable metal.

#### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

EU - Indicative Occupational Exposure Limit (IOEL TWA	Dipropylene glycol monomethyl ether (34590-94-8)		
ICBEL TWA [ppm]         50 ppm           Remark         Possibility of significant uptake through the skin           Austria - Occupational Exposure Limits           MAK (OEL TWA)         307 mg/m² (mixed isomers)           MAK (OEL TWA) [ppm]         50 ppm (mixed isomers)           MAK (OEL STEL)         614 mg/m² (isomers mixtures)           MAK (OEL STEL) [ppm]         100 ppm (isomers mixtures)           OEL chemical category         Skin notation           Belgium - Occupational Exposure Limits         308 mg/m²           OEL TWA [ppm]         50 ppm           OEL chemical category         Skin, Skin notation           Bulgaria - Occupational Exposure Limits         50 ppm           OEL TWA [ppm]         50 ppm           Cotatia - Occupational Exposure Limits         50 ppm           Croatia - Occupational Exposure Limits         50 ppm           Croatia - Occupational Exposure Limits         50 ppm           GVI (OEL TWA) [1]         308 mg/m²           GVI (OEL TWA) [2]         50 ppm           OEL chemical category         Skin notation           Cyprus - Occupational Exposure Limits         50 ppm           OEL TWA         308 mg/m²	EU - Indicative Occupational Exposure Limit (IOEL)		
Remark Possibility of significant uptake through the skin  Austria - Occupational Exposure Limits  MAK (OEL TWA) 307 mg/m³ (mixed isomers)  MAK (OEL TWA) [ppm] 50 ppm (mixed isomers)  MAK (OEL STEL) 614 mg/m³ (isomers mixtures)  MAK (OEL STEL) [ppm] 100 ppm (isomers mixtures)  MAK (OEL STEL) [ppm] 200 ppm (isomers mixtures)  Belgium - Occupational Exposure Limits  OEL TWA 308 mg/m³  OEL TWA [ppm] 50 ppm  OEL chemical category 8kin, Skin notation  Bulgaria - Occupational Exposure Limits  OEL TWA 208 308 mg/m³  OEL TWA 209 308 mg/m³  OEL TWA (ppm] 50 ppm  Croatia - Occupational Exposure Limits  OEL TWA [ppm] 50 ppm  Croatia - Occupational Exposure Limits  OY (OEL TWA) [1] 308 mg/m³  GYI (OEL TWA) [2] 50 ppm  OEL Chemical category 8kin notation  Cyprus - Occupational Exposure Limits  OY (OEL TWA) [2] 50 ppm  OEL Chemical Category 8kin notation	IOEL TWA	308 mg/m³	
Austria - Occupational Exposure Limits  MAK (OEL TWA)  MAK (OEL TWA) [ppm]  MAK (OEL STEL)  MAK (OEL STEL)  MAK (OEL STEL)  MAK (OEL STEL) [ppm]  100 ppm (isomers mixtures)  MAK (OEL STEL) [ppm]  OEL chemical category  Skin notation  Belgium - Occupational Exposure Limits  OEL TWA  308 mg/m³  OEL TWA [ppm]  50 ppm  OEL chemical category  Skin, Skin notation  Bulgaria - Occupational Exposure Limits  OEL TWA  OEL TWA  OEL TWA  OEL TWA  OEL TWA  308 mg/m³  OEL TWA  OEL TWA  OEL TWA  OEL TWA  OEL TWA  OEL TWA  So ppm  Croatia - Occupational Exposure Limits  OY (OEL TWA) [1]  So ppm  OY (OEL TWA) [2]  OY (OEL TWA) [2]  OY (OEL TWA) [3]  Skin notation  Skin notation  OY (OEL TWA) [2]  OY (OEL TWA) [3]  OY (OEL TWA) [4]  OY (OEL TWA) [5]  OY (OEL TWA) [6]  OY (OEL TWA) [7]  OY (OEL TWA) [8]  OY (OEL TWA) [8]	IOEL TWA [ppm]	50 ppm	
MAK (OEL TWA)         307 mg/m³ (mixed isomers)           MAK (OEL TWA) [ppm]         50 ppm (mixed isomers)           MAK (OEL STEL)         614 mg/m³ (isomers mixtures)           MAK (OEL STEL) [ppm]         100 ppm (isomers mixtures)           OEL chemical category         8kin notation           Belgium - Occupational Exposure Limits           OEL TWA         308 mg/m³           OEL TWA [ppm]         50 ppm           OEL TWA [ppm]         50 ppm           OEL TWA         308 mg/m³           OEL TWA [ppm]         50 ppm           CEL TWA [ppm]         50 ppm           Croatia - Occupational Exposure Limits         50 ppm           CVI (OEL TWA) [1]         308 mg/m³           GVI (OEL TWA) [2]         50 ppm           OEL chemical category         8kin notation           Cyprus - Occupational Exposure Limits         50 ppm           Cyprus - Occupational Exposure Limits         50 ppm           OEL TWA         308 mg/m³	Remark	Possibility of significant uptake through the skin	
MAK (OEL TWA) [ppm]         50 ppm (mixed isomers)           MAK (OEL STEL)         614 mg/m³ (isomers mixtures)           MAK (OEL STEL) [ppm]         100 ppm (isomers mixtures)           OEL chemical category         Skin notation           Belgium - Occupational Exposure Limits           OEL TWA         308 mg/m³           OEL TWA [ppm]         50 ppm           OEL chemical category         Skin, Skin notation           Bulgaria - Occupational Exposure Limits           OEL TWA [ppm]         308 mg/m³           OEL TWA [ppm]         50 ppm           Croatia - Occupational Exposure Limits           GVI (OEL TWA) [1]         308 mg/m³           GVI (OEL TWA) [2]         50 ppm           OEL chemical category         Skin notation           Cyprus - Occupational Exposure Limits           Cyprus - Occupational Exposure Limits	Austria - Occupational Exposure Limits		
MAK (OEL STEL) [ppm] 100 ppm (isomers mixtures) OEL chemical category Skin notation  Belgium - Occupational Exposure Limits OEL TWA 308 mg/m³ OEL TWA [ppm] 50 ppm OEL chemical category Skin, Skin notation  Bulgaria - Occupational Exposure Limits OEL TWA 308 mg/m³ OEL TWA [ppm] 50 ppm OEL TWA [ppm] 50 ppm OEL TWA [ppm] 50 ppm  OEL TWA [ppm] 50 ppm  OEL TWA [ppm] 50 ppm  OEL TWA [ppm] 50 ppm  OEL TWA [ppm] 50 ppm  OEL TWA [ppm] 50 ppm  OEL TWA [ppm] 50 ppm  Croatia - Occupational Exposure Limits  GVI (OEL TWA) [1] 308 mg/m³  GVI (OEL TWA) [2] 50 ppm  OEL chemical category Skin notation  Cyprus - Occupational Exposure Limits  Cyprus - Occupational Exposure Limits  OEL TWA (Spm) Skin notation	MAK (OEL TWA)	307 mg/m³ (mixed isomers)	
MAK (OEL STEL) [ppm]         100 ppm (isomers mixtures)           OEL chemical category         Skin notation           Belgium - Occupational Exposure Limits           OEL TWA         308 mg/m³           OEL TWA [ppm]         50 ppm           OEL chemical category         Skin, Skin notation           Bulgaria - Occupational Exposure Limits           OEL TWA         308 mg/m³           OEL TWA [ppm]         50 ppm           Croatia - Occupational Exposure Limits           GVI (OEL TWA) [1]         308 mg/m³           GVI (OEL TWA) [2]         50 ppm           OEL chemical category         Skin notation           Cyprus - Occupational Exposure Limits           OEL TWA         308 mg/m³	MAK (OEL TWA) [ppm]	50 ppm (mixed isomers)	
OEL chemical category     Skin notation       Belgium - Occupational Exposure Limits       OEL TWA     308 mg/m³       OEL TWA [ppm]     50 ppm       OEL chemical category     Skin, Skin notation       Bulgaria - Occupational Exposure Limits       OEL TWA     308 mg/m³       OEL TWA [ppm]     50 ppm       Croatia - Occupational Exposure Limits       GVI (OEL TWA) [1]     308 mg/m³       GVI (OEL TWA) [2]     50 ppm       OEL chemical category     Skin notation       Cyprus - Occupational Exposure Limits       OEL TWA     308 mg/m³	MAK (OEL STEL)	614 mg/m³ (isomers mixtures)	
Belgium - Occupational Exposure Limits  OEL TWA 308 mg/m³ OEL TWA [ppm] 50 ppm OEL chemical category Skin, Skin notation  Bulgaria - Occupational Exposure Limits OEL TWA [ppm] 50 ppm  Croatia - Occupational Exposure Limits  GVI (OEL TWA) [1] 308 mg/m³ GVI (OEL TWA) [2] 50 ppm  OEL chemical category Skin notation  Cyprus - Occupational Exposure Limits  Cyprus - Occupational Exposure Limits  OEL TWA [2] 50 ppm  OEL chemical category Skin notation	MAK (OEL STEL) [ppm]	100 ppm (isomers mixtures)	
OEL TWA [ppm] 50 ppm  OEL chemical category Skin, Skin notation  Bulgaria - Occupational Exposure Limits  OEL TWA [ppm] 50 ppm  OEL TWA 308 mg/m³  OEL TWA [ppm] 50 ppm  Croatia - Occupational Exposure Limits  GVI (OEL TWA) [1] 308 mg/m³  GVI (OEL TWA) [2] 50 ppm  OEL chemical category Skin notation  Cyprus - Occupational Exposure Limits  OEL TWA [2] 50 ppm  OEL chemical category Skin notation	OEL chemical category	Skin notation	
OEL TWA [ppm] 50 ppm OEL chemical category Skin, Skin notation  Bulgaria - Occupational Exposure Limits OEL TWA 308 mg/m³ OEL TWA [ppm] 50 ppm  Croatia - Occupational Exposure Limits  GVI (OEL TWA) [1] 308 mg/m³ GVI (OEL TWA) [2] 50 ppm  CEL chemical category Skin notation  Cyprus - Occupational Exposure Limits  OEL TWA (Syprus - Occupational Exposure Limits)  OEL TWA (Syprus - Occupational Exposure Limits)	Belgium - Occupational Exposure Limits		
OEL chemical category  Skin, Skin notation  Bulgaria - Occupational Exposure Limits  OEL TWA  308 mg/m³  OEL TWA [ppm]  50 ppm  Croatia - Occupational Exposure Limits  GVI (OEL TWA) [1]  308 mg/m³  GVI (OEL TWA) [2]  50 ppm  OEL chemical category  Skin notation  Cyprus - Occupational Exposure Limits  OEL TWA  308 mg/m³  Skin notation	OEL TWA	308 mg/m³	
Bulgaria - Occupational Exposure Limits  OEL TWA [ppm] 50 ppm  Croatia - Occupational Exposure Limits  GVI (OEL TWA) [1] 308 mg/m³  GVI (OEL TWA) [2] 50 ppm  OEL chemical category Skin notation  Cyprus - Occupational Exposure Limits  OEL TWA 308 mg/m³  OEL TWA 308 mg/m³  OEL TWA 308 mg/m³	OEL TWA [ppm]	50 ppm	
OEL TWA       308 mg/m³         OEL TWA [ppm]       50 ppm         Croatia - Occupational Exposure Limits         GVI (OEL TWA) [1]       308 mg/m³         GVI (OEL TWA) [2]       50 ppm         OEL chemical category       Skin notation         Cyprus - Occupational Exposure Limits         OEL TWA       308 mg/m³	OEL chemical category	Skin, Skin notation	
OEL TWA [ppm] 50 ppm  Croatia - Occupational Exposure Limits  GVI (OEL TWA) [1] 308 mg/m³  GVI (OEL TWA) [2] 50 ppm  OEL chemical category Skin notation  Cyprus - Occupational Exposure Limits  OEL TWA 308 mg/m³  OEL TWA 308 mg/m³	Bulgaria - Occupational Exposure Limits		
Croatia - Occupational Exposure Limits  GVI (OEL TWA) [1] 308 mg/m³  GVI (OEL TWA) [2] 50 ppm  OEL chemical category Skin notation  Cyprus - Occupational Exposure Limits  OEL TWA 308 mg/m³	OEL TWA	308 mg/m³	
GVI (OEL TWA) [1]         308 mg/m³           GVI (OEL TWA) [2]         50 ppm           OEL chemical category         Skin notation           Cyprus - Occupational Exposure Limits           OEL TWA         308 mg/m³	OEL TWA [ppm]	50 ppm	
GVI (OEL TWA) [2] 50 ppm  OEL chemical category Skin notation  Cyprus - Occupational Exposure Limits  OEL TWA 308 mg/m³	Croatia - Occupational Exposure Limits		
OEL chemical category Skin notation  Cyprus - Occupational Exposure Limits OEL TWA 308 mg/m³	GVI (OEL TWA) [1]	308 mg/m³	
Cyprus - Occupational Exposure Limits  OEL TWA 308 mg/m³	GVI (OEL TWA) [2]	50 ppm	
OEL TWA 308 mg/m³	OEL chemical category	Skin notation	
	Cyprus - Occupational Exposure Limits		
OEL TWA [ppm] 50 ppm	OEL TWA	308 mg/m³	
	OEL TWA [ppm]	50 ppm	
OEL chemical category Skin-potential for cutaneous absorption	OEL chemical category	Skin-potential for cutaneous absorption	
Czech Republic - Occupational Exposure Limits			
PEL (OEL TWA) 270 mg/m³	PEL (OEL TWA)	270 mg/m³	
OEL chemical category Potential for cutaneous absorption	OEL chemical category	Potential for cutaneous absorption	

## Safety Data Sheet

DEL TWA [1] 309 mg/m²  DEL TWA [2] 50 pm  DEL chamical category Potential for cutaneous absorption  Estonia - Occupational Exposure Limits  DEL TWA (ppm) 50 ppm  DEL chamical category Skin notation  Finiand - Occupational Exposure Limits  HTP (DEL TWA) [1] 310 mg/m²  HTP (DEL TWA) [2] 50 ppm  DEL chamical category Potential for cutaneous absorption  France - Occupational Exposure Limits  WME (DEL TWA) (ppm) 50 ppm (restrictive limit)  MME (DEL TWA) (ppm) 50 ppm (restrictive limit)  DEL chamical category Risk of cutaneous absorption  Germany - Occupational Exposure Limits (TRGS 900)  AGW (DEL TWA) [2] 310 mg/m² (isomer mixture)  Germany - Occupational Exposure Limits (TRGS 900)  DEL chamical category Skin notation  Germany - Occupational Exposure Limits (TRGS 900)  DEL Chamical Category Skin notation  Germany - Occupational Exposure Limits  DEL TWA [2] 50 ppm (isomer mixture)  Gibraltar - Occupational Exposure Limits  DEL TWA [2] 50 ppm (ppm) 50 ppm  DEL Chamical category Skin notation  Greece - Occupational Exposure Limits  DEL TWA [2] 50 ppm (ppm) 50 ppm  DEL STEL [200 mg/m²  DEL STE	Dipropylene glycol monomethyl ether (34590-94-8)		
DEL TWA [2] S0 ppm  DEL Chemical category Potential for cutaneous absorption  Estonia - Occupational Exposure Limits  DEL TWA [pm] S0 ppm  DEL Chemical category Skin notation  Finland - Occupational Exposure Limits  TITP (OEL TWA) [1] 310 mg/m²  HTP (OEL TWA) [2] 50 ppm  DEL Chemical category Potential for cutaneous absorption  France - Occupational Exposure Limits  WIRE (OEL TWA) [2] 50 ppm  DEL Chemical category Potential for cutaneous absorption  France - Occupational Exposure Limits  WIRE (OEL TWA) [3] 50 pm (restrictive limit)  DEL Chemical category Risk of cutaneous absorption  Germany - Occupational Exposure Limits (TRGS 800)  AGW (OEL TWA) [7] 310 mg/m² (isomer mixture)  Gibraltar - Occupational Exposure Limits  DEL TWA [pm] 50 ppm (somer mixture)  Gibraltar - Occupational Exposure Limits  DEL TWA [pm] 50 ppm  DEL Chemical category Skin notation  Grace- Occupational Exposure Limits  DEL TWA [pm] 100 ppm  DEL Chemical category Skin notation  Grace- Occupational Exposure Limits  DEL TWA [pm] 100 ppm  DEL STEL 900 mg/m²  DEL STEL 900 mg/m²  DEL STEL 900 mg/m²  DEL STEL 900 mg/m²  DEL TWA [7] 150 ppm	Denmark - Occupational Exposure Limits		
DEL chemical category Potential for cutaneous absorption  Betonia - Occupational Exposure Limits  DEL TWA   308 mg/m²   50 ppm  DEL chemical category   Skin notation  Finland - Occupational Exposure Limits  HTP (OEL TWA) [1]   310 mg/m²   310 mg/	OEL TWA [1]	309 mg/m³	
Estonia - Occupational Exposure Limits  DEL TWA  308 mg/m³  50 ppm  50 ppm  50 ppm  50 ppm  50 ppm  50 ppm  60	OEL TWA [2]	50 ppm	
DEL TWA   308 mg/m²   50 ppm	OEL chemical category	Potential for cutaneous absorption	
DEL TWA [ppm] 50 ppm  DEL chemical category Skin notation  Finland - Occupational Exposure Limits  HTP (OEL TWA) [1] 310 mg/m²  HTP (OEL TWA) [2] 50 ppm  DEL chemical category Potential for cutaneous absorption  France - Occupational Exposure Limits  WME (OEL TWA)  Sole mg/m² (restrictive limit)  WME (OEL TWA) [ppm] 50 ppm (restrictive limit)  DEL chemical category Risk of cutaneous absorption  Germany - Occupational Exposure Limits (TRGS 900)  AGW (OEL TWA) [7] 310 mg/m² (somer mixture)  Gibraltar - Occupational Exposure Limits (TRGS 900)  AGW (OEL TWA) [7] 50 ppm (somer mixture)  Gibraltar - Occupational Exposure Limits  DEL TWA 308 mg/m²  DEL TWA [ppm] 50 ppm  DEL chemical category Skin notation  Greece - Occupational Exposure Limits  DEL TWA [ppm] 100 ppm  DEL STEL 900 mg/m²  DEL STEL 900 mg/m²  DEL STEL 1900 mg/m²  Treland - Occupational Exposure Limits  NK (OEL TWA) [1] 308 mg/m²  Treland - Occupational Exposure Limits  DEL TWA [1] 308 mg/m²  Treland - Occupational Exposure Limits  DEL TWA [1] 308 mg/m²  Treland - Occupational Exposure Limits  DEL TWA [1] 308 mg/m²  Treland - Occupational Exposure Limits  DEL TWA [1] 308 mg/m²  Treland - Occupational Exposure Limits  DEL TWA [1] 308 mg/m²  Treland - Occupational Exposure Limits  DEL TWA [1] 50 ppm ((2-Methoxymethylethoxy)propanol)  DEL STEL 924 mg/m² (calculated (2-(2-Methoxypropoxy)-1-propanol)  DEL STEL 19pm] 150 ppm (2-Methoxymethylethoxy)propanol)  DEL TYPE [1] 150 ppm (2-Methoxymethylethoxy)propanol)  DEL TWA [1] 50 ppm ((2-Methoxymethylethoxy)propanol)  DEL Chemical category Potential for cutaneous absorption	Estonia - Occupational Exposure Limits		
DEL chemical category  Skin notation  Finland - Occupational Exposure Limits  HTP (OEL TWA) [1]  310 mg/m³  OEL CHWA] [2]  50 ppm  OEL chemical category  Potential for cutaneous absorption  France - Occupational Exposure Limits  WME (OEL TWA)  308 mg/m³ (restrictive limit)  WME (OEL TWA) [ppm]  50 ppm (restrictive limit)  OEL chemical category  Risk of cutaneous absorption  Sarmany - Occupational Exposure Limits (TRGS 900)  AGW (OEL TWA) [1]  310 mg/m³ (isomer mixture)  AGW (OEL TWA) [2]  50 ppm (isomer mixture)  OEL TWA  308 mg/m³  OEL TWA  308 mg/m³  OEL TWA  OEL TWA [2]  OEL TWA [2]  OEL TWA [4]  OEL TWA [5]  OEL TWA [600 mg/m³  OEL Chemical category  Skin notation  Greece - Occupational Exposure Limits  OEL TWA [600 mg/m³  OEL TWA [600 mg/m³  OEL TWA [600 mg/m³  OEL STEL [5pm]  150 ppm  OEL STEL [5pm]  150 ppm  OEL Chemical category  skin - potential for cutaneous absorption  Hungary - Occupational Exposure Limits  OEL TWA [1]  308 mg/m²  (CEL TWA)  OEL STEL [5pm]  150 ppm  OEL Chemical category  skin - potential for cutaneous absorption  Hungary - Occupational Exposure Limits  OEL TWA [1]  308 mg/m²  (CEL TWA) [1]  308 mg/m²  (CEL TWA) [1]  509 pm ((2-Methoxymethylethoxy)propanol)  OEL TWA [2]  OEL TYME [2]  OEL STEL [5pm]  150 ppm ((2-Methoxymethylethoxy)propanol)  OEL TYME [2]  OEL STEL [5pm]  150 ppm ((2-Methoxymethylethoxy)propanol)  OEL TYPE [5pm]  150 ppm ((2-Methoxymethylethoxy)propaxy)-1-propanol)  OEL TYPE [5pm]  150 ppm ((2-Methoxymethylethoxy)propaxy)-1-propanol)  OEL TYPE [5pm]  150 ppm ((2-Methoxymethylethoxy)propaxy)-1-propanol)  OEL Chemical category  Potential for cutaneous absorption	OEL TWA	308 mg/m³	
Finland - Occupational Exposure Limits  HTP (OEL TWA) [1] 310 mg/m³  HTP (OEL TWA) [2] 50 ppm  DEL chemical category Potential for cutaneous absorption  France - Occupational Exposure Limits  WME (OEL TWA) [2] 50 ppm (restrictive limit)  MME (OEL TWA) [2] 50 ppm (restrictive limit)  DEL chemical category Risk of cutaneous absorption  Germany - Occupational Exposure Limits (TRGS 900)  AGW (OEL TWA) [1] 310 mg/m² (isomer mixture)  AGW (OEL TWA) [2] 50 ppm (isomer mixture)  Gibraltar - Occupational Exposure Limits  DEL TWA 308 mg/m²  DEL themical category Skin notation  Greece - Occupational Exposure Limits  DEL TWA 600 mg/m²  DEL chemical category Skin notation  Greece - Occupational Exposure Limits  DEL TWA 600 mg/m²  DEL STEL [2pm] 100 ppm  DEL STEL [2pm] 150 ppm  DEL STEL [2pm] 150 ppm  DEL Chemical category skin - potential for cutaneous absorption  Hungary - Occupational Exposure Limits  AK (OEL TWA) 308 mg/m²  Toreland - Occupational Exposure Limits  DEL TWA [1] 308 mg/m² ((2-Methoxymethylethoxy)propanol)  DEL TWA [1] 308 mg/m² ((2-Methoxymethylethoxy)propanol)  DEL TSTEL [2pm] 150 ppm (calculated (2-(2-Methoxypropoxy)-1-propanol)  DEL TSTEL [2pm] 150 ppm (calculated (2-(2-Methoxypropoxy)-1-propanol)  DEL Chemical category Potential for cutaneous absorption	OEL TWA [ppm]	50 ppm	
http (OEL TWA) [1] 310 mg/m² http (OEL TWA) [2] 50 ppm  DEL chemical category Potential for cutaneous absorption  France - Occupational Exposure Limits  VME (OEL TWA) [ppm] 50 ppm (restrictive limit)  DEL chemical category Risk of cutaneous absorption  France - Occupational Exposure Limits (TRGS 900)  ACW (OEL TWA) [ppm] 50 ppm (restrictive limit)  DEL chemical category Risk of cutaneous absorption  ACW (OEL TWA) [1] 310 mg/m² (somer mixture)  AGW (OEL TWA) [2] 50 ppm (isomer mixture)  AGW (OEL TWA) [2] 50 ppm (isomer mixture)  Gibraltar - Occupational Exposure Limits  DEL TWA 308 mg/m²  DEL TWA 308 mg/m²  DEL chemical category Skin notation  Greece - Occupational Exposure Limits  DEL TWA 600 mg/m²  DEL TWA [ppm] 100 ppm  DEL STEL 900 mg/m²  DEL STEL 900 mg/m²  DEL STEL [ppm] 150 ppm  DEL chemical category skin - potential for cutaneous absorption  Hungary - Occupational Exposure Limits  AK (OEL TWA) 308 mg/m²  Terland - Occupational Exposure Limits  DEL TWA [1] 308 mg/m² (calculated (2-(2-Methoxymethylethoxy)propanol)  DEL TWA [2] 50 ppm ((2-Methoxymethylethoxy)propanol)  DEL TWA [2] 50 ppm ((2-Methoxymethylethoxy)propanol)  DEL STEL [ppm] 150 ppm (calculated (2-(2-Methoxypropoxy)-1-propanol))  DEL TWA [2] 50 ppm (calculated (2-(2-Methoxypropoxy)-1-propanol))  DEL STEL [ppm] 150 ppm (calculated (2-(2-Methoxypropoxy)-1-propanol))  DEL TWA [2] 50 ppm (calculated (2-(2-Methoxypropoxy)-1-propanol))  DEL STEL [ppm] 150 ppm (calculated (2-(2-Methoxypropoxy)-1-propanol))	OEL chemical category	Skin notation	
HTP (OEL TWA) [2] 50 ppm  DEL chemical category Potential for cutaneous absorption  France - Occupational Exposure Limits  WME (OEL TWA) 308 mg/m² (restrictive limit)  WME (OEL TWA) [ppm] 50 ppm (restrictive limit)  DEL chemical category Risk of cutaneous absorption  Germany - Occupational Exposure Limits (TRGS 900)  AGW (OEL TWA) [1] 310 mg/m² (isomer mixture)  AGW (OEL TWA) [2] 50 ppm (isomer mixture)  Gibraltar - Occupational Exposure Limits  DEL TWA 308 mg/m³  DEL chemical category Skin notation  Greece - Occupational Exposure Limits  DEL TWA 600 mg/m³  DEL STEL 990 mg/m³  DEL STEL 990 mg/m³  DEL STEL [ppm] 150 ppm  DEL chemical category skin - potential for cutaneous absorption  Hungary - Occupational Exposure Limits  DEL TWA) 308 mg/m³  Treland - Occupational Exposure Limits  DEL TWA 908 mg/m³  Treland - Occupational Exposure Limits  DEL TWA 100 ppm  DEL chemical category Skin - potential for cutaneous absorption  Hungary - Occupational Exposure Limits  DEL TWA 100 ppm  DEL Chemical Category Skin - potential for cutaneous absorption  Hungary - Occupational Exposure Limits  DEL TWA 101 308 mg/m³  Treland - Occupational Exposure Limits  DEL TWA 121 50 ppm ((2-Methoxymethylethoxy)propanol)  DEL STEL 924 mg/m³ (calculated (2-(2-Methoxypropoxy)-1-propanol)  DEL STEL [ppm] 150 ppm (calculated (2-(2-Methoxypropoxy)-1-propanol)  DEL STEL [ppm] 150 ppm (calculated (2-(2-Methoxypropoxy)-1-propanol)  DEL Chemical category Potential for cutaneous absorption	Finland - Occupational Exposure Limits		
Potential for cutaneous absorption  France - Occupational Exposure Limits  VME (OEL TWA) 308 mg/m³ (restrictive limit)  OEL chemical category Risk of cutaneous absorption  Germany - Occupational Exposure Limits (TRGS 900)  AGW (OEL TWA) [1] 310 mg/m³ (isomer mixture)  AGW (OEL TWA) [2] 50 ppm (isomer mixture)  AGW (OEL TWA) [2] 50 ppm (isomer mixture)  OEL TWA [7] 50 ppm  OEL TWA [8] 50 ppm  OEL TWA [9pm] 100 ppm  OEL TWA [9pm] 100 ppm  OEL TWA [9pm] 100 ppm  OEL STEL [9pm] 150 ppm  OEL STEL [9pm] 150 ppm  OEL Chemical category skin - potential for cutaneous absorption  Hungary - Occupational Exposure Limits  OEL TWA [9pm] 308 mg/m³  OEL TWA [9pm] 150 ppm  OEL Chemical Category skin - potential for cutaneous absorption  Hungary - Occupational Exposure Limits  OEL TWA [9pm] 308 mg/m³  (2-Methoxymethylethoxy)propanol)  OEL TWA [2] 50 ppm ((2-Methoxymethylethoxy)propanol)  OEL STEL [9pm] 150 ppm (calculated (2-(2-Methoxypropoxy)-1-propanol)  OEL STEL [ppm] 150 ppm (calculated (2-(2-Methoxypropoxy)-1-propanol)	HTP (OEL TWA) [1]	310 mg/m³	
France - Occupational Exposure Limits  VME (OEL TWA) 308 mg/m³ (restrictive limit)  VME (OEL TWA) [ppm] 50 ppm (restrictive limit)  DEL chemical category Risk of cutaneous absorption  Germany - Occupational Exposure Limits (TRGS 900)  AGW (OEL TWA) [1] 310 mg/m³ (isomer mixture)  AGW (OEL TWA) [2] 50 ppm (isomer mixture)  Gibraltar - Occupational Exposure Limits  DEL TWA 308 mg/m³  DEL TWA [2] 50 ppm  DEL chemical category Skin notation  Greece - Occupational Exposure Limits  DEL TWA [600 mg/m³  DEL STEL [600 mg/m³  DEL STEL [600 mg/m³  DEL STEL [600 mg/m³  DEL STEL [600 mg/m³  DEL Chemical category skin - potential for cutaneous absorption  Hungary - Occupational Exposure Limits  AK (OEL TWA) 308 mg/m³  (reland - Occupational Exposure Limits  DEL TWA [1] 308 mg/m³ ((2-Methoxymethylethoxy)propanol)  DEL TWA [2] 50 ppm ((2-Methoxymethylethoxy)propanol)  DEL STEL [600 mg/m³  DEL TWA [1] 308 mg/m³ (calculated (2-(2-Methoxypropoxy)-1-propanol)  DEL STEL [600 mg/m³ (calculated (2-(2-Methoxypropoxy)-1-propanol)  DEL TWA [1] 150 ppm (calculated (2-(2-Methoxypropoxy)-1-propanol)  DEL STEL [600 mg/m³ (calculated (2-(2-Methoxypropoxy)-1-propanol)  DEL Chemical category Potential for cutaneous absorption	HTP (OEL TWA) [2]	50 ppm	
VME (OEL TWA)   308 mg/m³ (restrictive limit)  VME (OEL TWA) [ppm]   50 ppm (restrictive limit)  DEL chemical category   Risk of cutaneous absorption  Germany - Occupational Exposure Limits (TRGS 900)  AGW (OEL TWA) [1]   310 mg/m³ (isomer mixture)  AGW (OEL TWA) [2]   50 ppm (isomer mixture)  Gibraltar - Occupational Exposure Limits  DEL TWA   308 mg/m³  COEL TWA   50 ppm   50 ppm    DEL chemical category   Skin notation  Greece - Occupational Exposure Limits  DEL TWA   600 mg/m³  DEL TWA   900 mg/m³  DEL STEL   900 mg/m³  DEL STEL   900 mg/m³  DEL STEL (ppm)   150 ppm    DEL STEL (ppm)   308 mg/m³  Froland - Occupational Exposure Limits  AK (OEL TWA)   308 mg/m³  Froland - Occupational Exposure Limits  DEL TWA   11   308 mg/m³  Froland - Occupational Exposure Limits  DEL TWA   11   308 mg/m³ ((2-Methoxymethylethoxy)propanol)  DEL STEL   924 mg/m³ (calculated (2-(2-Methoxypropoxy)-1-propanol)  DEL STEL [ppm]   150 ppm (calculated (2-(2-Methoxypropoxy)-1-propanol)  DEL STEL   924 mg/m³ (calculated (2-(2-Methoxypropoxy)-1-propanol)	OEL chemical category	Potential for cutaneous absorption	
Marco   Color   Color   Marco   Marco	France - Occupational Exposure Limits		
Size   Commany - Occupational Exposure Limits (TRGS 900)	VME (OEL TWA)	308 mg/m³ (restrictive limit)	
Sermany - Occupational Exposure Limits (TRGS 900)   AGW (OEL TWA) [1]   310 mg/m³ (isomer mixture)	VME (OEL TWA) [ppm]	50 ppm (restrictive limit)	
AGW (OEL TWA) [1] 310 mg/m³ (isomer mixture)  AGW (OEL TWA) [2] 50 ppm (isomer mixture)  OEL TWA [ppm] 50 ppm  OEL chemical category Skin notation  Greece - Occupational Exposure Limits  OEL TWA [ppm] 100 ppm  OEL STEL 900 mg/m³  OEL STEL 900 mg/m³  OEL STEL 150 ppm  OEL Chemical category skin - potential for cutaneous absorption  Hungary - Occupational Exposure Limits  OEL TWA [1] 308 mg/m³  Ireland - Occupational Exposure Limits  OEL TWA [1] 308 mg/m³  OEL TWA [2] 50 ppm ((2-Methoxymethylethoxy)propanol)  OEL STEL 924 mg/m³ (calculated (2-(2-Methoxypropoxy)-1-propanol)  OEL STEL [ppm] 150 ppm (calculated (2-(2-Methoxypropoxy)-1-propanol)	OEL chemical category	Risk of cutaneous absorption	
AGW (OEL TWA) [2] 50 ppm (isomer mixture)  OEL TWA 308 mg/m³  OEL TWA [ppm] 50 ppm  OEL chemical category Skin notation  Greece - Occupational Exposure Limits  OEL TWA [ppm] 100 ppm  OEL TWA [ppm] 100 ppm  OEL STEL 900 mg/m³  OEL STEL 900 mg/m³  OEL STEL [ppm] 150 ppm  OEL chemical category skin - potential for cutaneous absorption  Hungary - Occupational Exposure Limits  AK (OEL TWA) 308 mg/m³  Ireland - Occupational Exposure Limits  OEL TWA [1] 308 mg/m³  Ireland - Occupational Exposure Limits  OEL TWA [2] 50 ppm ((2-Methoxymethylethoxy)propanol)  OEL STEL 924 mg/m³ (calculated (2-(2-Methoxypropoxy)-1-propanol)  OEL STEL [ppm] 150 ppm (calculated (2-(2-Methoxypropoxy)-1-propanol)  OEL Chemical category Potential for cutaneous absorption	Germany - Occupational Exposure Limits (TRGS 90	00)	
Gibraltar - Occupational Exposure Limits  OEL TWA  OEL TWA [ppm] 50 ppm  OEL chemical category Skin notation  Greece - Occupational Exposure Limits  OEL TWA  OEL STEL  900 mg/m³  OEL STEL  900 mg/m³  OEL STEL [ppm]  OEL chemical category skin - potential for cutaneous absorption  Hungary - Occupational Exposure Limits  AK (OEL TWA)  308 mg/m³  Ireland - Occupational Exposure Limits  OEL TWA [1]  308 mg/m³ ((2-Methoxymethylethoxy)propanol)  OEL TWA [2]  OEL TWA [2]  50 ppm ((2-Methoxymethylethoxy)propanol)  OEL STEL  924 mg/m³ (calculated (2-(2-Methoxypropoxy)-1-propanol)  OEL STEL [ppm]  150 ppm (calculated (2-(2-Methoxypropoxy)-1-propanol)  OEL STEL [ppm]  OEL Chemical category  Potential for cutaneous absorption	AGW (OEL TWA) [1]	310 mg/m³ (isomer mixture)	
OEL TWA [ppm] 50 ppm OEL chemical category Skin notation  Greece - Occupational Exposure Limits OEL TWA 600 mg/m³ OEL TWA 600 mg/m³ OEL TWA [ppm] 100 ppm OEL STEL 900 mg/m³ OEL STEL 900 mg/m³ OEL stel 150 ppm OEL chemical category skin - potential for cutaneous absorption  Hungary - Occupational Exposure Limits AK (OEL TWA) 308 mg/m³ Ireland - Occupational Exposure Limits OEL TWA [1] 308 mg/m³ ((2-Methoxymethylethoxy)propanol) OEL TWA [2] 50 ppm ((2-Methoxymethylethoxy)propanol) OEL STEL 924 mg/m³ (calculated (2-(2-Methoxypropoxy)-1-propanol) OEL STEL [ppm] 150 ppm (calculated (2-(2-Methoxypropoxy)-1-propanol) OEL STEL [ppm] Potential for cutaneous absorption	AGW (OEL TWA) [2]	50 ppm (isomer mixture)	
OEL TWA [ppm] 50 ppm OEL chemical category Skin notation  Greece - Occupational Exposure Limits OEL TWA 600 mg/m³ OEL TWA [ppm] 100 ppm OEL STEL 900 mg/m³ OEL STEL [ppm] 150 ppm OEL chemical category skin - potential for cutaneous absorption  Hungary - Occupational Exposure Limits  AK (OEL TWA) 308 mg/m³  Ireland - Occupational Exposure Limits OEL TWA [1] 308 mg/m³ ((2-Methoxymethylethoxy)propanol) OEL TWA [2] 50 ppm ((2-Methoxymethylethoxy)propanol) OEL STEL 924 mg/m³ (calculated (2-(2-Methoxypropoxy)-1-propanol) OEL STEL 150 ppm (calculated (2-(2-Methoxypropoxy)-1-propanol) OEL STEL [ppm] 150 ppm (calculated (2-(2-Methoxypropoxy)-1-propanol) OEL STEL [ppm] Potential for cutaneous absorption	Gibraltar - Occupational Exposure Limits		
OEL chemical category  Greece - Occupational Exposure Limits  OEL TWA  OEL TWA [ppm]  OEL STEL  OEL STEL [ppm]  OEL chemical category  skin - potential for cutaneous absorption  Hungary - Occupational Exposure Limits  AK (OEL TWA)  308 mg/m³  OEL TWA [1]  308 mg/m³ ((2-Methoxymethylethoxy)propanol)  OEL TWA [2]  OEL STEL  924 mg/m³ (calculated (2-(2-Methoxypropoxy)-1-propanol)  OEL STEL [ppm]  OEL Chemical category  Potential for cutaneous absorption	OEL TWA	308 mg/m³	
Greece - Occupational Exposure Limits  OEL TWA [ppm] 100 ppm  OEL STEL 900 mg/m³  OEL STEL 150 ppm  OEL chemical category skin - potential for cutaneous absorption  Hungary - Occupational Exposure Limits  AK (OEL TWA) 308 mg/m³  Ireland - Occupational Exposure Limits  OEL TWA [1] 308 mg/m³ ((2-Methoxymethylethoxy)propanol)  OEL TWA [2] 50 ppm ((2-Methoxymethylethoxy)propanol)  OEL STEL 924 mg/m³ (calculated (2-(2-Methoxypropoxy)-1-propanol)  OEL STEL [ppm] 150 ppm (calculated (2-(2-Methoxypropoxy)-1-propanol)  OEL chemical category Potential for cutaneous absorption	OEL TWA [ppm]	50 ppm	
OEL TWA [ppm] 100 ppm OEL STEL 900 mg/m³ OEL STEL 900 mg/m³ OEL STEL 150 ppm OEL chemical category skin - potential for cutaneous absorption Hungary - Occupational Exposure Limits AK (OEL TWA) 308 mg/m³ Ireland - Occupational Exposure Limits OEL TWA [1] 308 mg/m³ ((2-Methoxymethylethoxy)propanol) OEL TWA [2] 50 ppm ((2-Methoxymethylethoxy)propanol) OEL STEL 924 mg/m³ (calculated (2-(2-Methoxypropoxy)-1-propanol) OEL STEL 150 ppm (calculated (2-(2-Methoxypropoxy)-1-propanol) OEL Chemical category Potential for cutaneous absorption	OEL chemical category	Skin notation	
OEL TWA [ppm] 100 ppm OEL STEL 900 mg/m³ OEL STEL [ppm] 150 ppm OEL chemical category skin - potential for cutaneous absorption Hungary - Occupational Exposure Limits AK (OEL TWA) 308 mg/m³ Ireland - Occupational Exposure Limits OEL TWA [1] 308 mg/m³ ((2-Methoxymethylethoxy)propanol) OEL TWA [2] 50 ppm ((2-Methoxymethylethoxy)propanol) OEL STEL 924 mg/m³ (calculated (2-(2-Methoxypropoxy)-1-propanol) OEL STEL [ppm] 150 ppm (calculated (2-(2-Methoxypropoxy)-1-propanol) OEL chemical category Potential for cutaneous absorption	Greece - Occupational Exposure Limits		
OEL STEL  900 mg/m³  OEL STEL [ppm]  150 ppm  OEL chemical category  skin - potential for cutaneous absorption  Hungary - Occupational Exposure Limits  AK (OEL TWA)  308 mg/m³  Ireland - Occupational Exposure Limits  OEL TWA [1]  308 mg/m³ ((2-Methoxymethylethoxy)propanol)  OEL TWA [2]  50 ppm ((2-Methoxymethylethoxy)propanol)  OEL STEL  924 mg/m³ (calculated (2-(2-Methoxypropoxy)-1-propanol)  OEL STEL [ppm]  150 ppm (calculated (2-(2-Methoxypropoxy)-1-propanol)  OEL STEL [ppm]  Potential for cutaneous absorption	OEL TWA	600 mg/m³	
OEL STEL [ppm] 150 ppm OEL chemical category skin - potential for cutaneous absorption  Hungary - Occupational Exposure Limits  AK (OEL TWA) 308 mg/m³  Ireland - Occupational Exposure Limits  OEL TWA [1] 308 mg/m³ ((2-Methoxymethylethoxy)propanol)  OEL TWA [2] 50 ppm ((2-Methoxymethylethoxy)propanol)  OEL STEL 924 mg/m³ (calculated (2-(2-Methoxypropoxy)-1-propanol)  OEL STEL [ppm] 150 ppm (calculated (2-(2-Methoxypropoxy)-1-propanol)  OEL chemical category Potential for cutaneous absorption	OEL TWA [ppm]	100 ppm	
Skin - potential for cutaneous absorption  Hungary - Occupational Exposure Limits  AK (OEL TWA)  308 mg/m³  Ireland - Occupational Exposure Limits  OEL TWA [1]  308 mg/m³ ((2-Methoxymethylethoxy)propanol)  OEL TWA [2]  50 ppm ((2-Methoxymethylethoxy)propanol)  OEL STEL  924 mg/m³ (calculated (2-(2-Methoxypropoxy)-1-propanol)  OEL STEL [ppm]  150 ppm (calculated (2-(2-Methoxypropoxy)-1-propanol)  OEL chemical category  Potential for cutaneous absorption	OEL STEL	900 mg/m³	
Hungary - Occupational Exposure Limits  AK (OEL TWA)  308 mg/m³  Ireland - Occupational Exposure Limits  OEL TWA [1]  308 mg/m³ ((2-Methoxymethylethoxy)propanol)  OEL TWA [2]  50 ppm ((2-Methoxymethylethoxy)propanol)  OEL STEL  924 mg/m³ (calculated (2-(2-Methoxypropoxy)-1-propanol)  OEL STEL [ppm]  150 ppm (calculated (2-(2-Methoxypropoxy)-1-propanol)  OEL chemical category  Potential for cutaneous absorption	OEL STEL [ppm]	150 ppm	
AK (OEL TWA)    308 mg/m³     1	OEL chemical category	skin - potential for cutaneous absorption	
Solution   Comparison   Compa	Hungary - Occupational Exposure Limits		
OEL TWA [1]  308 mg/m³ ((2-Methoxymethylethoxy)propanol)  OEL TWA [2]  50 ppm ((2-Methoxymethylethoxy)propanol)  OEL STEL  924 mg/m³ (calculated (2-(2-Methoxypropoxy)-1-propanol)  OEL STEL [ppm]  150 ppm (calculated (2-(2-Methoxypropoxy)-1-propanol)  OEL chemical category  Potential for cutaneous absorption	AK (OEL TWA)	308 mg/m³	
DEL TWA [2]  50 ppm ((2-Methoxymethylethoxy)propanol)  DEL STEL  924 mg/m³ (calculated (2-(2-Methoxypropoxy)-1-propanol)  DEL STEL [ppm]  150 ppm (calculated (2-(2-Methoxypropoxy)-1-propanol)  DEL chemical category  Potential for cutaneous absorption	Ireland - Occupational Exposure Limits		
OEL STEL  924 mg/m³ (calculated (2-(2-Methoxypropoxy)-1-propanol)  150 ppm (calculated (2-(2-Methoxypropoxy)-1-propanol)  OEL chemical category  Potential for cutaneous absorption	OEL TWA [1]	308 mg/m³ ((2-Methoxymethylethoxy)propanol)	
OEL STEL [ppm] 150 ppm (calculated (2-(2-Methoxypropoxy)-1-propanol) OEL chemical category Potential for cutaneous absorption Italy - Occupational Exposure Limits	OEL TWA [2]	50 ppm ((2-Methoxymethylethoxy)propanol)	
OEL chemical category Potential for cutaneous absorption  Italy - Occupational Exposure Limits	OEL STEL	924 mg/m³ (calculated (2-(2-Methoxypropoxy)-1-propanol)	
Italy - Occupational Exposure Limits	OEL STEL [ppm]	150 ppm (calculated (2-(2-Methoxypropoxy)-1-propanol)	
	OEL chemical category	Potential for cutaneous absorption	
DEL TWA 308 mg/m³	Italy - Occupational Exposure Limits		
	OEL TWA	308 mg/m³	

## Safety Data Sheet

Dipropylene glycol monomethyl ether (34590-	94-8)
OEL TWA [ppm]	50 ppm
OEL chemical category	skin - potential for cutaneous absorption
Latvia - Occupational Exposure Limits	
OEL TWA	308 mg/m³
OEL TWA [ppm]	50 ppm
OEL chemical category	skin - potential for cutaneous exposure
Lithuania - Occupational Exposure Limits	
IPRV (OEL TWA)	300 mg/m³ (2-(2-Methoxypropoxy)-propanol)
IPRV (OEL TWA) [ppm]	50 ppm (2-(2-Methoxypropoxy)-propanol)
TPRV (OEL STEL)	450 mg/m³ (2-(2-Methoxypropoxy)-propanol)
TPRV (OEL STEL) [ppm]	75 ppm (2-(2-Methoxypropoxy)-propanol)
OEL chemical category	Skin notation
Luxembourg - Occupational Exposure Limits	
OEL TWA	308 mg/m³
OEL TWA [ppm]	50 ppm
OEL chemical category	Possibility of significant uptake through the skin
Malta - Occupational Exposure Limits	
OEL TWA	308 mg/m³
OEL TWA [ppm]	50 ppm
OEL chemical category	Possibility of significant uptake through the skin
Netherlands - Occupational Exposure Limits	
TGG-8u (OEL TWA)	300 mg/m³
Poland - Occupational Exposure Limits	
NDS (OEL TWA)	240 mg/m³ (mixture of isomers: 1-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-2-ol and 2-(2-Methoxy-1-methylethoxy)propan-1-ol)
NDSCh (OEL STEL)	480 mg/m³ (mixture of isomers: 1-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-1-ol)
Portugal - Occupational Exposure Limits	
OEL TWA	308 mg/m³ (indicative limit value)
OEL TWA [ppm]	50 ppm (indicative limit value)
OEL STEL [ppm]	150 ppm
OEL chemical category	skin - potential for cutaneous exposure indicative limit value
Romania - Occupational Exposure Limits	
OEL TWA	308 mg/m³
OEL TWA [ppm]	50 ppm
OEL chemical category	Skin notation
Slovakia - Occupational Exposure Limits	
NPHV (OEL TWA) [1]	308 mg/m³
NPHV (OEL TWA) [2]	50 ppm
OEL chemical category	Potential for cutaneous absorption

## Safety Data Sheet

Dipropylene glycol monomethyl ether (34590-	94-8)
Slovenia - Occupational Exposure Limits	
OEL TWA	308 mg/m³
OEL TWA [ppm]	50 ppm
OEL STEL	308 mg/m³
OEL STEL [ppm]	50 ppm
OEL chemical category	Potential for cutaneous absorption
Spain - Occupational Exposure Limits	
VLA-ED (OEL TWA) [1]	308 mg/m³ (indicative limit value)
VLA-ED (OEL TWA) [2]	50 ppm (indicative limit value)
OEL chemical category	skin - potential for cutaneous absorption
Sweden - Occupational Exposure Limits	
NGV (OEL TWA)	300 mg/m³
NGV (OEL TWA) [ppm]	50 ppm
KTV (OEL STEL)	450 mg/m³
KTV (OEL STEL) [ppm]	75 ppm
OEL chemical category	Skin notation
United Kingdom - Occupational Exposure Limits	
WEL TWA (OEL TWA) [1]	308 mg/m³
WEL TWA (OEL TWA) [2]	50 ppm
WEL STEL (OEL STEL)	924 mg/m³ (calculated)
WEL STEL (OEL STEL) [ppm]	150 ppm (calculated)
WEL chemical category	Potential for cutaneous absorption
Norway - Occupational Exposure Limits	
Grenseverdi (OEL TWA) [1]	300 mg/m³
Grenseverdi (OEL TWA) [2]	50 ppm
Korttidsverdi (OEL STEL)	375 mg/m³ (value calculated)
Korttidsverdi (OEL STEL) [ppm]	75 ppm (value calculated)
OEL chemical category	Skin notation
Switzerland - Occupational Exposure Limits	
MAK (OEL TWA) [1]	300 mg/m³ (aerosol, vapour)
MAK (OEL TWA) [2]	50 ppm (aerosol, vapour)
KZGW (OEL STEL)	300 mg/m³ (aerosol, vapour)
KZGW (OEL STEL) [ppm]	50 ppm (aerosol, vapour)
USA - ACGIH - Occupational Exposure Limits	
ACGIH OEL TWA [ppm]	100 ppm
ACGIH OEL STEL [ppm]	150 ppm
ACGIH chemical category	Skin - potential significant contribution to overall exposure by the cutaneous route

## Safety Data Sheet

Butylated hydroxytoluene (BHT) crystals (128	-37-0)
Austria - Occupational Exposure Limits	
MAK (OEL TWA)	10 mg/m³
Belgium - Occupational Exposure Limits	
OEL TWA	2 mg/m³ (aerosol and vapor)
Bulgaria - Occupational Exposure Limits	
OEL TWA	10 mg/m³
OEL STEL	50 mg/m³
Croatia - Occupational Exposure Limits	
GVI (OEL TWA) [1]	10 mg/m³
Denmark - Occupational Exposure Limits	
OEL TWA [1]	10 mg/m³
Finland - Occupational Exposure Limits	
HTP (OEL TWA) [1]	10 mg/m³
HTP (OEL STEL)	20 mg/m³
France - Occupational Exposure Limits	
VME (OEL TWA)	10 mg/m³
Germany - Occupational Exposure Limits (TRGS 90	00)
AGW (OEL TWA) [1]	10 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-inhalable fraction)
Greece - Occupational Exposure Limits	
OEL TWA	10 mg/m³
Ireland - Occupational Exposure Limits	
OEL TWA [1]	2 mg/m³
OEL STEL	6 mg/m³ (calculated)
Portugal - Occupational Exposure Limits	
OEL TWA	2 mg/m³ (inhalable fraction, aerosol and vapor)
OEL chemical category	A4 - Not Classifiable as a Human Carcinogen
Slovenia - Occupational Exposure Limits	
OEL TWA	10 mg/m³ (inhalable fraction)
OEL STEL	40 mg/m³ (inhalable fraction)
Spain - Occupational Exposure Limits	
VLA-ED (OEL TWA) [1]	10 mg/m³
United Kingdom - Occupational Exposure Limits	
WEL TWA (OEL TWA) [1]	10 mg/m³
WEL STEL (OEL STEL)	30 mg/m³ (calculated)
Switzerland - Occupational Exposure Limits	
MAK (OEL TWA) [1]	10 mg/m³ (no elevated carcinogenic risk by keeping the MAK-value-aerosol, inhalable dust, vapour)
KZGW (OEL STEL)	40 mg/m³ (aerosol, inhalable dust, vapour)
OEL chemical category	Category C1B carcinogen carcinogenic with threshold value

## Safety Data Sheet

Butylated hydroxytoluene (BHT) crystals (128	3-37-0)
USA - ACGIH - Occupational Exposure Limits	
ACGIH OEL TWA	2 mg/m³ (inhalable fraction and vapor)
ACGIH chemical category	Not Classifiable as a Human Carcinogen
d-Limonene (5989-27-5)	
Finland - Occupational Exposure Limits	
HTP (OEL TWA) [1]	140 mg/m³
HTP (OEL TWA) [2]	25 ppm
HTP (OEL STEL)	280 mg/m³
HTP (OEL STEL) [ppm]	50 ppm
Germany - Occupational Exposure Limits (TRGS 90	00)
AGW (OEL TWA) [1]	28 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
AGW (OEL TWA) [2]	5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
Chemical category	Skin notation, Skin sensitization
Slovenia - Occupational Exposure Limits	
OEL TWA	28 mg/m³
OEL TWA [ppm]	5 ppm
OEL STEL	112 mg/m³
OEL STEL [ppm]	20 ppm
OEL chemical category	Potential for cutaneous absorption
Spain - Occupational Exposure Limits	
VLA-ED (OEL TWA) [1]	168 mg/m³
VLA-ED (OEL TWA) [2]	30 ppm
OEL chemical category	Sensitizer, skin - potential for cutaneous absorption
Norway - Occupational Exposure Limits	
Grenseverdi (OEL TWA) [1]	140 mg/m³
Grenseverdi (OEL TWA) [2]	25 ppm
Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)
Korttidsverdi (OEL STEL) [ppm]	37.5 ppm (value calculated)
OEL chemical category	Allergenic substance
Switzerland - Occupational Exposure Limits	
MAK (OEL TWA) [1]	40 mg/m³
MAK (OEL TWA) [2]	7 ppm
KZGW (OEL STEL)	80 mg/m³
KZGW (OEL STEL) [ppm]	14 ppm
OEL chemical category	Sensitizer

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Citral (5392-40-5)		
Belgium - Occupational Exposure Limits		
OEL TWA	32 mg/m³ (vapor and aerosol)	
OEL TWA [ppm]	5 ppm (vapor and aerosol)	
OEL chemical category	Skin	
Ireland - Occupational Exposure Limits		
OEL TWA [2]	5 ppm	
OEL STEL [ppm]	15 ppm (calculated)	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	27 mg/m³	
NDSCh (OEL STEL)	54 mg/m³	
Portugal - Occupational Exposure Limits		
OEL TWA [ppm]	5 ppm	
OEL chemical category	Sensitizer, A4 - Not Classifiable as a Human Carcinogen, skin - potential for cutaneous exposure	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA) [2]	5 ppm (inhalable fraction and vapor)	
OEL chemical category	Sensitizer, skin - potential for cutaneous absorption	
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA [ppm]	5 ppm (inhalable fraction and vapor)	
ACGIH chemical category	Not Classifiable as a Human Carcinogen, Skin - potential significant contribution to overall exposure by the cutaneous route, dermal sensitizer	

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

## 8.2. Exposure controls

## 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

### 8.2.2. Personal protection equipment

#### Personal protective equipment symbol(s):







#### 8.2.2.1. Eye and face protection

#### Eye protection:

Safety glasses

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 8.2.2.2. Skin protection

#### Skin and body protection:

Wear suitable protective clothing

#### Hand protection:

Protective gloves

#### 8.2.2.3. Respiratory protection

#### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

#### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

#### **Environmental exposure controls:**

Avoid release to the environment.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : light yellow. amber. Odour : characteristic. Odour threshold : Not available Melting point : Not applicable Freezing point : Not available : Not available Boiling point : Not available Flammability : Not available Explosive limits : Not available Lower explosion limit : Not available Upper explosion limit

Flash point : 85 °C (closed cup) ASTM D7094

Auto-ignition temperature : Not available Decomposition temperature : Not available : Not available Viscosity, kinematic : Not available Solubility : Not available Partition coefficient n-octanol/water (Log Kow) : Not available Vapour pressure : Not available Vapour pressure at 50°C : Not available Density Not available : Not available Relative density Relative vapour density at 20°C : Not available Particle characteristics : Not applicable

#### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

No additional information available

#### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 10.2. Chemical stability

Stable under normal conditions.

## 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

## 10.5. Incompatible materials

No additional information available

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Acute toxicity (initialation)	Not dassilled		
Dipropylene glycol monomethyl ether (34590-94-8)			
LD50 oral rat	5.35 g/kg		
LD50 dermal rabbit	9500 mg/kg		
Hexyl cinnamic aldehyde (101-86-0)	Hexyl cinnamic aldehyde (101-86-0)		
LD50 oral rat	3100 mg/kg		
LD50 oral	3100 mg/kg bodyweight		
LD50 dermal rabbit	> 3000 mg/kg		
LC50 Inhalation - Rat	> 5 mg/l/4h		
Ethylene brassylate (105-95-3)			
LD50 oral rat	> 5000 mg/kg		
LD50 dermal rabbit	> 5000 mg/kg		
Vertenex (32210-23-4)			
Vertenex (32210-23-4)			
<b>Vertenex (32210-23-4)</b> LD50 oral rat	5 g/kg		
	5 g/kg 3370 mg/kg bodyweight		
LD50 oral rat			
LD50 oral rat	3370 mg/kg bodyweight		
LD50 oral LD50 oral LD50 dermal rabbit	3370 mg/kg bodyweight		
LD50 oral rat  LD50 oral  LD50 dermal rabbit  Linalyl acetate (115-95-7)	3370 mg/kg bodyweight > 5000 mg/kg		
LD50 oral rat  LD50 oral  LD50 dermal rabbit  Linalyl acetate (115-95-7)  LD50 oral rat	3370 mg/kg bodyweight > 5000 mg/kg  14550 mg/kg		
LD50 oral rat  LD50 oral  LD50 dermal rabbit  Linalyl acetate (115-95-7)  LD50 oral rat  LD50 dermal rabbit	3370 mg/kg bodyweight > 5000 mg/kg  14550 mg/kg		
LD50 oral rat  LD50 oral  LD50 dermal rabbit  Linalyl acetate (115-95-7)  LD50 oral rat  LD50 dermal rabbit  Cedarwood oil, Virginia (8000-27-9)	3370 mg/kg bodyweight > 5000 mg/kg  14550 mg/kg > 5000 mg/kg		

## Safety Data Sheet

LD50 oral rat

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

> 2930 mg/kg

**Butylated hydroxytoluene (BHT) crystals (128-37-0)** 

LD50 dermal rat	> 2000 mg/kg
beta-lonone (14901-07-6)	
LD50 oral rat	4590 mg/kg
LD50 oral	3490 mg/kg bodyweight
Eugenol (97-53-0)	
LD50 oral rat	1930 mg/kg
LD50 oral	2500 mg/kg bodyweight
d-Limonene (5989-27-5)	
LD50 oral rat	4400 mg/kg
LD50 dermal rabbit	> 5 g/kg
COUMARIN (91-64-5)	
LD50 oral rat	> 5000 mg/kg
LD50 oral	500 mg/kg bodyweight
LD50 dermal rat	293 mg/kg
Cinnamic aldehyde (104-55-2)	
LD50 oral rat	2220 mg/kg
LD50 oral	2200 mg/kg bodyweight
LD50 dermal rabbit	1260 mg/kg
LD50 dermal	1100 mg/kg bodyweight
Citral (5392-40-5)	
LD50 oral rat	4960 mg/kg
LD50 dermal rabbit	2250 mg/kg
LD50 dermal	2250 mg/kg bodyweight
ACETYL HEXAMETHYL TETRALIN (21145-77	'-7)
LD50 oral rat	570 mg/kg
LD50 oral	1000 mg/kg bodyweight
LD50 dermal rabbit	> 5 g/kg
	Causes skin irritation.
,	Not classified  May cause an allergic skin reaction.
	Not classified
	Not classified
Butylated hydroxytoluene (BHT) crystals (12	8-37-0)
IARC group	3 - Not classifiable
Eugenol (97-53-0)	
IARC group	3 - Not classifiable
d-Limonene (5989-27-5)	
IARC group	3 - Not classifiable
	14/21

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

COUMARIN (91-64-5)	
IARC group	3 - Not classifiable
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

#### 11.2. Information on other hazards

No additional information available

## **SECTION 12: Ecological information**

## 12.1. Toxicity

Ecology - general : Toxic to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short–term : Not classified

(acute)

Hazardous to the aquatic environment, long–term : Toxic to aquatic life with long lasting effects.

(chronic)

Dipropylene glycol monomethyl ether (34590-94-8)			
LC50 - Fish [1]	> 10000 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])		
EC50 - Crustacea [1]	1919 mg/l (Exposure time: 48 h - Species: Daphnia magna)		
Vertenex (32210-23-4)			
LC50 - Fish [1]	8.6 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [semi-static])		
Linalyl acetate (115-95-7)			
LC50 - Fish [1]	11 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [flow-through])		
Linalool (78-70-6)			
EC50 96h - Algae [1]	88.3 mg/l (Species: Desmodesmus subspicatus)		
Butylated hydroxytoluene (BHT) crystals (128	-37-0)		
EC50 72h - Algae [1]	6 mg/l (Species: Pseudokirchneriella subcapitata)		
EC50 72h - Algae [2]	> 0.42 mg/l (Species: Desmodesmus subspicatus)		
Eugenol (97-53-0)			
LC50 - Fish [1]	13 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])		
d-Limonene (5989-27-5)			
LC50 - Fish [1]	0.619 – 0.796 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-thro		
LC50 - Fish [2]	35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)		
Citral (5392-40-5)			
EC50 - Crustacea [1]	7 mg/l (Exposure time: 48 h - Species: Daphnia magna)		
EC50 72h - Algae [1]	16 mg/l (Species: Desmodesmus subspicatus)		
EC50 96h - Algae [1]	19 mg/l (Species: Desmodesmus subspicatus)		

#### 12.2. Persistence and degradability

No additional information available

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 12.3. Bioaccumulative potential

Dipropylene glycol monomethyl ether (34590-94-8)			
Partition coefficient n-octanol/water (Log Pow)	0.35 (at 25 °C (at pH 7)		
Ethylene brassylate (105-95-3)			
Partition coefficient n-octanol/water (Log Pow)	4.3 (at 25 °C (at pH 6.4-7)		
Vertenex (32210-23-4)			
Partition coefficient n-octanol/water (Log Pow)	4.8 (at 25 °C)		
Linalyl acetate (115-95-7)			
Partition coefficient n-octanol/water (Log Pow)	3.9 (at 25 °C)		
Butylated hydroxytoluene (BHT) crystals (128	-37-0)		
BCF - Fish [1]	230 – 2500		
Partition coefficient n-octanol/water (Log Pow)	5.1		
beta-lonone (14901-07-6)			
Partition coefficient n-octanol/water (Log Pow)	1.903 (at 27 °C (at pH 5.7)		
Eugenol (97-53-0)			
Partition coefficient n-octanol/water (Log Pow)	1.83 (at 30 °C (at pH 5.5)		
d-Limonene (5989-27-5)			
Partition coefficient n-octanol/water (Log Pow)	4.38 (at 37 °C (at pH 7.2)		
Cinnamic aldehyde (104-55-2)			
Partition coefficient n-octanol/water (Log Pow)	2.1065 (at 25 °C)		
Citral (5392-40-5)			
Partition coefficient n-octanol/water (Log Pow)	2.76 (at 25 °C)		
ACETYL HEXAMETHYL TETRALIN (21145-77-7)			
Partition coefficient n-octanol/water (Log Pow)	5.7 (at 24 °C)		

## 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

No additional information available

#### 12.6. Endocrine disrupting properties

No additional information available

#### 12.7. Other adverse effects

No additional information available

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

HP Code

- : HP3 "Flammable:"
  - flammable liquid waste: liquid waste having a flash point below 60 °C or waste gas oil, diesel and light heating oils having a flash point > 55 °C and ≤ 75 °C;
  - flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small quantities, is liable to ignite within five minutes after coming into contact with air;
  - flammable solid waste: solid waste which is readily combustible or may cause or contribute to fire through friction;
  - flammable gaseous waste: gaseous waste which is flammable in air at 20  $^{\circ}\text{C}$  and a standard pressure of 101.3 kPa;
  - water reactive waste: waste which, in contact with water, emits flammable gases in dangerous quantities;
  - other flammable waste: flammable aerosols, flammable self-heating waste, flammable organic peroxides and flammable self-reactive waste.
  - HP13 "Sensitising:" waste which contains one or more substances known to cause sensitising effects to the skin or the respiratory organs.
  - HP14 "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

## **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IMDG IATA		RID		
14.1. UN number or ID number						
UN 3082	UN 3082	UN 3082	UN 3082	UN 3082		
14.2. UN proper shippin	14.2. UN proper shipping name					
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ISO E SUPER)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ISO E SUPER)	Environmentally hazardous substance, liquid, n.o.s. (ISO E SUPER)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ISO E SUPER)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ISO E SUPER)		
Transport document descr	iption					
UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ISO E SUPER), 9, III, (-)	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ISO E SUPER), 9, III, MARINE POLLUTANT	UN 3082 Environmentally hazardous substance, liquid, n.o.s. (ISO E SUPER), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ISO E SUPER), 9,	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ISO E SUPER), 9,		
14.3. Transport hazard	14.3. Transport hazard class(es)					
9	9	9	9	9		
	<b>1 1 1 2 2</b>	<b>1 1 1 2 2</b>				
14.4. Packing group						
III	III	III	III	III		
14.5. Environmental hazards						
Dangerous for the environment: Yes Environment: Yes Marine pollutant: Yes		Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes		
No supplementary information	n available					

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 14.6. Special precautions for user

Overland transport

Classification code (ADR) : M6

Special provisions (ADR) : 274, 335, 375, 601

Limited quantities (ADR) : 5I Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Special packing provisions (ADR) : PP1
Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions (ADR) : T4

Portable tank and bulk container special provisions : TP1, TP29

(ADR)

Tank code (ADR) : LGBV
Vehicle for tank carriage : AT
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V12
Special provisions for carriage - Loading, unloading : CV13

and handling (ADR)

Hazard identification number (Kemler No.) : 90

Orange plates :

90 3082

Tunnel restriction code (ADR) : EAC code : •3Z

Transport by sea

Special provisions (IMDG) : 274, 335, 969

Limited quantities (IMDG) : 5 L

Excepted quantities (IMDG) : E1

Packing instructions (IMDG) : LP01, P001

Special packing provisions (IMDG) : PP1
IBC packing instructions (IMDG) : IBC03
Tank instructions (IMDG) : T4
Tank special provisions (IMDG) : TP1, TP29
EmS-No. (Fire) : F-A
EmS-No. (Spillage) : S-F
Stowage category (IMDG) : A

Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y964
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 964
PCA max net quantity (IATA) : 450L
CAO packing instructions (IATA) : 964
CAO max net quantity (IATA) : 450L

Special provisions (IATA) : A97, A158, A197, A215

ERG code (IATA) : 9L

Inland waterway transport

Classification code (ADN) : M6

Special provisions (ADN) : 274, 335, 375, 601

Limited quantities (ADN) : 5 L

Excepted quantities (ADN) : E1

Carriage permitted (ADN) : T

Equipment required (ADN) : PP

Number of blue cones/lights (ADN) : 0

Rail transport

Classification code (RID) : M6

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Special provisions (RID) : 274, 335, 375, 601

Limited quantities (RID) : 5L Excepted quantities (RID) : E1

Packing instructions (RID) : P001, IBC03, LP01, R001

Special packing provisions (RID) : PP1
Mixed packing provisions (RID) : MP19
Portable tank and bulk container instructions (RID) : T4
Portable tank and bulk container special provisions : TP1, TP29

(RID)

Tank codes for RID tanks (RID) : LGBV

Transport category (RID) : 3

Special provisions for carriage – Packages (RID) : W12

Special provisions for carriage - Loading, unloading : CW13, CW31

and handling (RID)

Colis express (express parcels) (RID) : CE8
Hazard identification number (RID) : 90

#### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

#### **REACH Annex XVII (Restriction List)**

EU restriction list (REACH Annex XVII)			
Reference code	Applicable on	Entry title or description	
3(a)	d-Limonene	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F	
3(b)	Teakwood; Hexyl cinnamic aldehyde; Vertenex; Iso E Super; Linalyl acetate; Cedrus Atlantica Oil; Cedarwood oil, Virginia; Linalool; Eugenol; d-Limonene; Cinnamic aldehyde; Citral	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10	
3(c)	Teakwood; Hexyl cinnamic aldehyde; Ethylene brassylate; Iso E Super; Cedrus Atlantica Oil; Cedarwood oil, Virginia; beta-lonone; d-Limonene; Cinnamic aldehyde	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1	
40.	d-Limonene	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.	

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

#### **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

#### **PIC Regulation (Prior Informed Consent)**

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

#### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

#### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

#### **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

#### **Drug Precursors Regulation (273/2004)**

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

#### 15.1.2. National regulations

#### Germany

**Employment restrictions** : Observe restrictions according Act on the Protection of Working Mothers (MuSchG).

Observe restrictions according Act on the Protection of Young People in Employment

(JArbSchG).

Water hazard class (WGK) : WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1).

List of sensitizing substances (TRGS 907) : Contains sensitizing substances according TRGS 907.

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

**Netherlands** 

: A(2) - toxic for aquatic organisms, may have longterm hazardous effects in aquatic ABM category

environment

SZW-lijst van kankerverwekkende stoffen : Cedarwood, Atlas, Cedarwood oil, Virginia are listed SZW-liist van mutagene stoffen

: Cedarwood, Atlas, Cedarwood oil, Virginia are listed

SZW-lijst van reprotoxische stoffen – Borstvoeding : None of the components are listed

SZW-lijst van reprotoxische stoffen -

Vruchtbaarheid

: None of the components are listed

SZW-lijst van reprotoxische stoffen - Ontwikkeling

: None of the components are listed

**Denmark** 

Class for fire hazard : Class III-1 Store unit : 50 liter

Classification remarks : Flammable according to the Danish Ministry of Justice; Emergency management guidelines

for the storage of flammable liquids must be followed

**Danish National Regulations** : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct contact with

the product

Switzerland

Storage class (LK) : LK 10/12 - Liquids

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

#### **SECTION 16: Other information**

Е.	ш	tovt	of L	and		ctat	temen	te:
гι	411	LUXL	ОΙП	- allu	EUI	-Sta	temen	LS.

Acute Tox. 3 (Dermal) Acute toxicity (dermal), Category 3

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:			
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3		
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3		
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4		
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4		
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1		
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1		
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2		
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3		
Asp. Tox. 1	Aspiration hazard, Category 1		
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2		
Flam. Liq. 3	Flammable liquids, Category 3		
H226	Flammable liquid and vapour.		
H301	Toxic if swallowed.		
H302	Harmful if swallowed.		
H304	May be fatal if swallowed and enters airways.		
H311	Toxic in contact with skin.		
H312	Harmful in contact with skin.		
H315	Causes skin irritation.		
H317	May cause an allergic skin reaction.		
H319	Causes serious eye irritation.		
H331	Toxic if inhaled.		
H400	Very toxic to aquatic life.		
H410	Very toxic to aquatic life with long lasting effects.		
H411	Toxic to aquatic life with long lasting effects.		
H412	Harmful to aquatic life with long lasting effects.		
Skin Irrit. 2	Skin corrosion/irritation, Category 2		
Skin Sens. 1	Skin sensitisation, Category 1		
Skin Sens. 1B	Skin sensitisation, category 1B		

The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.